

Institut royal des Sciences  
naturelles de Belgique

Koninklijk Belgisch Instituut  
voor Natuurwetenschappen

**BULLETIN**

NEW NAMES INTRODUCED BY M. CONNOLLY  
AND BY H. B. PRESTON IN THE MOLLUSCA

BY

William ADAM (Brussels)

**Instituut voor Zeewetenschappelijk onderzoek**  
**Institute for Marine Scientific Research**  
Prinses Elisabethlaan 69  
8401 Bredene - Belgium - Tel. 059 / 80 37 15

Bull. Inst. r. Sci. nat. Belg.  
Bull. K. Belg. Inst. Nat. Wet.

47

24

Brux. 15.10.1971





NEW NAMES INTRODUCED BY M. CONNOLLY  
AND BY H. B. PRESTON IN THE MOLLUSCA

BY

William ADAM (Brussels)

CONTENTS

	Pages
Introduction . . . . .	1
Abbreviations . . . . .	2
Alphabetical list of the new genera, subgenera, species, subspecies, varieties and forms, described by M. CONNOLLY and by H. B. PRESTON . . . . .	3
Bibliography of M. CONNOLLY . . . . .	72
Bibliography of H. B. PRESTON . . . . .	74
References . . . . .	77

INTRODUCTION

As mentioned by M. CONNOLLY (1922b, p. 485) : « In the years just previous to 1914 an enormous amount of material of the highest conchological importance was sent home from Tropical Africa by Messrs. A. BLAYNEY PERCIVAL, Robin KEMP, and C. W. WOODHOUSE. Some of the results of their labours were published by H. B. PRESTON in a series of short papers on a wide range of genera, culminating in two longer articles specializing the Streptaxidae and Zonitidae of that part of the Continent ».

In fact, according to S. P. DANCE (1966, p. 223), H. B. PRESTON published the descriptions of over a thousand new species and thirty-eight genera, collected in different parts of the world.

The publication of many new species, belonging to the Stenogyridae and other families was delayed by the first world war. But H. B. PRESTON

had already distributed paratypes of numerous unpublished species to public and private collections.

M. CONNOLLY (1922b, p. 485) states that he acquired from H. B. PRESTON the whole collection of over 300 shells selected by the latter author as types of the unpublished species. M. CONNOLLY intended to describe these species under the names originally suggested by H. B. PRESTON. Unfortunately he does not indicate in his publications which of the species bear the names proposed by H. B. PRESTON. On the other hand, M. CONNOLLY described only African species. There remain still a number of PRESTON's shells with unpublished names in scientific and private collections all over the world.

The collections of the Royal Institute of Natural Sciences of Belgium, and especially the famous DAUTZENBERG-collection, contain many of PRESTON's published and unpublished species. As I often received requests from colleagues of other institutions as to where H. B. PRESTON described a given species, I established a file-system of all of the new names of Mollusca published by this author. As M. CONNOLLY described many of the unpublished species which H. B. PRESTON had already distributed, I completed the file-system with all of CONNOLLY's new names.

In order to put these references at the disposal of malacologists and conchologists interested in PRESTON's and CONNOLLY's species, I present herewith a complete list of the publications of these authors (based on the Zoological Record) and an alphabetically arranged catalogue of all the new names introduced by them. Under each name I give : (a) the references of the publication; (b) the type-and other localities, with the original geographical names, unaltered with respect to recent changes; and (c) references describing the anatomy (A.) or the radula (R.). Where the original description does not give an illustration of the type-specimen, I have added wherever possible a reference to one of PRESTON's or CONNOLLY's publications wherein the species is depicted. The original generic names are mentioned, but if H. B. PRESTON or M. CONNOLLY changed them subsequently, I cite the references.

In order to expedite the publication of this catalogue, I do not consider the validity of the species or genera.

It is possible that other authors have described some of the unpublished species of H. B. PRESTON. This list will in any case permit the verification if and where H. B. PRESTON and M. CONNOLLY published their species, genera, or other taxonomic categories.

#### ABBREVIATIONS

- A. = anatomy.
- B. C. A. = British Central Africa.
- B. E. A. = British East Africa.
- B. N. G. = British New Guinea.

c.	= circa.
fms.	= fathoms.
ft.	= feet.
G. E. A.	= German East Africa.
m.	= meter.
mss.	= manuscript name.
Mt.	= mountain.
nom. nov.	= nomen novum.
R.	= radula.
sect.	= section.
subfam.	= subfamily.
subgen.	= subgenus.
subsp.	= subspecies.
Typesp.	= typespecies.
var.	= variety.

Alphabetical list of the new genera,  
subgenera, species, subspecies, varieties and forms,  
described by M. CONNOLLY and by H. B. PRESTON

- abbreviata* (*Corbula*) PRESTON, 1907f, p. 215, fig. 1 : Port Canning, Lower Bengal, in brackish pools.
- aberdarensis* (*Ennea*) PRESTON, 1913d, p. 207, pl. 32, figs. 6, 6a : Mt. Kenangop, Aberdare Range, B. E. A.
- abjecta* (*Cerithiopsis*) PRESTON, 1905, p. 4, pl. 1, figs. 12, 12a : Ceylon.
- accrensis* (*Hydrobia*) CONNOLLY, 1929, p. 176, pl. 5, fig. 6 : Gold Coast, quarry near Accra.
- achatinoides* (*Cerastus*) CONNOLLY, 1931d, p. 328, pl. 11, fig. 8 : Madashon (type); Marojeh, Al Hills, 3500 ft.
- achilles* (*Euonyma*) PRESTON, 1913c, p. 54, pl. 4, fig. 7 (erratum : p. 212) : Urguess, B. E. A.
- acinaces* (*Afrodonta*) CONNOLLY, 1933, p. 149, pl. 7, figs. 12-15, text-fig. 1<sup>s</sup> : Natal, Van Reenen.
- acuminata* (*Menestho*) PRESTON, 1908e, p. 200, pl. 15, fig. 38 : North Bay, Anadaman Islands.
- acuta* (*Auriculastra*) CONNOLLY, 1922a, p. 121 (fig. : M. CONNOLLY, 1925, p. 188, pl. 4, fig. 29) : Estuary of Nkomati River, Rikatla.
- adamsi* (*Hydrobia*) PRESTON, 1912h, p. 107, textfig. : Monte Video (Uruguay).
- adansiensis* (*Gulella titania* CONNOLLY, 1928, subsp.) CONNOLLY, 1942, p. 330 : Ashanti, Adansi.
- adelpha* (*Ennea*) PRESTON, 1913d, p. 199, pl. 32, figs. 7, 7a; pl. 34, figs. 1, 1a : between Masaka and Entebbe, extreme S.W. Uganda.
- adelus* (*Nothapalus*) CONNOLLY, 1923, p. 355, pl. 1, fig. 27 : probably Belgian Congo, between Lake Mutanda and Lake Kivu.

- adjacens* (*Ennea*) PRESTON, 1913d, p. 214, pl. 32, figs. 8, 8a : between the Jombene Hills and Nyeri, B. E. A.
- adjacens* (*Ledoulxia*) PRESTON, 1914b, p. 808, pl. 1, fig. 8 : Mount Kenangop, Aberdare Range, B. E. A.
- adjacens* (*Subuliniscus*) CONNOLLY, 1923, p. 360, pl. 1, fig. 12 : Kenya, Larogi Hills.
- adoxus* (*Trochozonites* (*Zonitrochus*)) CONNOLLY, 1925c, p. 459, pl. 28, fig. 4 : Uganda, Malange, Abiri Forest, 4000 ft. (the subgenus is *Zonitotrochus* PILSBRY).
- aëthodus* (*Helicarion*) CONNOLLY, 1925, p. 462, textfig. 3(R) : Kenya, Mt. Kenya.
- affinis* (*Buliminus*) PRESTON, 1910f, p. 165, textfig. : Harar, S. Abyssinia.
- Afrocanidea* CONNOLLY, 1929, p. 178 (Typesp. *Afrocanidea gemmula* CONNOLLY, 1929; in the description of the species the author calls it *A. gemma*).
- ahena* (*Charopa*) PRESTON, 1907g, p. 217, fig. 1 : New Caledonia.
- ahena* (*Gibbula*) PRESTON, 1908e, p. 201, pl. 16, fig. 43 : off Port Blair, Andaman Islands, 7-10 fms.
- ahena* (*Mikenoëlla*) PRESTON, 1914b, p. 802, pl. 2, figs. 26a-c : Burunga, Mount Mikeno, Belgian Congo, 6000 ft.
- ahena* (*Moussonina*) PRESTON, 1913a, p. 439 : Island of Beilan-Beilan, to the north of the Obi Islands, Dutch East Indies.
- alabastrina* (*Curvella*) PRESTON, 1911f, p. 221, pl. 11, fig. 9 : Naivasha, B. E. A. (non *C. alabastrina* DA COSTA, 1906) (according to M. CONNOLLY, 1923, p. 650, « it is unnecessary to rename the species, as it appears to be quite inseparable from *lamoense*, M. & P. »).
- albaniense* (*Opeas*) CONNOLLY, 1919, p. 217, fig. 2 : Cape Province, Alicedale; Grahamstown.
- alberti* (*Corbicula*) PRESTON, 1915e, p. 219 (nom. nov. for *Corbicula violacea* CLESSIN, 1879, non PRIME, 1861).
- albida* (*Helicella* (*Lejeania*) *rosenbergi*) PRESTON, 1910, var.) PRESTON, 1910f, p. 165 : Harar, S. Abyssinia.
- albida* (*Planorbis lamyi* GERMAIN, 1905, var.) CONNOLLY, 1939, p. 490, pl. 16, figs. 5-7 : Griqualand West, Riet River (type); Modder River. Orange Free State, Glen.
- albicincta* (*Mathewsoconcha*) PRESTON, 1913b, p. 528 : Norfolk Island, subfossil in sand near the limestone quarry on the S.E. coast.
- albomarginata* (*Tapes*) PRESTON, 1908e, p. 207, pl. 14, fig. 16 : Andaman Islands.
- alcocki* (*Corbula*) PRESTON, 1907f, p. 215, fig. 2 : Port Canning, Lower Bengal, in brackish pools.
- alhiensis* (*Limicolaria*) PRESTON, 1912i, p. 108, textfig. : Alhi Plains, B. E. A.
- alhiensis* (*Vivipara*) PRESTON, 1913c, p. 58, pl. 4, fig. 4 (erratum p. 212) : Alhi Plains, B. E. A.

- Allenococoncha* PRESTON, 1913b, p. 523 (Typesp. *Allenococoncha basispiralis* PRESTON, 1913).
- alutacea* (*Gulella*) CONNOLLY, 1932a, p. 84, pl. 4, fig. 16 : Natal, Cascade Falls, Karkloof.
- ambigua* (*Trachycystis*) CONNOLLY, 1922a, p. 116 (Fig. : M. CONNOLLY, 1925, p. 141, pl. 4, fig. 9) : Head-waters of R. Inyamkarrara, 4500 ft.
- anceyana* (*Epiphragmophora*) PRESTON, 1909e, p. 508, pl. 10, fig. 14A-B : Argentina.
- anceyana* (*Limnaea*) PRESTON, 1910a, p. 59, pl. 4, fig. 4 : Maringo River, Belgian Congo.
- andamanensis* (*Mangilia*) PRESTON, 1908e, p. 192, pl. 15, fig. 26 : Andaman Islands.
- andamanensis* (*Novaculina*) PRESTON, 1908e, p. 209, pl. 16, fig. 40 : Andaman Islands.
- andamanensis* (*Styloptygma*) PRESTON, 1908e, p. 199, pl. 14, fig. 10 : Andaman Islands.
- andamanica* (*Cardiomya*) PRESTON, 1916a, p. 99, figs. 19, 19a : Semiramis Bay, Andaman Is., 2-6 fms., on a bottom of fine mud.
- andamanica* (*Gottonia*) PRESTON, 1908d, p. 45, fig. 2 : Andaman Islands.
- andamanicus* (*Chlamys*) PRESTON, 1908e, p. 204, pl. 14, fig. 19 : Andaman Islands.
- angolensis* (*Aferulus intermedius* MARTENS, var.) PRESTON, 1910d, p. 55 : two hundred miles due east of Loanda, Angola.
- angoniensis* (*Unio*) PRESTON, 1910a, p. 59, pl. 4, fig. 5 : Angoniland, B. C. A., to the south of Lake Nyassa.
- angulifera* (*Larogiella*) PRESTON, 1914b, p. 800, pl. 2, fig. 1 : Larogi Hills, B. E. A.
- angusta* (*Rissoina*) PRESTON, 1908e, p. 197, pl. 14, fig. 1 : off Port Blair, Andaman Islands, 7-10 fms.
- angustiarum* (*Littoridina*) PRESTON (in L. E. ADAMS) 1915, p. 352, pl. 6, fig. 4 : Port Famine, Straits of Magellan.
- angusticincta* (*Mangilia* (*Daphnella*)) PRESTON, 1909b, p. 136, pl. 22, fig. 12 : Ceylon.
- angustior* (*Elgonella*) PRESTON, 1914b, p. 797, pl. 2, figs. 6a, 6b : Mount Elgon, S.W. Uganda.
- angustior* (*Opeas*) PRESTON, 1911d, p. 475, pl. 12, fig. 33 : between Rumruti and Mount Kenia, B. E. A.
- angustior* (*Orthalicus sultana* (DILLWYN, 1817) subsp.) PRESTON, 1914g, p. 524 : Eastern Peru.
- annandalei* (*Bithinella*) PRESTON, 1914, p. 469, pl. 27, fig. 6 : Ain-et-Tineh (type); et-Tabghah and Mejdal, Lake of Tiberias.
- annandalei* (*Clausilia* (*Phaedusa*)) PRESTON, 1915a, p. 538, figs. 2, 2a, 2b : Upper Rotung, 2000 ft., under stems of plantain trees.
- annandalei* (*Clementia*) PRESTON, 1914a, p. 306, figs. 14, 14a-b : Lake Chilka, Orissa, about 3 miles off Balugaon, from muddy bottom, 6-8 ft. (type); about 2 miles from the same locality; between Barna-

- kuda and Nalbano Isd.; 10 ft.; off Samal Isd., Ganjam District, Madras; about half a mile east of Nalbano Isd., Orissa, 10-12 ft.; Port Canning, Gangetic delta.
- annandalei* (*Cuspidaria*) PRESTON, 1915b, p. 308, figs. 23, 23a : 4-9 miles E. by S.  $\frac{1}{2}$  S. of Patsahanipur, 4-5 ft. (type); Serua Nadi, 5-9 ft.; 4-7 miles E.  $\frac{1}{2}$  S. of Patsahanipur, 4-4  $\frac{1}{2}$  ft.; about 4 miles E.N.E. of Kalupara Ghat, 6-7 ft.; 4-9 miles E.  $\frac{1}{2}$  S. of Barkul bungalow, 5  $\frac{1}{4}$ -5  $\frac{3}{4}$  ft.; 1-1  $\frac{1}{2}$  miles off Kalupara Ghat, 6-7 ft.; 1 mile S. of Kalidai, 4-8 ft.; Nalbano and channel S.E. of Nalbano, 4-8 ft.; main channel W. of Satpara Id., 3-8 ft.; main channel between Satpara and Barnikuda, 6 ft.; Mahosa, Barhampur Id.
- annandalei* (*Diplodonta* (*Felania*)) PRESTON, 1914a, p. 307, figs. 20, 20a-b : between Barnakuda and Nalbano Isd., Lake Chilka, 10 ft.
- annandalei* (*Iravadia*) PRESTON, 1916, p. 31, figs. 8, 8a : Ennur backwater, Madras (type); Cochin backwater, near Ernakulam.
- annandalei* (*Modiola*) PRESTON, 1911e, p. 40, fig. 4 : Rambha, S. end of Lake Chilka, on stones between tide marks.
- annandalei* (*Paludomus*) PRESTON, 1909c, p. 277, fig. 1 : Tenmalai, W. Ghats (W. side), Travancore (rocky mountain stream, nov. 1908).
- annandalei* (*Parreysia*) PRESTON, 1912d, p. 302 (Fig. : H. B. PRESTON, 1915e, p. 173, fig. 18<sup>1-3</sup>) : Gowhatty.
- annandalei* (*Pteronotus*) PRESTON, 1910h, p. 118, fig. 3 : off Gopalpore, 30-38 fms.
- annandalei* (*Solen*) PRESTON, 1915b, p. 304, figs. 17, 17a : Satpara Bay.
- annandalei* (*Standella*) PRESTON, 1915b, p. 305, figs. 19, 19a-b : N.E. side of Nalbano (type); Satpara Bay.
- annandalei* (*Valvata*) PRESTON, 1916b, p. 162, pl. 9, figs. 5, 5a, 5b : Lake Biwa, Japan, depth more than 40 m.
- annipacis* (*Opeas*) CONNOLLY, 1919a, p. 144, fig. 4 : Natal, Verulam (M. CONNOLLY, 1939, p. 358 = *Hypolysia*).
- ansorgei* (*Ennea*) PRESTON, 1910d, p. 51, textfig. : 200 miles due east of Loanda, Angola.
- aperta* (*Lejeania*) CONNOLLY, 1941a, p. 22, pl. 3, figs. 4-6, textfig. 4(R) : Yemen, north slope of Jebel Jalal, above Naqil Isla pass, c. 9900 ft. (highest point reached by the expedition), 8-III-1938.
- aphantum* (*Opeas*) CONNOLLY, 1923a, p. 651, pl. 19, fig. 12 : Kenya, Mt. Kenya, 6-8000 ft.
- apicepunctata* (*Bulimulus*) PRESTON, 1914g, p. 523 : Santa Rita, E. Peru.
- approximans* (*Corbicula*) PRESTON, 1914g, p. 528 : Ria Bermejo, a tributary of the Chaco, N. Argentina.
- approximans* (*Fischeria*) PRESTON, 1909d, p. 186, pl. 7, fig. 18 : Podor, Senegal River.
- approximans* (*Spatha*) PRESTON, 1910a, p. 63, pl. 5, fig. 14 : Shiré River, at a point from 3 to 4 kilometers to the south of Lake Nyassa.
- approximans* (*Trachycystis*) PRESTON, 1911d, p. 468, pl. 11, fig. 15 : between Rumruti and Mount Kenia, B. E. A.



- approximans* (*Trachycystis*) CONNOLLY, 1931c (non PRESTON, 1911), p. 308, pl. 10, figs. 2-4 : Cape Province, George Bush (type) and Keurboom River Bush. (= *Trachycystis proxima* CONNOLLY, 1939, p. 191).
- aprosdoketa* (*Gulella*) CONNOLLY, 1939, p. 73, pl. 2, fig. 4 : Cape Province, Isinuka Sulphur Springs, Port St. John's.
- arabica* (*Subulina*) CONNOLLY, 1941a, p. 24, pl. 3, fig. 2 : Western Aden Protectorate, Wadi Dareija, south-west of Dhala, 4600 ft., XI-1937 (type), Jebel Jihaf, IX-X-1937.
- araeum* (*Opeas*) CONNOLLY, 1923a, p. 652, pl. 19, fig. 35 : Kenya, Keku-mega.
- aranea* (*Gudeëlla*) PRESTON, 1914b, p. 789, pl. 3, fig. 20 : between Entebbe and Masaka, S. W. Uganda.
- arboricola* (*Succinea*) CONNOLLY, 1912a, p. 220 (nom. nov. for *Succinea arborea* MOUSSON, 1887 (non ADAMS & ANGAS, 1863)).
- argenteus* (*Pseudancylus*) CONNOLLY, 1941a, p. 37, pl. 3, figs. 11, 12 : Hadhramaut, pools in Shab Samu'a, Hureidha.
- ariel* (*Achatina*) PRESTON, 1910f, p. 166, textfig. : Harar, S. Abyssinia.
- ariel* (*Nassa*) PRESTON, 1910h, p. 118, fig. 2 : Balasore Bay.
- ariel* (*Phortion*) PRESTON, 1910b, p. 531, pl. 8, fig. 15 : Shimbi Hills, B. E. A. (M. CONNOLLY, 1925c, p. 469 = *Sitala*).
- arthuri* (*Ennea*) PRESTON, 1913d, p. 198, pl. 32, figs. 9, 9a : Jombene Hills, B. E. A., 4000 ft.
- arthuri* (*Euonyma*) CONNOLLY, 1923a, p. 636, pl. 19, fig. 19 : Kenya, Urquess.
- arthuri* (*Malvinasia*) COOPER & PRESTON, 1910, p. 113, pl. 4, figs. 7, 8 : Falkland Islands.
- assamensis* (*Parreysia favidens* (BENSON, 1862) var.) (NEVILL mss.) PRESTON, 1912d, p. 299 (Fig. : H. B. PRESTON, 1915e, p. 161, fig. 12) : Digong (type); Assam; Arrah; Sylhet.
- athiensis* (*Conulinus*) CONNOLLY, 1925c, p. 476, pl. 28, fig. 18 : Kenya, Athi Plains; Mt. Kenangop.
- atlantoididea* (*Cryptocharopa*) PRESTON, 1913b, p. 534 : Mount Pitt, Norfolk Island.
- aurea* (*Zingis*) PRESTON, 1913c, p. 47, pl. 5, fig. 6 : Jombene Hills, 6000 ft., B. E. A.; also at Nyeri and Mweru in the lower country. (H. B. PRESTON, 1914b, p. 802 = *Mikenoëlla*).
- aurifera* (*Assimania*) PRESTON, 1912e, p. 191, pl. 31, fig. 9 : Gazi, B. E. A.
- auriformis* (*Streptostele (Raffraya)*) CONNOLLY, 1922b, p. 512, pl. 14, fig. 7 : Kenya, Rumruti, Laikipia Plateau, 7000 ft.
- austeni* (*Plectotropis*) PRESTON, 1915a, p. 537, figs. 1, 1a, 1b : Upper Rotung.
- austenianus* (*Cyclophorus*) PRESTON, 1914e, p. 20, textfig. : Naga Hills, Assam.



- baccata* (*Ennea*) PRESTON, 1913d, p. 198, pl. 32, figs. 10, 10a : Urguess, B. E. A., 6000 ft.
- balteata* (*Eulima*) PRESTON, 1908e, p. 199, pl. 15, fig. 36 : Andaman Islands.
- balteata* (*Physa*) PRESTON, 1907h, p. 497, fig. 19 : Oaxaca, Mexico.
- balteata* (*Risella*) PRESTON, 1908e, p. 197, pl. 14, fig. 13 : Andaman Islands.
- bananaensis* (*Dreissensia*) PRESTON, 1909f, p. 88, pl. 4, fig. 3 : Banana Creek, Congo Delta.
- bandulana* (*Nesopupa*) CONNOLLY, 1922a, p. 119 (Fig. : M. CONNOLLY, 1925, p. 165, pl. 4, fig. 24) : near Bandula Siding, B. & M. Railway.
- barbarae* (*Gulella*) CONNOLLY, 1929a, p. 221, pl. 14, figs. 1, 2 : Zululand, Mfongosi.
- barhampurensis* (*Diplodonta*) PRESTON, 1915b, p. 302, figs. 15, 15a : Channel off Barhampur Id. 10 - 20 ft.
- barhampurensis* (*Tellina*) PRESTON, 1915b, p. 307, figs. 21, 21a : Channel between Satpara and Barhampur, 8 - 20 ft.
- barkudaensis* (*Anatina*) PRESTON, 1915b, p. 309, figs. 25, 25a : Barkuda Id. (type); Chiriya Id.; Manikpatna Id.; in mud at edge of Lake Rambha, Ganjam District, Madras; swamp inside bar, N. of Barhampur Id.; Satpara Bay; channel between Satpara and Barnikuda, 6 - 10 ft.; E. side of Rambha Bay, 1 - 4  $\frac{3}{4}$  ft.
- barkulensis* (*Anatina*) PRESTON, 1915b, p. 309, figs. 24, 24a : Barkul Point (type); Mahosa, southwards towards sandhills, 4 - 8 ft.
- barnardi* (*Euonyma*) CONNOLLY, 1929a, p. 234, pl. 14, fig. 27 : Cape Province, Zwellendam Mountains (type); Groot Vaters Bosch, Heidelberg.
- barnardi* (*Fauxulus*) CONNOLLY, 1931c, p. 309, pl. 10, fig. 5 : Cape Province, Keurboom River Bush.
- barnardi* (*Trachycystis* (*Phortion*)) CONNOLLY, 1939, p. 234, pl. 9, figs. 15-17 : Cape Province, Zwartberg Pass, Prince Albert.
- bartaënis* (*Gudeëlla*) PRESTON, 1914b, p. 790, pl. 3, fig. 6 : Barta Steppes, B. E. A.
- basifilaris* (*Helicina*) PRESTON, 1914g, p. 524 : Rio Pucaya, Eastern Peru.
- basispiralis* (*Allenconcha*) PRESTON, 1913b, p. 523 : Ball's Bay, Norfolk Island.
- batesi* (*Curvella*) CONNOLLY, 1923a, p. 638, pl. 19, fig. 7 : Camerun, Bitze.
- batesi* (*Pseudoglessula*) CONNOLLY, 1923, p. 348, pl. 1, fig. 6 : Camerun, Bitze.
- batesi* (*Pseudotrochus*) PRESTON, 1909d, p. 184, pl. 7, fig. 12 : Bitze, near the River Ja, Cameroons.
- bathrolophodes* (*Chondrocyclus*) CONNOLLY, 1929a, p. 239, pl. 14, figs. 30-34, textfig. 6(R) : Cape Province, Kowie East.
- beddomeanus* (*Cyclophorus*) PRESTON, 1914e, p. 21, textfig. : Naga Hills, Assam.

- beilanensis* (*Cyclotus*) PRESTON, 1913a, p. 437 : Island of Beilan-Beilan, to the north of the Obi Islands, Dutch East Indies.
- beilanensis* (*Palaina*) PRESTON, 1913a, p. 438 : Island of Beilan-Beilan, to the north of the Obi Islands, Dutch East Indies.
- Beilania* (*Ptychodon*, subgen.) PRESTON, 1913a, p. 433 (Typesp. : *Beilania inopina* PRESTON, 1913).
- belli* (*Alloconcha*) PRESTON, 1913b, p. 523 : Steel's Point, Norfolk Island.
- belli* (*Mathewsoconcha*) PRESTON, 1913b, p. 528 : Mount Pitt, Norfolk Island.
- belli* (*Palaina*) PRESTON, 1913b, p. 538 : Mount Pitt, Norfolk Island.
- Belloconcha* PRESTON, 1913b, p. 529 (Typesp. : *Belloconcha elevata* PRESTON, 1913).
- benetecta* (*Gulella filix* CONNOLLY, 1922, var.) CONNOLLY, 1930, p. 44, pl. 6, fig. 7 : Kenya, Cherangani.
- bennetti* (*Cyamium*) PRESTON, 1912l, p. 637, pl. 21, fig. 4 : Port Stanley, Falkland Islands.
- bennetti* (*Davisia*) PRESTON, 1912l, p. 639, pl. 21, fig. 7 : Port Stanley, Falkland Islands.
- bennetti* (*Helcioniscus*) PRESTON, 1913, p. 221, pl. 4, fig. 7 : Port Stanley, Falkland Islands.
- bennetti* (*Laevilitorina*) PRESTON, 1912l, p. 636, pl. 21, fig. 1 : Port Stanley Harbour, Falkland Islands.
- bennetti* (*Lissarca*) PRESTON, 1916d, p. 271, pl. 13, figs. 7, 7a : Bransfield Straits, South Shetland, 15 fms. (type); also washed from sea-weed dredged in the same locality and at the same depth.
- bennetti* (*Modiolarca*) PRESTON, 1913, p. 221, pl. 4, fig. 8 : Mullet Creek, Port Stanley, Falkland Islands.
- bennetti* (*Pellilitorina*) PRESTON, 1916d, p. 270, pl. 13, fig. 4 : Bransfield Strait, South Shetland; washed from sea-weed from a depth of 15 fms.
- bermejoensis* (*Corbicula*) PRESTON, 1914g, p. 528 : Rio Bermejo, a tributary of the Rio Chaco, N. Argentina.
- bernardinae* (*Cypraea*) PRESTON, 1907, p. 139, pl. 8, fig. 8 : Celebes (?).
- bernardinae* (*Trachycystis*) CONNOLLY, 1925c, p. 470, pl. 28, fig. 9 : Kenya, Solai Forest, Mt. Kenya, 7 - 9000 ft.
- bertilloniana* (*Spatha*) PRESTON, 1910a, p. 63, pl. 5, fig. 15 : Karonga, north end of Lake Nyassa.
- bertiniana* (*Tellina*) PRESTON, 1916a, p. 95, figs. 10, 10a : Bamboo Flat Bay, Andaman Islands, 1 - 4 fms., on a bottom of muddy sand.
- bifoveata* (*Trachycystis*) CONNOLLY, 1932b, p. 103, pl. 5, figs. 13a-c : Natal, Game Pass.
- biggiei* (*Plectotropis*) PRESTON, 1910g, p. 33, fig. 1 : Pitsamloke, Siam.
- bimunita* (*Afrodonta*) CONNOLLY, 1939, p. 256, pl. 6, figs. 1-4, textfig. 19<sup>10</sup> : Cape Province, Hogsback, Amatola Mts.
- Biomphalaria* PRESTON, 1910b, p. 535, (Typesp. : *Biomphalaria smithi* PRESTON, 1910).

- birtsi* (*Callista* (*Callocardia*)) PRESTON, 1905, p. 8, pl. 2, fig. 35 : Ceylon.
- birtsi* (*Clathurella*) PRESTON, 1908, p. 6, textfig. : Ceylon (?).
- birtsi* (*Mucronalia*) PRESTON, 1904a, p. 77, pl. 7, figs. 7, 8 : Ceylon.
- bitzeense* (*Pseudopeas*) CONNOLLY, 1923a, p. 647 : Camerun, Bitze.
- bitzeensis* (*Gulella*) CONNOLLY, 1922b, p. 491 (Fig. : M. CONNOLLY, 1930, p. 38, pl. 6, fig. 6) : locality not mentioned, probably Bitze, Camerun.
- bitzeensis* (*Helicarion*) PRESTON, 1909d, p. 181, pl. 7, figs. 2, 3 : Bitze, near the River Ja, Camerouns (type); Akak, 30-35 miles from the coast at Kribi.
- biwaënsis* (*Planorbis* (*Gyraulus*)) PRESTON, 1916b, p. 161, pl. 9, figs. 3, 3a-c : Lake Biwa, Japan.
- biwaënsis* (*Valvata*) PRESTON, 1916b, p. 161, pl. 9, figs. 4, 4a : Lake Biwa, Japan, depth more than 40 m.
- blackiana* (*Planispira* (*Trachiopsis*)) PRESTON, 1905b, p. 207, textfig. : Port Moresby District, British New Guinea.
- blacklocki* (*Curvella*) CONNOLLY, 1928c, p. 543, pl. 18, fig. 7 : Sierra Leone, Majendoo.
- blacklocki* (*Gonaxis*) CONNOLLY, 1928c, p. 531, textfig. 1 : Sierra Leone, Jiamia (type); Langranna; Majendoo.
- Blayneiyella* PRESTON, 1914b, p. 799 (Typesp. : *Blayneiyella percivali* PRESTON, 1914).
- blayneyi* (*Euonyma*) CONNOLLY, 1923a, p. 636, pl. 19, fig. 18 : Kenya, Larigo Hills.
- bogotensis* (*Stephanoda*) PRESTON, 1907h, p. 490, fig. 2 : Bogota, United States of Colombia.
- boucardiana* (*Planorbis*) PRESTON, 1907h, p. 497, fig. 17 : Mexico.
- bowelli* (*Limnaea*) PRESTON, 1909a, p. 115, figs. 1-2 : Te-ring Gompa, in a small hillstream arising from a spring, 14,000 ft.; Mang-tsa, 14,500 ft.; High Hill Gompa, Gyantse valley, in a small hillstream, among moss and stones, 14,500 ft.; Gyantse, 13,120 ft. (H. B. PRESTON, 1915e, p. 114 = *Limnaea* (*Bulinnea*)).
- bowkeræ* (*Martensia*) PRESTON, 1906b, p. 88, textfig. : Uganda District.
- bransfieldensis* (*Lunatia*) PRESTON, 1916d, p. 270, pl. 13, fig. 2 : Bransfield Straits, South Shetland Islands.
- bransfieldensis* (*Pellilitorina*) PRESTON, 1916d, p. 271, pl. 13, fig. 5 : Bransfield Straits off Deception Island, South Shetlands.
- brevispinosa* (*Hemicardium hystrix* REEVE, var.) PRESTON, 1908e, p. 206 : Andaman Islands.
- bridgmani* (*Gastrana* (*Metis*)) PRESTON, 1905, p. 8, pl. 2, fig. 37 : Ceylon.
- browni* (*Melania*) PRESTON, 1907e, p. 266, textfig. : New Ireland.
- browniana* (*Tapes*) PRESTON, 1906c, p. 73, fig. 6 : off Manila, 5-10 fms.
- brunnea* (*Elgonella*) PRESTON, 1914b, p. 796, pl. 2, figs. 11a, 11b : Rum-ruti, B. E. A.
- brunneoflavida* (*Cerithiopsis*) PRESTON, 1905, p. 4, pl. 1, fig. 13 : Ceylon.
- brunneoflavida* (*Limnaea*) COOPER & PRESTON, 1910, p. 110, pl. 4, fig. 1 : Falkland Islands.

- brunneo-flavida* (*Tellina*) PRESTON, 1916, p. 38, figs. 15, 15a : Ennur backwater, Madras.
- brunneolineata* (*Mangilia* (*Cythara*)) PRESTON, 1905, p. 3, pl. 1, fig. 8 : Ceylon.
- buccina* (*Ennea*) PRESTON, 1913d, p. 196, pl. 32, fig. 11 : Burunga, Mt. Mikenno, Belgian Congo, 6000 ft.
- buhambaënsis* (*Burungaëlla*) PRESTON, 1914b, p. 798, pl. 1, fig. 16 : Buhamba, near Lake Kivu, Belgian Congo.
- buhambaënsis* (*Trochozonites*) PRESTON, 1914b, p. 804, pl. 2, fig. 23 : Buhamba, near Lake Kivu, Belgian Congo (M. CONNOLLY, 1925c, p. 460 = *Trochozonites* (*Zonitrochus*)) (the subgenus is *Zonitotrochus* PILSBRY).
- bullata* (*Zingis*) PRESTON, 1913c, p. 47, pl. 5, fig. 4 : Nakuru, B. E. A. (H. B. PRESTON, 1914b, p. 802 = *Nakuruëlla*).
- bulleni* (*Clathurella*) PRESTON, 1904a, p. 75, pl. 7, figs. 3, 4 : Ceylon.
- burnessi* (*Homorus*) CONNOLLY, 1923, p. 351, pl. 1, fig. 1 : Kenya, Kiu District.
- burnupi* (*Afrodonta*) CONNOLLY, 1933, p. 148, pl. 7, figs. 9-11, textfig. 1<sup>r</sup> : Natal, Mkolombe Mts. (type) and Tugela Estate, Weenen.
- burnupi* (*Opeas*) CONNOLLY, 1919a, p. 144, fig. 3 : Cape Province, The Gorge, Somerset East; Natal, Karkloof; Nottingham Road; Bulwer; Inhluzani; Fort Nottingham (M. CONNOLLY, 1939, p. 357 = *Pseudo-peas*).
- Burungaëlla* PRESTON, 1914b, p. 797 (Typesp. : *Burungaëlla oscitans* PRESTON, 1914).
- burungaënsis* (*Ennea*) PRESTON, 1913d, p. 206, pl. 32, figs. 12, 12 a : Burunga, Mt. Mikenno, Belgian Congo, 6000 ft. (M. CONNOLLY, 1922b, p. 496 = *Gulella disseminata* (PRESTON, 1913)).
- burungaënsis* (*Kempia*) PRESTON, 1913c, p. 53, pl. 6, fig. 2 : Burunga, Mount Mikenno, Belgian Congo, 6000 ft. (erratum : H. B. PRESTON, 1913c, p. 212 = *Kempioconcha* PRESTON, 1913).
- burunganum* (*Pseudopeas*) CONNOLLY, 1923a, p. 644, pl. 19, fig. 41 : Belgian Congo, Burunga, Mt. Mikenno (type); near L. Mutanda.
- cadmani* (*Ennea* (*Gulella*)) PRESTON, 1916c, p. 260, textfig. : Idah, ± 1300 ft., Zaria Province, Northern Nigeria.
- caelator* (*Gulella elliptica* (MELVILL & PONSONBY, 1898) var.) CONNOLLY, 1939, p. 83, pl. 1, fig. 5 : Cape Province, Port St. John's (type); Makwa Falls, Pondoland.
- caesariana* (*Unio* (*Nodularia*)) PRESTON, 1913c, p. 60, pl. 4, fig. 9 : Lake Nyassa.
- calaraphe* (*Sigaretus* (*Eunaticina*)) PRESTON, 1916a, p. 90, figs. 4, 4a : Semiramis Bay, Andaman Islands, 2-6 fms., on a bottom of fine sand.
- calcaria* (*Corbula*) PRESTON, 1907f, p. 216, fig. 3 : Port Canning, Lower Bengal, in brackish pools.

- caletae* (*Astyris*) PRESTON (in L. E. ADAMS) 1915, p. 351, pl. 6, fig. 1 : Caleta Buena, Chile.
- callipeplum* (*Opeas* (*Micropeas*)) CONNOLLY, 1923a, p. 657, pl. 19, fig. 26 : Kenya, Eusso Nyiro (type); Lorian Swamp.
- callosa* (*Haminea*) PRESTON, 1908e, p. 189, pl. 15, fig. 31 : off Port Blair, Andaman Islands, 7-10 fms.
- caloraphe* (*Curvella*) PRESTON, 1910b, p. 533, pl. 9, fig. 21 : Shimbi Hills, B. E. A.
- caloraphe* (*Iredaleoconcha*) PRESTON, 1913b, p. 531 : Duncombe Bay, Norfolk Island.
- calva* (*Gulella*) CONNOLLY, 1922b, p. 495, pl. 14, fig. 35 : Kenya, Taru Desert.
- camerunense* (*Pseudopeas*) CONNOLLY, 1923a, p. 646, pl. 19, fig. 44 : Camerun, Bitze.
- camerunensis* (*Pseudoglessula*) PRESTON, 1909d, p. 185, pl. 7, fig. 14 : Akok, 30-35 miles from the coast at Kribi, Cameroons (type); Bitze, near the River Ja.
- campyla* (*Curvella*) CONNOLLY, 1923a, p. 639, pl. 19, fig. 13 : Uganda, between Mbarara and Masaka.
- cancellata* (*Barbatia*) PRESTON, 1908e, p. 205, pl. 16, fig. 47 : Andaman Islands.
- cancellata* (*Conradia*) PRESTON, 1916, p. 30, figs. 5, 5a : Ennur backwater, Madras.
- cancellata* (*Gulella*) CONNOLLY, 1922b, p. 492, pl. 14, fig. 36 : locality not mentioned (probably Kenya, Larogi Hills, the locality of the var. *minor*).
- cancellata* (*Sheldonia*) CONNOLLY, 1925c, p. 468, pl. 28, fig. 5 : Cape Province, Knysna (M. CONNOLLY, 1939, p. 233 = *Trachycystis* (*Phortion*)).
- cancellata* (*Tellina*) PRESTON, 1908e, p. 209, pl. 17, fig. 58 : Andaman Islands.
- candela* (*Gulella*) CONNOLLY, 1922b, p. 493, pl. 14, fig. 28 : Kenya, Taru Desert.
- candelula* (*Streptostele* (*Graptostele*)) CONNOLLY, 1922b, p. 514, pl. 14, fig. 20 : Camerun, Bitze.
- canningensis* (*Bithinella*) PRESTON, 1907f, p. 216, fig. 6 : Port Canning, Lower Bengal, in brackish pools.
- capillata* (*Batissa*) PRESTON, 1908e, p. 207, pl. 16, fig. 39 : Andaman Islands.
- capillata* (*Urguessella*) PRESTON, 1914b, p. 804, pl. 3, fig. 28 : Burunga, Mount Mikeno, Belgian Congo, 6000 ft.
- carandaitiensis* (*Bulimulus* (*Drymaeus*)) PRESTON, 1907h, p. 491, fig. 4 : Carandaiti, Province of Cordillera, Bolivia, 1000 m.
- careae* (*Ennea*) PRESTON, 1913d, p. 200, pl. 32, figs. 13, 13a : Gazi, B. E. A. (M. CONNOLLY, 1930, p. 46 = *Gulella*).
- carinifera* (*Sculptaria*) CONNOLLY, 1939, p. 262, pl. 7, figs. 18-20 : Great Namaqualand, Naauwklouf.

- carnicolor* (*Calliostoma*) PRESTON, 1907, p. 140, pl. 8, figs. 6-7 : Celebes (?).
- carnicolor* (*Cypraea xanthodon* GRAY, var.) PRESTON, 1909, p. 121 : N.E. Queensland.
- carnicolor* (*Mangilia* (*Clathurella*)) PRESTON, 1905, p. 2, pl. 1, fig. 7 : Ceylon.
- carnicolor* (*Terebra*) PRESTON, 1908e, p. 189, pl. 17, fig. 63 : Andaman Islands.
- carpenteri* (*Bocageia* (*Liobocageia*)) CONNOLLY, 1931c, p. 319, pl. 12, fig. 5, textfigs. 4, 5(R) : Uganda, North Bugishu District, Mt. Elgon, 7000-11.000 ft. (type); Tororo District; Abyssinia : Baka Mts., Kaffa (M. CONNOLLY, 1942, p. 333, mentions « Buka Mts. »).
- carpenteri* (*Conulinus*) CONNOLLY, 1927, p. 171, fig. 1 : Nagichot, Didinga District, S.E. Sudan.
- carpenteri* (*Gulella*) CONNOLLY, 1931c, p. 311, pl. 10, fig. 9 : Uganda, N. Bugishu District, Mt. Elgon, 7000-9000 ft.
- castaneo-balteatus* (*Buliminus*) PRESTON, 1912f, p. 12, textfig. : Limestone region, S.E. Kansu, 3000 ft.
- cawstoni* (*Tomichia*) CONNOLLY, 1939, p. 585, fig. 47N, 48L(R) : Cape Province, Kokstad.
- caymanense* (*Chondropoma*) PRESTON, 1911c, p. 360, textfig. : Grand Cayman Island.
- cazioti* (*Mangilia* (*Glyphostoma*)) PRESTON, 1905, p. 2, pl. 1, fig. 5 : Ceylon.
- cedrorum* (*Ptychotrema* (*Parennea*)) CONNOLLY, 1922b, p. 490, pl. 14, fig. 13 : Kenya, Cedar Forest, Uasin Gishu Plateau, 8500 ft.
- celator* (*Modiola*) PRESTON, 1911e, p. 41, fig. 5 : Puri Beach, Orissa, in drift wood.
- ceylanica* (*Pyramidella* (*Actaeopyramis*)) PRESTON, 1905, p. 7, pl. 2, figs. 28, 28a : Kandakulli, Ceylon.
- ceylanica* (*Thala*) PRESTON, 1904a, p. 76, pl. 6, figs. 1, 2 : Ceylon.
- ceylonicum* (*Pentadactylus*) PRESTON, 1909b, p. 137, pl. 22, fig. 22 : Ceylon.
- chacoensis* (*Bulimulus* (*Drymaeus*)) PRESTON, 1907h, p. 491, fig. 5 : to the north of the Rio Pilcomayo, Chaco, Bolivia, 600 m.
- chanchamayoensis* (*Clausilia* (*Nenia*)) PRESTON, 1907h, p. 495, fig. 12 : Chanchamayo, Peru.
- chanchamayoensis* (*Glandina*) PRESTON, 1909e, p. 507, pl. 10, fig. 7 : Chanchamayo, Peru.
- chanlerensis* (*Leucochiloides*) PRESTON, 1912e, p. 188, pl. 31, fig. 16 : Chanler Falls, Eusso Nyiro, B. E. A.
- chariesterum* (*Pseudopeas*) CONNOLLY, 1923a, p. 645, pl. 19, fig. 43 : Uganda, Mt. Elgon.
- charon* (*Advena campbellii* (GRAY), var.) PRESTON, 1913b, p. 526 : Mount Pitt, Norfolk Island.
- charon* (*Melania*) PRESTON, 1908e, p. 196, pl. 15, fig. 22 : Andaman Islands (H. B. PRESTON, 1915e, p. 14 = *Tiara* (*Radina*)).



- charon* (*Scurria scurra* GRAY, var.) PRESTON, 1913, p. 220 : Falkland Islands.
- charon* (*Unio*) PRESTON, 1910a, p. 60, pl. 4, fig. 6 : Silongwe, B. C. A.
- chaudhurii* (*Nodularia*) PRESTON, 1912d, p. 290 (Fig. : H. B. PRESTON, 1915e, p. 140, fig. 7<sup>1-3</sup>) : Upper Burma.
- cheranganiensis* (*Helicarion* (*Gymnarion*)) CONNOLLY, 1925c, p. 463, figs. 4, 5(R) : Kenya, Cherangani Hills, 40 miles east of Mt. Elgon, 6200 ft.
- chilkaensis* (*Chrysallida* (*Mormula*) *humilis* (PRESTON, 1905), subsp.) PRESTON, 1915b, p. 295, figs. 6, 6a : Serua Nadi, 5-9 ft. (type); main channel W. of Satpara Id., 3-8 ft.; southwards from Mahosa, 5-9 ft.; channel between Barnikuda and Satpara, 6 1/2 ft.; Nalbano and channel S.E. of Nalbano, 4-8 ft.; Mahosa, southwards towards sandhills, 4-8 ft.; channel from Satpara towards Barnikuda, 9-12 ft.; off Barnikuda, inside lake, 6 ft. (H. B. PRESTON, 1916, p. 32 = *Pyrgulina humilis*, subsp.).
- chilkaensis* (*Corbula*) PRESTON, 1911e, p. 39, fig. 2 : Rambha, S. end of Lake Chilka, on stones between tide marks.
- chilkaensis* (*Diplodonta* (*Felania*)) PRESTON, 1914a, p. 307, figs. 21, 21a-b : Lake Chilka (type); Manikpatna, 4 ft.
- chilkaensis* (*Kellya*) PRESTON, 1915b, p. 298, figs. 10, 10a : channel between Satpara and Barhampur Id., 6-8 ft. (type); Mahosa, southwards towards sandhills, 4-8 ft.; 1 mile S. of Kalidai, 4-8 ft.; channel off Barhampur Id., 6-9 ft.; 4-7 miles E. 1/2 S. of Patsahanipur, 4-4 1/4 ft.
- chilkaensis* (*Meroe*) PRESTON, 1914a, p. 304, figs. 13, 13a : on shore at Satpara, Lake Chilka (probably subfossil).
- chilkaensis* (*Modiola*) PRESTON, 1911e, p. 41, fig. 6 : Rambha, S. end of Lake Chilka, on stones between tide marks.
- chilkaensis* (*Odostomia*) PRESTON, 1914a, p. 301, fig. 4 : Manikpatna, Lake Chilka, Orissa, 4 ft.
- chilkaensis* (*Scintilla*) PRESTON, 1915b, p. 299, figs. 12, 12a : Mahosa southwards towards sandhills, 2-8 ft. (type); channel south of Satpara Point, 8-12 ft.; channel between Satpara and Barhampur, 8-20 ft.
- chilkaensis* (*Stenothyra*) PRESTON, 1914a, p. 300, fig. 1 : Barkul, Lake Chilka, Orissa, among weeds at the edge of the lake.
- chilkaensis* (*Tellina*) PRESTON, 1915b, p. 306, figs. 20, 20a-b : channel off Barhampur Id., 6-9 ft.
- Chilkaia* PRESTON, 1915b, p. 291 (Typesp. : *Chilkaia imitatrix* PRESTON, 1915).
- chinnerethensis* (*Unio*) PRESTON, 1914, p. 473, pl. 27, figs. 10, 10a : Lake of Tiberias.
- chlorum* (*Pseudopeas*) CONNOLLY, 1923a, p. 646, pl. 19, fig. 47 : Kenya, Eusso Nyiro.
- chondrocycloides* (*Trachycystis*) CONNOLLY, 1925c, p. 471, pl. 28, fig. 11 : Cape Province, 1 mile north of Port Nolloth (M. CONNOLLY, 1939, p. 231 = *Trachycystis* (*Xerocystis*)).

- choziensis* (*Physopsis*) PRESTON, 1913c, p. 55, pl. 5, fig. 12 : Chozi River, a tributary of the Chambzi, flowing into Lake Bangweolo from the east.
- choziensis* (*Unio*) PRESTON, 1910a, p. 60, pl. 4, fig. 8 : Chozi River, a tributary of the Chambzi, flowing into Lake Bangweolo from the east.
- cinerea* (*Bullia*) PRESTON, 1906, p. 34, textfig. : Ceylon (?).
- cinerea* (*Minolia*) PRESTON, 1909i, p. 378 : North Queensland.
- citrina* (*Scintilla*) PRESTON, 1908e, p. 205, pl. 17, fig. 70 : Andaman Islands.
- clara* (*Streptostele* (*Raffraya*)) CONNOLLY, 1922b, p. 511, pl. 14, fig. 6 : Camerun, Bitze.
- claustralis* (*Gulella*) CONNOLLY, 1939, p. 61, pl. 1, fig. 12 : Cape Province, Ingeli Forest, Griqualand East-Natal Border.
- claustrum* (*Ennea*) PRESTON, 1913d, p. 208, pl. 32, figs. 14, 14a : between the Laikipia Plateau and the Eusso Nyiro River, B. E. A.
- claviformis* (*Laevilitorina*) PRESTON, 1916d, p. 270, pl. 13, fig. 3 : on rocks at low water inside Deception Harbour, South Shetlands.
- clavulus* (*Streptostele*) CONNOLLY, 1922b, p. 507, pl. 14, fig. 17 : Kenya, Larogi Hills.
- clifdeni* (*Ferrissia*) CONNOLLY, 1939, p. 532 (nom. nov. for *Gundlachia burnupi* WALKER, 1925, non *Ancylus burnupi* WALKER, 1912; both species belonging to *Ferrissia*) : Natal, Umtwalumi, near Port Shepstone (type); Malvern; Transvaal, Mooi R., Potchefstroom.
- clifdeni* (*Trachycystis*) CONNOLLY, 1932b, p. 93, pl. 5, figs. 12a-c : Zululand, Eshowe.
- cobbi* (*Davisia*) COOPER & PRESTON, 1910, p. 114, pl. 4, figs. 9, 10 : Falkland Islands.
- cochinensis* (*Corbicula*) PRESTON, 1916, p. 36, figs. 12, 12a, 12b : Cochin backwater, near Ernakulam.
- cochinensis* (*Cuspidaria*) PRESTON, 1916, p. 39, figs. 17, 17a : Cochin backwater, near Ernakulam.
- cochinensis* (*Modiola*) PRESTON, 1909c, p. 278, fig. 2 : backwater near Cochin, slightly brackish water, nov. 1908.
- coeni* (*Aegista*) PRESTON, 1914e, p. 19, textfig. : Naga Hills, Assam.
- coeni* (*Ennea*) PRESTON, 1913d, p. 199, pl. 32, figs. 15, 15a : Mt. Elgon, Uganda.
- coeni* (*Gibbula*) PRESTON, 1908e, p. 201, pl. 16, fig. 42 : off Port Blair, Andaman Islands, 7-10 fms.
- coeni* (*Turbonilla*) PRESTON, 1905, p. 7, pl. 2, fig. 31 : Kandakulli, Ceylon.
- collingwoodensis* (*Chloritis* (*Sulcobasis*) *strophora* (SMITH), var.) PRESTON, 1902, p. 17, fig. V : Collingwood Bay, B. N. G.
- colombiana* (*Stenogyra*) PRESTON, 1907h, p. 496, fig. 14 : Bogota, United States of Colombia.
- ?*columna* (*Gulella*) PRESTON mss. : Kenya, Eusso Nyiro (M. CONNOLLY, 1922b, p. 493, pl. 14, fig. 21 = *Gulella pisa* CONNOLLY, 1922; p. 494 : « It was distributed by PRESTON under a Latin name recalling its resem-



- blance to a column, which is too near that of other species to be retainable »).
- columna* (*Streptostele*) CONNOLLY, 1922b, p. 510, pl. 14, fig. 29 : Kenya, Rumruti, Laikipia Plateau, 6000 ft.
- comis* (*Bulimulus (Drymaeus)*) PRESTON, 1907h, p. 494, fig. 8 : Bogota, United States of Colombia.
- compacta* (*Belloconcha*) PRESTON, 1913b, p. 530 : Nepean Island (sub-fossil).
- compacta* (*Natalina*) CONNOLLY, 1939, p. 108, pl. 3, figs. 1-3 : Cape Province, Mountain Drive, Grahamstown (type); East London; Hog's Back, Amatola Mts.
- compacta* (*Vitrina*) PRESTON, 1912e, p. 184, pl. 32, fig. 11 : between Mbarara and Kigezi, extreme S.W. Uganda.
- compactus* (*Trigonephrus ambiguus* (FERUSSAC, 1821), var.) CONNOLLY, 1915, p. 160, pl. 2, fig. 12 : South Africa.
- compsotera* (*Curvella modesta* CONNOLLY, 1910, subsp.) CONNOLLY, 1923a, p. 641 : Natal. Osborn (type); Cape Province, Cathcart.
- concauospira* (*Africarion*) PRESTON, 1914b, p. 787, pl. 2, fig. 20 : Kiduha, Lake Mutanda, S.W. Uganda.
- concentrica* (*Davisia*) PRESTON, 1912l, p. 639, pl. 21, fig. 8 : Port Stanley, Falkland Islands.
- concinna* (*Pittoconcha*) PRESTON, 1913b, p. 531 : Mount Pitt, Norfolk Island.
- concinna* (*Tropidophora*) PRESTON, 1910b, p. 536, pl. 9, fig. 28 : Shimbi Hills, B. E. A.
- concinnum* (*Pseudopeas*) CONNOLLY, 1923a, p. 643 : Uganda, Mt. Elgon.
- confusa* (*Gibbus (Edentulina)*) PRESTON, 1909d, p. 180, pl. 7, fig. 1 : Bitze, near the River Ja, Cameroons (type); Akok, 30-35 miles from the coast at Kribi.
- confusa* (*Tellina*) PRESTON, 1914a, p. 309, figs. 18, 18a : Lake Chilka.
- congener* (*Aegista*) PRESTON, 1914e, p. 20, textfig. : Naga Hills, Assam.
- congener* (*Allenconcha*) PRESTON, 1913b, p. 525 : Duncombe Bay, Norfolk Island.
- congener* (*Cleopatra*) PRESTON, 1913c, p. 59, pl. 4, fig. 6 : Lake Baringo, B. E. A.
- congener* (*Sphaerium*) PRESTON, 1912b, p. 327, pl. 17, fig. 2 : between Entebbe and Mbarara, S.W. Uganda.
- conica* (*Trachycystis (Chilocystis)*) CONNOLLY, 1939, p. 239, pl. 7, fig. 9 : Natal, Port Natal (type); Krantzkop.
- connollyi* (*Achatina*) PRESTON, 1912j, p. 71, fig. 5 : Victoria Falls, Rhodesia.
- connollyi* (*Succinea*) PRESTON, 1912k, p. 445, textfig. : Victoria Falls, Zambezi River.
- connollyi* (*Thapsiella*) PRESTON, 1912j, p. 70, fig. 3 : Rain Forest, Victoria Falls (M. CONNOLLY, 1939, p. 165 = *Kaliella*).

- consanguinea* (*Zingis*) PRESTON, 1911d, p. 467, pl. 11, fig. 11 : between Rumruti and Mount Kenia, B. E. A., also on Mount Kenia, 6000-8000 ft. (H. B. PRESTON, 1914b, p. 795 = *Elgonella*).
- consanguineus* (*Leucochiloides*) PRESTON, 1913c, p. 52, pl. 4, fig. 5 : Gaza, B. E. A.
- consobrina* (*Ennea*) PRESTON, 1911d, p. 463, pl. 11, fig. 1 : Mount Kenia, 9000-10.000 ft., B. E. A. (H. B. PRESTON, 1913d, p. 216 = *Ennea syngenes* PRESTON, 1913, nom. nov. for *Ennea consobrina* PRESTON, 1911, non ANCEY, 1892).
- consobrina* (*Gudeëlla*) PRESTON, 1914b, p. 794, pl. 3, fig. 9 : Mukanda, near Lake Kivu.
- consobrina* (*Kaliella*) PRESTON, 1912e, p. 186, pl. 31, fig. 11 : between the Igembi Hills and Nyeri, B. E. A.
- conspicua* (*Tornatina*) PRESTON, 1908e, p. 187, pl. 14, fig. 21 : off Port Blair, Andaman Islands, 7-10 fms.
- conspicuum* (*Pseudopeas*) CONNOLLY, 1928c, p. 546, pl. 18, fig. 14 : Sierra Leone, Jiama (type); Kfogo; Port Loko.
- constricta* (*Streptostele* (*Raffraya*)) CONNOLLY, 1922b, p. 513, pl. 14, fig. 40 : Kenya, Kekumega.
- consueta* (*Gudeëlla*) PRESTON, 1914b, p. 790, pl. 3, fig. 18 : between Mbarara and Masaka, S.W. Uganda.
- contabulata* (*Trachycystis*) CONNOLLY, 1932b, p. 103, pl. 5, figs. 8a-c : Natal, Game Pass (type); Nottingham Road; Curry's Post.
- contamanoensis* (*Ampullaria*) PRESTON, 1914g, p. 527 : Contamano, Rio Ucayali, Eastern Peru.
- contamanoensis* (*Helicina*) PRESTON, 1914g, p. 525 : Contamano, Rio Ucayali, Eastern Peru.
- contamanoensis* (*Opeas*) PRESTON, 1914g, p. 524 : Contamano, Rio Ucayali, Eastern Peru.
- contraria* (*Gulella*) CONNOLLY, 1932a, p. 88, pl. 4, fig. 17 : Natal, Vryheid.
- conuloidea* (*Thapsia*) PRESTON, 1911f, p. 219, pl. 11, fig. 1 : Naivasha, B. E. A.
- convexa* (*Atys*) PRESTON, 1908e, p. 188, pl. 16, fig. 50 : off Port Blair, Andaman Islands, 7-10 fms.
- cookei* (*Buliminus* (*Napaeus*)) PRESTON, 1912f, p. 14, textfig. : Mountains of S.E. Kan-su, 2000-5000 ft.
- cookei* (*Clausilia*) PRESTON, 1912f, p. 14, textfig. : Loess Plain of the Wei River, S. Shen-si, 1200 ft.
- copiosa* (*Africarion*) PRESTON, 1914b, p. 788, pl. 2, fig. 13 : Burunga, Mount Mikenno, Belgian Congo, 6000 ft.
- copiosa* (*Ennea*) PRESTON, 1913d, p. 200, pl. 32, figs. 16, 16a : Urguess, B. E. A. (M. CONNOLLY, 1922b, p. 500 = *Gulella* (*Molarella*)).
- copiosa* (*Litiopa* (*Alaba*)) PRESTON, 1915b, p. 292, figs. 2, 2a : Serua Nadi, 5-9 ft. (type); channel between Barnikuda and Satpara, 6 ½ ft.; Mahosa, southwards towards sandhills, 4-8 ft.; channel from Satpara

- towards Barnikuda, 9-12 ft.; Nalbano and channel S.E. of Nalbano, 4-8 ft.
- copiosum* (*Cyamium*) PRESTON, 1913, p. 222, pl. 4, fig. 9 : Mullet Creek, Port Stanley, Falkland Islands.
- cornea* (*Physa*) PRESTON, 1907h, p. 497, fig. 20 : Merida, Venezuela.
- cornu-orycis* (*Subuliniscus*) CONNOLLY, 1923, p. 361, pl. 1, fig. 15 : Kenya, Mt. Nyiro, 8300 ft.
- corrugata* (*Jaminia*) PRESTON, 1912j, p. 71, fig. 4 : Rain Forest, Victoria Falls (M. CONNOLLY, 1925, p. 164 = *Nesopupa* (*Afripupa*)).
- costaricensis* (*Planorbis*) PRESTON, 1907h, p. 496, fig. 16 : Catalina, Province of Guanacaste, Costa Rica.
- costata* (*Cleopatra morrelli* PRESTON, 1905, var.) PRESTON, 1905d, p. 301, fig. 4 : just above Victoria Falls, Zambesi River.
- costulata* (*Limacina*) PRESTON, 1916d, p. 269, pl. 13, fig. 1 : Bransfield Straits, South Shetland Islands.
- costulosum* (*Pisidium*) CONNOLLY, 1931c, p. 310, pl. 13, figs. 24-27 : Orange Free State, Rustfontein.
- coxi* (*Helicarion*) PRESTON, 1912g, p. 16, textfig. : Knysna Forest, Cape Colony.
- coxi* (*Trachycystis*) PRESTON, 1912g, p. 18, textfig. : Knysna Forest, Cape Colony.
- crassicostata* (*Modiola undulata* DUNKER, 1856, var.) PRESTON, 1914a, p. 304, fig. 15 : off Samal Island, Lake Chilka, Ganjam District, Madras (type); Breakfast Isd., Ganjam District, on rocks.
- crassicrenulata* (*Streptostele*) CONNOLLY, 1922b, p. 507, pl. 14, fig. 18 : Kenya, Forests north of Mt. Kenia.
- crassilirata* (*Leptothyra*) PRESTON, 1909i, p. 377 : North Queensland.
- crassiplicata* (*Ledoulxia*) PRESTON, 1914b, p. 806, pl. 1, figs. 1, 1a : Forest to the north of Mount Kenia, B. E. A.
- crassiplicata* (*Streptostele*) CONNOLLY, 1922b, p. 510, pl. 14, fig. 30 : Kenya, Jombene Hills, 4000 ft.
- crassistriatus* (*Ancylus*) PRESTON, 1911d, p. 475, pl. 12, fig. 35 : between Rumruti and Mount Kenia, B. E. A.
- crenulata* (*Stomatella*) PRESTON, 1908e, p. 202, pl. 14, fig. 15 : Andaman Islands.
- cressyi* (*Gonaxis*) CONNOLLY, 1922a, p. 113 (Fig. : M. CONNOLLY, 1925, p. 110, pl. 4, fig. 1) : Mtisherra River Valley.
- cressyi* (*Opeas*) CONNOLLY, 1922a, p. 120 (Fig. : M. CONNOLLY, 1925, p. 185, pl. 4, fig. 27) : District north of Macequece.
- cressyi* (*Pseudoglessula* (*Pseudocerastus*)) CONNOLLY, 1925, p. 174, pl. 4, fig. 28, pl. 7, figs. 1-7, textfig. 20(A.R.) : L. Marques, District north of Macequece (M. CONNOLLY, 1939, p. 331 = *Pseudoglessula* (*Kempioconcha*)).
- cressyi* (*Trachycystis*) CONNOLLY, 1925, p. 142, pl. 4, fig. 11 : L. Marques, District north of Macequece (type); S. Rhodesia, six miles from Penhalonga.

- Cryptocharopa* PRESTON, 1913b, p. 534 (Typesp. : *Cryptocharopa atlantoididea* PRESTON, 1913).
- crystallina* (*Macgillivrayella*) PRESTON, 1913b, p. 532 : Norfolk Island.
- cuneata* (*Mutela*) PRESTON, 1910a, p. 62, pl. 5, fig. 13 : Karonga, northern end of Lake Nyassa.
- cuneatum* (*Cyamium*) PRESTON, 1913, p. 222, pl. 4, fig. 10 : Falkland Islands.
- curta* (*Ennea iridescens* PRESTON, 1913, var.) PRESTON, 1913d, p. 206 : Burunga, Mt. Mikenso, Belgian Congo, 6000 ft.
- curta* (*Neoglessula*(?)) CONNOLLY, 1928a, p. 171, pl. 1, fig. 3, textfig. 2(R) : Jem Jem Forest.
- curta* (*Pareutheria fuscata* (BRUG.) var.) PRESTON, 1913, p. 218 : Port Stanley Harbour, Falkland Islands.
- curvata* (*Pseudodon* (*Trigonodon*) *crebristriatus* ANTHONY, 1865, var.) PRESTON, 1912d, p. 295 (Fig. : H. B. PRESTON, 1915e, p. 151, figs. 9<sup>1-3</sup>) : Pegu.
- curvata* (*Streptostele* (*Raffraya*)) CONNOLLY, 1922b, p. 511, pl. 14, fig. 5 : Uganda, Mt. Elgon.
- curvicolumella* (*Ennea*) PRESTON, 1913d, p. 201, pl. 32, figs. 17, 17a : between the Jombene Hills and Nyeri, B. E. A.
- curvicolumella* (*Varicostele*) CONNOLLY, 1922b, p. 516, pl. 14, fig. 31 : Uganda, Jinja.
- cuticularis* (*Urguessella*) PRESTON, 1914b, p. 804, pl. 3, fig. 27 : Malasani, S.W. Uganda (M. CONNOLLY, 1942, p. 332 = *Larogiella malasaniensis* PRESTON, 1914).
- cylindrica* (*Rissoina*) PRESTON, 1908e, p. 198, pl. 14, fig. 2 : Andaman Islands.
- cylindrica* (*Streptostele* (*Raffraya*)) CONNOLLY, 1922b, p. 512, pl. 14, fig. 41 : Uganda, Mt. Elgon.
- cymbula* (*Modiola*) PRESTON, 1908e, p. 204, pl. 14, fig. 18 : Andaman Islands.
- daccaensis* (*Parreysia*) PRESTON, 1912d, p. 300 (Fig. : H. B. PRESTON, 1915e, p. 166, figs. 16<sup>1-3</sup>) : Dacca.
- dacostana* (*Achatina*) PRESTON, 1909d, p. 182, pl. 7, fig. 7 : East Africa.
- dacostana* (*Gibbula*) PRESTON, 1909i, p. 377 : North Queensland.
- da costiana* (*Pleurodonte* (*Labyrinthus*)) PRESTON, 1907h, p. 490, fig. 3 : Chanchamayo, Peru.
- dautzenbergi* (*Gulella*) CONNOLLY, 1928c, p. 534, pl. 18, fig. 3 : Sierra Leone, Panguma (type); Majendoo; Port Loko.
- Davisia* COOPER & PRESTON, 1910, p. 113 (Typesp. : *Davisia cobbi* COOPER & PRESTON, 1910).
- deceptionensis* (*Limatula*) PRESTON, 1916d, p. 271, pl. 13, fig. 6 : dredged inside Deception Harbour, South Shetlands, 6 fms.
- decipiens* (*Euonyma*) CONNOLLY, 1929a, p. 235, pl. 14, fig. 28 : Cape Province, Riversdale Mountains, 1500-2500 ft. (type); Groot Vaters Bosch, Heidelberg.

- decussata* (*Ledoulxia*) PRESTON, 1914b, p. 806, pl. 1, fig. 7 : Larogi Hills, B. E. A.
- decussatula* (*Ennea*) PRESTON, 1913d, p. 201, pl. 33, figs. 1, 1a : Kigezi, extreme S.W. Uganda, 7000 ft.
- degenerata* (*Melanopsis costata* OLIV., var.) PRESTON, 1914, p. 467, pl. 27, fig. 9 : Lake of Tiberias at the exit of the Jordan.
- degeneris* (*Clausilia*) PRESTON, 1911d, p. 471, pl. 11, fig. 23 : between Rumruti and Mount Kenia, B. E. A.
- delectabilis* (*Diplommata* (*Nicida*)) PRESTON, 1905a, p. 9, pl. 2, fig. 40 : Kinidun, Ceylon.
- delicatula* (*Cerastus*) PRESTON, 1910d, p. 53, textfig. : 200 miles due east of Loanda, Angola.
- delicatula* (*Ennea*) PRESTON, 1910b (non PFEIFFER, 1857), p. 528, pl. 7, fig. 7 : Shimbi Hills, B. E. A. (= *Gulella prestoni* CONNOLLY, 1922b, p. 496).
- delicatula* (*Mactra*) PRESTON, 1904a, p. 78, pl. 6, fig. 11 : Ceylon.
- delicatula* (*Martesia*) PRESTON, 1910h, p. 119, fig. 4 : mouth of the Devi River, Orissa coast, 23-25 fms.
- delicatula* (*Rissoina*) PRESTON, 1905, p. 5, pl. 1, figs. 18, 18a : Ceylon.
- delicatula* (*Velorita*) PRESTON, 1916, p. 37, figs. 13, 13a, 13b : Cochin backwater, near Ernakulam.
- deliciosa* (*Curvella*) PRESTON, 1911d, p. 472, pl. 12, fig. 27 : Mount Kenia, 9000-10.000 ft., B. E. A.
- deliciosa* (*Solariella*) PRESTON, 1916, p. 33, figs. 10, 10a, 10b : Ennur backwater, Madras.
- Dendrolamellaria* PRESTON, 1913b, p. 522 (Typesp. : *Dendrolamellaria mathewsi* PRESTON, 1913).
- denegabilis* (*Nassa*) PRESTON, 1914a, p. 297, fig. 9 : Lake Chilka, along marine side of Lake Estuary.
- denselirata* (*Sitala*) PRESTON, 1908e, p. 187, pl. 14, fig. 11 : Andaman Islands.
- densesculpta* (*Gudeëlla*) PRESTON, 1914b, p. 791, pl. 3, fig. 14 : Kagambah, S.W. Uganda.
- densestriata* (*Strigilla*) PRESTON, 1908e, p. 210, pl. 14, fig. 20 : Andaman Islands.
- densestriata* (*Tellina* (*Macoma*)) PRESTON, 1906c, p. 72, figs. 3, 4 : off Manila, 5-10 fms.
- densestriata* (*Trachycystis rivularis* (KRAUSS, 1848), var.) CONNOLLY, 1912a, p. 145, figs. 2, 3 : Transvaal, Zwart Kop, Pretoria; Buiskop; Pietersburg. (M. CONNOLLY, 1932b, p. 96, pl. 5, figs. 3a-c).
- densestriata* (*Vivipara*) PRESTON, 1905d, p. 300, fig. 2 : just above Victoria Falls, Zambesi River.
- depauperata* (*Kaliella*) PRESTON, 1912e, p. 186, pl. 31, figs. 13, 13a : between the Igembi Hills and Nyeri, B. E. A.
- depressa* (*Helicella* (*Lejeania*) *rosenbergi* PRESTON, 1910, var.) PRESTON, 1910f, p. 165, textfig. : Harar, S. Abyssinia.

- depressa* (*Microcystis thwaitesi* PFR., var.) PRESTON, 1909b, p. 135, pl. 22, fig. 6 : Uda Pussellawa, Ceylon.
- depressa* (*Narica*) PRESTON, 1908e, p. 199, pl. 16, fig. 45 : Andaman Islands.
- depressa* (*Photinula solidula* COOPER & PRESTON, 1911, var.) PRESTON, 1913, p. 219, pl. 4, fig. 3 : Port Stanley, Falkland Islands.
- depressa* (*Roybellia*) PRESTON, 1913b, p. 526 : Mount Pitt, Norfolk Island.
- depressor* (*Paralaoma*) PRESTON, 1913b, p. 535 : Mount Pitt, Norfolk Island.
- desiderata* (*Jaminia*) PRESTON, 1911d, p. 470, pl. 11, fig. 21 : Mount Kenia, 9000-10.000 ft., B. E. A.
- desiderata* (*Streptaxis*) PRESTON, 1913d, p. 195, pl. 32, figs. 1, 1a : Urquess, B. E. A. (M. CONNOLLY, 1922b, p. 487 = *Tayloria*).
- devia* (*Gulella*) CONNOLLY, 1931c, p. 310, pl. 10, fig. 10 : Uganda, Bugishu District, Mt. Elgon, 7000-9000 ft.
- diabensis* (*Gulella caryatis* (MELVILL & PONSONBY, 1898), var.) CONNOLLY, 1939, p. 46, pl. 2, fig. 1 : Great Namaqualand, Diab R.
- diaphana* (*Sitala*) CONNOLLY, 1922a, p. 116 (Fig. : M. CONNOLLY, 1925, p. 137, pl. 4, fig. 8) : District north of Macequece.
- dibrugarhensis* (*Bithynia*) PRESTON, 1915a, p. 540, fig. 4 : Dibrugarh, N.-E. Assam, Brahmaputra River.
- didinganus* (*Homorus*) CONNOLLY, 1927, p. 171, fig. 1 : Nagichot, Didinga District, S.E. Sudan.
- diepenheimi* (*Diancta*) PRESTON, 1913a, p. 438 : Island of Beilan-Beilan, to the north of the Obi Islands, Dutch East Indies.
- diepenheimi* (*Opeas*) PRESTON, 1913a, p. 435 : Island of Beilan-Beilan, to the north of the Obi Islands, Dutch East Indies.
- Diepenheimia* PRESTON, 1913a, p. 433 (Typesp. : *Diepenheimia iridescens* PRESTON, 1913).
- differens* (*Tomichia*) CONNOLLY, 1939, p. 583, textfigs. 47M, 48K(R) : Cape Province, freshwater stream flowing out of limestone cave « Die Kelders » on coast of Walker Bay, about 10 miles south of Standford (type); Kuils River, Cape Flats.
- digitalis* (*Gulella*) CONNOLLY, 1939, p. 35, pl. 1, fig. 2 : Natal, Stella Bush, Durban.
- discolorata* (*Elgonella*) PRESTON, 1914b, p. 796, pl. 2, figs. 7a, 7b : Larogi Hills, B. E. A.
- disseminata* (*Ennea*) PRESTON, 1913d, p. 202, pl. 33, figs. 2, 2a : near Lake Kivu (type); also between Lake Mutanda and the region between that lake and Lake Kivu (M. CONNOLLY, 1922 b, p. 496 = *Gulella*; *Ennea ingeziensis* PRESTON and *Ennea burungaensis* PRESTON are synonyms).
- dissimulans* (*Bulimus* (*Eurytus*)) PRESTON, 1909e, p. 509, pl. 10, fig. 5 : Merida, Venezuela.

- dissimulans* (*Coralliophila*) PRESTON, 1904a, p. 77, pl. 7, figs. 5, 6 : Ceylon.
- Dorcasiinae* (*Acavidae* PILSBRY, 1900, subfam.) CONNOLLY, 1915, p. 134.
- dos* (*Melanopsis*) PRESTON, 1913a, p. 436 : Island of Beilan-Beilan, to the north of the Obi Islands, Dutch East Indies.
- dulcissima* (*Solariella*) PRESTON, 1908e, p. 202, pl. 14, fig. 14 : off Port Blair, Andaman Islands, 7-10 fms.
- duncani* (*Gulella*) CONNOLLY, 1930, p. 44, pl. 6, fig. 2 : Kenya, Cherangani.
- duplicatus* (*Fauxulus*) PRESTON, 1911d, p. 470, pl. 11, fig. 22 : between Rumruti and Mount Kenia, B. E. A. (M. CONNOLLY, 1939, p. 376 = *Gastrocopta duplicata*).
- duplicilamellata* (*Tornatellina*) PRESTON, 1913b, p. 537 : Nepean Island
- dupuisi* (*Gulella* (*Paucidentina*)) CONNOLLY, 1922b, p. 497, pl. 14, fig. 39 : Belgian Congo, Nsendwe.
- eburnea* (*Marginella*) PRESTON, 1906 (non LAMARCK), p. 35, textfig. : Ceylon (?) (= *Marginella shacklefordi* PRESTON, 1915d).
- ecclesia* (*Chrysallida* (*Mormula*)) PRESTON, 1915b, p. 295, figs. 7; 7a : Breakfast Id., midway between Ganta Sila and Chiriyia Id. S. Point, 5-6ft.
- ecolorata* (*Mangilia* (*Glyphostoma*)) PRESTON, 1905, p. 2, pl. 1, fig. 6 : Ceylon.
- ecolorata* (*Psammobia*) PRESTON, 1914d, p. 18, textfig. : Montebello Islands, W. Australia.
- edithae* (*Microcystis*) PRESTON, 1909b, p. 134, pl. 22, fig. 5 : Udda Pussellawa, Ceylon.
- edlingeri* (*Sculptaria*) CONNOLLY, 1939, p. 261, pl. 8, figs. 1-4 : Great Namaqualand, between Gaub and Diab Rivers.
- edwardi* (*Conus*) PRESTON, 1908e, p. 190, pl. 15, fig. 28 : Andaman Islands.
- efulenensis* (*Pseudoglessula*) PRESTON, 1908a, p. 7, textfig. : Efulen, Cameroons.
- efulensis* (*Pseudotrochus*) PRESTON, 1909d, p. 185, pl. 7, fig. 13 : near Efulen, S. Cameroons.
- egregia* (*Limnaea* (*Bulinus*)) PRESTON, 1906a, p. 36, textfig. : North-Western Australia.
- egregius* (*Homorus*) PRESTON, 1911d, p. 472, pl. 12, fig. 26 : Mount Kenia, 6000-8000 ft., B. E. A.
- elachistum* (*Pseudopeas*) CONNOLLY, 1923a, p. 644, pl. 19, fig. 39 : Kenya, Larogi Hills, 7000 ft.
- elegans* (*Macroschisma*) PRESTON, 1908e, 203, pl. 15, fig. 33 : Andaman Islands.
- elegans* (*Thysanota*) PRESTON, 1909b, p. 135, pl. 22, fig. 19 : Uda Pussellawa, Ceylon.



- elevata* (*Belloconcha*) PRESTON, 1913b, p. 529 : Nepean Island (sub-fossil).
- elevata* (*Mikenoëlla*) PRESTON, 1914b, p. 802, pl. 2, fig. 25 : Larogi Hills, B. E. A., 6000-7000 ft.
- Elgonella* PRESTON, 1914b, p. 795 (Typesp. : *Elgonella eulotaeformis* PRESTON, 1914).
- elgonense* (*Opeas*) CONNOLLY, 1942, p. 333, fig. 11 : Uganda, Mt. Elgon.
- elgonense* (*Pseudopeas*) CONNOLLY, 1923a, p. 645, pl. 19, fig. 46 : Uganda, Mt. Elgon (type); between Mbarara and Kigezi; L. Mutanda; Tanganyika, Dar-es-salaam.
- elgonensis* (*Curvella*) CONNOLLY, 1923a, p. 639, pl. 19, fig. 14 : Uganda, Mt. Elgon.
- elgonensis* (*Ennea*) PRESTON, 1913d, p. 197, pl. 33, fig. 3 : Mt. Elgon Uganda (M. CONNOLLY, 1922b, p. 489; 1931a, p. 277 = *Marconia*; 1930, p. 37, figs. 1, 2d(R)).
- elgonensis* (*Ennea naivashaensis* PRESTON, 1911, var.) PRESTON, 1913d, p. 211 : Mt. Elgon, Uganda.
- elgonensis* (*Gudeëlla*) PRESTON, 1914b, p. 791, pl. 3, fig. 19 : Mount Elgon, Uganda.
- elgonensis* (*Ledoulxia*) PRESTON, 1914b, p. 807, pl. 1, fig. 4 : Mount Elgon, Uganda.
- elgonensis* (*Streptostele*) CONNOLLY, 1922b, p. 506, pl. 14, fig. 9 : Uganda, Mt. Elgon.
- elongata* (*Scintilla*) PRESTON, 1908e, p. 206, pl. 17, fig. 71 : Andaman Islands.
- elongata* (*Streptostele*) CONNOLLY, 1922b, p. 504, pl. 14, fig. 10 : Kenya, Mt. Kenangop, Aberdare Range.
- emaciata* (*Opeas* (*Nothapalinus*) *suavissimum* CONNOLLY, 1923, forma) CONNOLLY, 1923a, p. 655, pl. 19, fig. 33 : Kenya, Gazi.
- emiliae* (*Mitra*) PRESTON, 1908e, p. 193, pl. 17, fig. 68 : Andaman Islands.
- eminens* (*Pseudachatina nodosa* PRESTON, 1909, var.) PRESTON, 1909d, p. 184, pl. 7, fig. 11 : Bitze, near the River Ja, Cameroons.
- enneadon* (*Gulella*) CONNOLLY, 1922a, p. 114 (Fig. : M. CONNOLLY, 1925, p. 116, pl. 4, fig. 3) : District north of Macequece (M. CONNOLLY, 1925, p. 117 = *Gulella enneadon*, correction).
- enneadon* (*Gulella*) CONNOLLY, 1925, p. 117 (correction for *Gulella enneadon* CONNOLLY, 1922).
- ennurensis* (*Iravadia*) PRESTON, 1916, p. 31, figs. 7, 7a : Ennur backwater, Madras.
- ennurensis* (*Nassa orissaënsis* PRESTON, 1914, var.) PRESTON, 1916, p. 28, figs. 2, 2a : Ennur backwater, Madras (type); canal near Chingrighatta, outskirts of Calcutta (mentioned by H. B. PRESTON, 1915c, p. 479 as manuscript name).



- ennurensis* (*Retusa*) PRESTON, 1916, p. 27, figs. 1, 1a, 1b : Ennur back-water, Madras.
- ennurensis* (*Tellina*) PRESTON, 1916, p. 38, figs. 14, 14a : Ennur back-water, Madras.
- entebbeensis* (*Curvella*) PRESTON, 1912b, p. 324, pl. 17, fig. 5 : between Entebbe and Mbarara, S. W. Uganda.
- Epistethe* PRESTON, 1912c, p. 126 (Typesp. : *Epistethe gonodactyli* PRESTON, 1912).
- erythrae* (*Trachycystis*) CONNOLLY, 1912a, p. 136, pl. 2, fig. 5 : Cape of Good Hope, Caledon Division (M. CONNOLLY, 1939, p. 227 = *Trachycystis* (*Lyrocystis*)).
- esau* (*Urguessella*) PRESTON, 1914b, p. 804, pl. 3, fig. 26 : Urguess, B. E. A.
- esculpturata* (*Petricola*) PRESTON, 1915b, p. 301, figs. 13, 13a : Manikpatna, oysterbeds.
- estriata* (*Tornatina*) PRESTON, 1914a, p. 303, figs. 7, 7a : Lake Chilka, Orissa, on muddy bottom, 6-8 ft., about 2 miles off Balugaon (type); Manikpatna, Orissa, 4 ft. (H. B. PRESTON, 1916, p. 27 = *Retusa*).
- euglypta* (*Curvella*) CONNOLLY, 1939, p. 361, pl. 8, fig. 5 : Natal, Van Reenen.
- eulimoides* (*Subulina*) PRESTON, 1909g, p. 499 : Howick, Natal (M. CONNOLLY, 1910, p. 267; 1939, p. 350 = *Opeas eulimoide*).
- eulotaeformis* (*Elgonella*) PRESTON, 1914b, p. 796, pl. 2, figs. 9a-c : Kagambah, S. W. Uganda.
- euphues* (*Opeas* (*Micropeas*)) CONNOLLY, 1923a, p. 657, pl. 19, fig. 27 : Camerun, Bitze.
- eupleura* (*Trachycystis*) CONNOLLY, 1925c, p. 470, pl. 28, fig. 8 : Cape Province, Majuba Nek, Herschel Dist. (M. CONNOLLY, 1939, p. 198 = *Trachycystis* (*Phaulocystis*)).
- euschemon* (*Opeas*) CONNOLLY, 1923a, p. 648, pl. 19, fig. 36 : Kenya, Kekumega.
- eussoensis* (*Ennea*) PRESTON, 1913d, p. 202, pl. 33, figs. 4, 4a : Eusso Nyiro, B. E. A.
- eussoensis* (*Euonyma*) CONNOLLY, 1923a, p. 638, pl. 19, fig. 22 : Kenya, Eusso Nyiro.
- eussoensis* (*Ledoulxia*) PRESTON, 1914b, p. 807, pl. 1, fig. 2 : Eusso Nyiro, B. E. A.
- eussoensis* (*Segmentina*) PRESTON, 1912e, p. 191, pl. 32, figs. 6, 6a, 6b : Chanler Falls, Eusso Nyiro, B. E. A.
- eussoensis* (*Succinea*) PRESTON, 1912b, p. 326, pl. 17, fig. 7 : Chanler Falls, Eusso Nyiro, B. E. A.
- Eussoia* PRESTON, 1912e, p. 192 (Typesp. : *Eussoia inopina* PRESTON, 1912).
- exalbida* (*Unio* (*Grandidieria*) *tanganyicensis* SMITH, 1880, var.) PRESTON, 1913c, p. 60 : Lake Tanganyika.
- exasperata* (*Eulima*) PRESTON, 1905, p. 6, pl. 2, fig. 23 : Ceylon.

- exasperata* (*Mangilia*) PRESTON, 1908e, p. 192, pl. 15, fig. 27 : Andaman Islands.
- exasperata* (*Streptostele*) PRESTON, 1912b, p. 322, pl. 17, fig. 11 : Mount Kenia, 6-9000 ft.
- exasperata* (*Thapsia*) PRESTON, 1910b, p. 530, pl. 8, fig. 13 : Shimbi Hills, B. E. A.
- exasperatum* (*Cyamium*) PRESTON, 1912 1, p. 638, pl. 21, fig. 5 : Port Stanley, Falkland Islands.
- excruciata* (*Gulella*) CONNOLLY, 1931c, p. 312, pl. 11, fig. 4 : Uganda, N. Bugishu District, Mt. Elgon, 7000-9000 ft. (type); Bwamba Pass, Ruwenzori; Kenya, Ndarugu R. Valley; Taru Desert.
- expatriata* (*Acanthinula*) PRESTON, 1911d, p. 469, pl. 11, fig. 17 : Mount Kenia 9000-10.000 ft., B. E. A.
- expatriata* (*Gibbulina*) PRESTON, 1910b, p. 526, pl. 7, fig. 1 : Shimbi Hills, B. E. A. (M. CONNOLLY, 1930, p. 44 = *Gulella*).
- expatriata* (*Melania*) PRESTON, 1908e, p. 196, pl. 15, fig. 23 : Andaman Islands (H. B. PRESTON, 1915e, p. 14 = *Tiara* (*Radina*)).
- expatriata* (*Trochozonites*) PRESTON, 1914b, p. 805, pl. 2, fig. 21 : Burunga, Mount Mikeno, Belgian Congo, 6000 ft. (M. CONNOLLY, 1925c, p. 460 = *Trochozonites* (*Zonitrochus*) (the subgenus is *Zonitrochus* PILSBRY)).
- expatriatus* (*Bulimulus* (*Drymaeus*)) PRESTON, 1909e, p. 510, pl. 10, fig. 4 : E. Bolivia.
- exquisita* (*Cancellaria*) PRESTON, 1905, p. 3, pl. 1, fig. 9 : Ceylon.
- exquisita* (*Falloonella*) PRESTON, 1914b, p. 809, pl. 1, figs. 9, 9a, 9b : Urguess, B. E. A.
- exserta* (*Physa*) PRESTON, 1913c, p. 56, pl. 5, fig. 9 : Lake Baringo, B. E. A.
- exsilum* (*Blauneria*) PRESTON, 1912e, p. 189, pl. 31, fig. 8 : Gazi, B. E. A.
- falconi* (*Trachycystis*) CONNOLLY, 1939, p. 218, pl. 6, figs. 17-19 : Cape Province, Port St. John's.
- falklandica* (*Chilina*) COOPER & PRESTON, 1910, p. 111, pl. 4, fig. 2 : Falkland Islands.
- falklandica* (*Mytilimeria*) PRESTON, 1913, p. 223, pl. 4, fig. 13 : Falkland Islands.
- falklandica* (*Nacella*) PRESTON, 1913, p. 221, pl. 4, fig. 6 : Falkland Islands.
- falklandica* (*Natica*) PRESTON, 1913, p. 218, pl. 4, fig. 1 : Port Stanley, Falkland Islands.
- falklandica* (*Nucula*) PRESTON, 1912 1, p. 637, pl. 21, fig. 3 : Port Stanley, Falkland Islands.
- fallax* (*Diplommatina*) PRESTON, 1914e, p. 24, textfig. : Naga Hills, Assam.
- Falloonella* PRESTON, 1914b, p. 809 (Typesp. : *Falloonella exquisita* PRESTON, 1914).

- fallooni* (*Curvella pertranslucens* PRESTON, 1910, subsp.) CONNOLLY, 1923a, p. 640, pl. 19, fig. 16 : Kenya, Nairobi; Igembi Hills, 4000 ft.; Darugu R. Valley.
- fallooni* (*Streptostele*) CONNOLLY, 1922b, p. 503, pl. 14, fig. 3 : Kenya, near Nairobi; Mau Escarpment.
- faminensis* (*Littoridina*) PRESTON, 1915 (in L. E. ADAMS), p. 352, pl. 6, fig. 5 : Port Famine, Straits of Magellan.
- fanei* (*Opeas*) CONNOLLY, 1919a, p. 143, fig. 2 : Natal, Pietermaritzburg; Dargle.
- farquhari* (*Curvella*) CONNOLLY, 1919, p. 219, fig. 4 : Cape Province, Mountain Drive, Grahamstown.
- farreri* (*Pecten* (*Chlamys*)) JONES & PRESTON, 1904, p. 149 . Shi Tao, Shantung.
- fasciata* (*Pseudoglessula*) CONNOLLY, 1923, p. 348 (nom. nov. for *Bulimus kirkii* CRAVEN, 1880, non *Buliminus kirki* DOHRN, 1865, both species belonging to *Pseudoglessula*).
- featheri* (*Limicolaria*) PRESTON, 1913e, p. 277, textfig. : Voi, B. E. A.
- felina* (*Trachycystis*) CONNOLLY, 1932b, p. 103, pl. 5, figs 11a-c : Cape Province, Katberg.
- ferarum* (*Trachycystis*) CONNOLLY, 1932b, p. 100, pl. 5, figs. 9 a-c : Natal, Game Pass (type); Van Reenen.
- festiva* (*Rachidina*) CONNOLLY, 1925c, p. 475, pl. 28, fig. 17 : Kenya, Taru Desert.
- fijiensis* (*Batissa*) PRESTON, 1908c, p. 140 : Fiji Islands.
- filicosta* (*Rissoina* (*Rissolina*)) PRESTON, 1905, p. 5, pl. 1, fig. 20 : Ceylon.
- filix* (*Gulella*) CONNOLLY, 1922b, p. 495, pl. 14, fig. 12 : Kenya, Cedar Forest on Uasin Gishu Plateau, 8500 ft.
- fisheri* (*Ptychotrema*) CONNOLLY, 1922b, p. 489, pl. 14, fig. 32 : Uganda, near Fort Portal (M. CONNOLLY, 1930, p. 38 = *Ptychotrema limbatum* (v. MARTENS, 1892)).
- flammulata* (*Nassa*) PRESTON, 1909e, p. 512, pl. 10, fig. 13 : S. Peru.
- flavida* (*Limicolaria nyiroensis* PRESTON, 1912, var.) PRESTON, 1912i, p. 110 : northern slopes of Mount Marsabit, B. E. A., 4600 ft.
- flavida* (*Tellimya*) PRESTON, 1916d, p. 272, pl. 13, fig. 8 : Bransfield Straits, South Shetland Islands, 15 fms., from the stomachs of fish.
- flavidula* (*Elgonella*) PRESTON, 1914b, p. 796, pl. 2, figs 5a-b : Mount Elgon, Uganda.
- foliatum* (*Pseudopeas*) CONNOLLY, 1928c, p. 545, pl. 18, fig. 13 : Sierra Leone, Jima (type); Langranna.
- fonticula* (*Larogiella*) PRESTON, 1914b, p. 801, pl. 2, fig. 3 : Lake Mutanda, S. W. Uganda.
- fonticulus* (*Neocyclotus*) PRESTON, 1911c, p. 359, textfig. : Grand Cayman Island.
- formosa* (*Segmentina*) CONNOLLY, 1928c, p. 547, fig. 9 : Sierra Leone, Boya River, Jima.

- fortidentata* (*Fauxulus ovularis* (KUSTER, 1841), var.) CONNOLLY, 1939, p. 380, pl. 12, fig. 3 : Cape Province, Bredasdorp.
- fossae* (*Nassa*) PRESTON, 1915c, p. 479, figs. 1, 1a : canal near Chin-grighatta, outskirts of Calcutta.
- fossula* (*Trachycystis*) CONNOLLY, 1925, p. 142, pl. 4, fig. 12 : L. Marques, Mount Vengo, 5500 ft.
- foveolata* (*Ennea*) PRESTON, 1913d, p. 203, pl. 33, figs. 5, 5a : Gazi, B. E. A. (M. CONNOLLY, 1922b, p. 493 = *Gulella*).
- foveolata* (*Euplecta*) PRESTON, 1909b, p. 133, pl. 22, fig. 1 : S. India.
- foveolata* (*Psephis*) COOPER & PRESTON, 1910, p. 114, pl. 4, fig. 11 : Falkland Islands.
- foveolata* (*Turbonilla*) PRESTON, 1908e, p. 200, pl. 17, fig. 66 : Andaman Islands.
- foveolatus* (*Homorus*) PRESTON, 1909d, p. 186, pl. 7, fig. 15 : Akok, 30-35 miles from the coast at Kribi, Cameroons. (non *Homorus foveolatus* PRESTON, 1912.)
- foveolatus* (*Homorus*) PRESTON, 1912b (non PRESTON, 1909), p. 324, pl. 17, fig. 17 : Mount Kenangop, Aberdare Range, B. E. A. (= *Homorus robinkempi* PILSBRY, 1919, pp. 12, 122, nom. nov.).
- fraga* (*Drillia*) PRESTON, 1908e, p. 191, pl. 15, fig. 34 : Andaman Islands.
- fragilis* (*Vivipara*) PRESTON, 1910e, p. 113, textfig. : Manswön Bien Lake, Central Arfak Mountains, Dutch New Guinea, 8000 ft.
- ?*fraternus* (*Buliminus*) PRESTON mss. : Kenya, Urguess (M. CONNOLLY, 1925c, p. 478 = *Conulinus ugandae* (v. MARTENS, 1895); « it was distributed by PRESTON before the war, bearing as a manuscript name the Latin word for brother »).
- framesi* (*Indonaia*) CONNOLLY, 1925a, p. 265, pl. 12, figs. 1, 4 : Transvaal, near Premier Mine, Pretoria District (M. CONNOLLY, 1939, p. 611 = *Unio*).
- fraudator* (*Gulella*) CONNOLLY, 1939, p. 57, pl. 2, fig. 3 : Cape Province, Mbotjie Beach bush.
- frumentum* (*Diplommatina*) PRESTON, 1914e, p. 23, textfig. : Naga Hills, Assam.
- fulgens* (*Euonyma*) CONNOLLY, 1923a, p. 635, pl. 19, fig. 29 : Kenya, north slope of Mt. Marsabit, 4600 ft.
- funbris* (*Latirus*) PRESTON, 1907b, p. 33, textfig. : West Indies.
- funerea* (*Ennea*) PRESTON, 1913d, p. 203, pl. 33, figs. 6, 6a : Chanler Falls, Eusso Nyiro River, B. E. A. (M. CONNOLLY, 1922b, p. 500 = *Gulella* (*Molarella*)).
- funerea* (*Iravadia*) PRESTON, 1916, p. 30, figs. 6, 6a : Cochin backwater, near Ernakulam.
- funerea* (*Melania*) PRESTON, 1908a, p. 7, textfig. : Gold Coast.
- fusiforme* (*Pseudopeas*) CONNOLLY, 1923a, p. 643, pl. 19, fig. 40 : Camerun, Bitze.

- gabonensis* (*Corbicula*) PRESTON, 1909f, p. 90, pl. 4, fig. 8 : Gaboon.
- galilaeae* (*Bithinella*) PRESTON, 1914, p. 470, pl. 27, fig. 5 : Wad-es-Semakh, Lake of Tiberias, in stream.
- ganahli* (*Potadoma*) CONNOLLY, 1930a., p. 24, fig. 2 : Uganda, Kaiso (fossil).
- gangetica* (*Nassa* (*Phrontis*)) PRESTON, 1904a, p. 76, pl. 6, figs. 5, 6 : Calcutta.
- ganjamensis* (*Drillia*) PRESTON, 1910h, p. 117, fig. 1 : Ganjam Coast, Madras Presidency, 24-30 fms.
- gassiesiana* (*Charopa*) PRESTON, 1907g, p. 219, fig. 6 : New Caledonia.
- gaylordae* (*Clavatula*) PRESTON, 1905, p. 2, pl. 1, fig. 3 : Ceylon.
- gaylordae* (*Lucapinella*) PRESTON, 1908e, p. 203, pl. 15, fig. 32 : Andaman Islands.
- gaziense* (*Auricula*) PRESTON, 1913c, p. 54, pl. 5, fig. 13 : Gazi, B. E. A. (erratum p. 212 = *gaziensis*).
- gaziensis* (*Auricula*) PRESTON, 1913c, p. 212 (erratum for *gaziense*).
- gaziensis* (*Leucochiloides*) PRESTON, 1912e, p. 188, pl. 31, fig. 19 : Gazi, B. E. A.
- gaziensis* (*Zingis*) PRESTON, 1911d, p. 467, pl. 11, fig. 10 : Gazi, B. E. A. (H. B. PRESTON, 1914b, p. 795 = *Elgonella*).
- gemma* (*Afrocanidea*) CONNOLLY, 1929, p. 178, pl. 5, fig. 9 : Kenya, Shimbi Hills (in the description of the genus the author calls the type-species : *gemma*).
- gemma* (*Helicina*) PRESTON, 1903, p. 4, textfig : Costa Rica.
- gemma* (*Miralda*) PRESTON, 1908d, p. 46, fig. 5 : Oman.
- gemma* (*Modiolarca*) COOPER & PRESTON, 1910, p. 112, pl. 4, fig. 4 : Falkland Islands.
- gemmascabra* (*Trachycystis*) CONNOLLY, 1939, p. 204, textfig. 17A : Great Namaqualand, Aiaia.
- gennesaretensis* (*Bithinia*) PRESTON, 1914, p. 468, pl. 27, fig. 8 : Semakh to exit of Jordan, Lake of Tiberias.
- gereti* (*Thapsia*) PRESTON, 1910a, p. 58, pl. 4, fig. 2 : Maringo Plateaux, Belgian Congo.
- gereti* (*Unio*) PRESTON, 1910a, p. 61, pl. 4, fig. 9 : Lake Tanganyika.
- germaini* (*Gulella*) CONNOLLY, 1929, pp. 169, 173 (nom. nov. for *Ennea* (*Enneastrum*) *girardi* GERMAIN, 1915, non KOBELT, 1904).
- germaini* (*Thapsia*) CONNOLLY, 1925c, p. 457, pl. 28, fig. 2 : San Thomé.
- gerstenbrandti* (*Gudeëlla*) PRESTON, 1914b, p. 792, pl. 3, fig. 7 : Mount Elgon, Uganda.
- gerstenbrandti* (*Nassa*) PRESTON, 1908e, p. 194, pl. 14, fig. 7 : Andaman Islands, 7-10 fms.
- gibberosa* (*Dreissensia*) PRESTON, 1909f, p. 89, pl. 4, fig. 4 : Assinie.
- gibbonsi* (*Kirkia*) CONNOLLY, 1925, p. 138 (nom. nov. for *Urocyclus flavescens* GIBBONS, 1879, non KEFERSTEIN, 1866).
- gigas* (*Ledoulxia*) CONNOLLY, 1925d, p. 423 : Italian Somaliland, Bur Budulca, near Uddur.

- gilliana* (*Trachycystis* (*Phortion*)) CONNOLLY, 1939, p. 234, pl. 9, figs. 30, 31 : Cape Province, Dassieberg Mts., behind Robertson.
- gimlettei* (*Succinea*) JONES & PRESTON, 1910c, p. 10, textfig. : Wei-hai-wei Island, N. E. China.
- girwanensis* (*Cerastus*) CONNOLLY, 1941a, p. 27, pl. 3, fig. 13 : Yemen, Jebel Girwan, near Ghaiman, 9 miles south-east of San'a, c. 8700 ft., 17-II-1938.
- glischrum* (*Opeas*) CONNOLLY, 1923a, p. 654, pl. 19, fig. 28 : Uganda, between Mbarara and Masaka.
- globosa* (*Chloritis* (*Sulcobasis*)) PRESTON, 1902, p. 17, fig. IV : N. Coast of British New Guinea.
- globosa* (*Eulota*) JONES & PRESTON, 1904, p. 140, textfig. : Shi Tao, Shantung.
- globosa* (*Fischeria*) PRESTON, 1909f, p. 91, pl. 4, fig. 10 : Congo Delta.
- globulus* (*Assimineae*) CONNOLLY, 1939, p. 594, fig. 53 : Cape Province, lacustrine deposit, Milnerton (type); Seekoe Vlei, and Knysna and Zoetendaels Valleys (subfossil); Port Alfred.
- glyptothauma* (*Ptychotrema*) CONNOLLY, 1928c, p. 533, pl. 18, fig. 2 : Sierra Leone, Langranna (type); Majendoo.
- gonodactyli* (*Epistethe*) PRESTON, 1912c, p. 126, textfig. : Persian Gulf; Andaman Islands (parasitic on the ventral surface of a Stomatopod Crustacean, *Gonodactylus chiragra*).
- goramensis* (*Melania*) PRESTON, 1911a, p. 228 : Goram Island, Malay Archipelago.
- gouldi* (*Euonyma*) CONNOLLY, 1912a, p. 214, pl. 2, fig. 7 : Cape of Good Hope, Prieska.
- gracilis* (*Achatina variegata* LAMARCK, var.) PRESTON, 1909d, p. 183 : W. Africa.
- gracilis* (*Corbula*) PRESTON, 1907f, p. 216, fig. 4 : Port Canning, Lower Bengal, in brackish pools.
- gracillima* (*Subulina*) CONNOLLY, 1919, p. 216, fig. 1 : Rhodesia, South bank of Victoria Falls.
- granulosa* (*Anatina*) PRESTON, 1914a, p. 310, figs. 17, 17a : Lake Chilka.
- granulosa* (*Helicarion*) PRESTON mss? (M. CONNOLLY, 1925c, p. 467, mentions among a large number of *Helicarioninae* and *Vitrininae*, which he did not attempt to assign to the various genera and subgenera in which they have, at various times, been placed, under the species with « embryonic whorls spirally linearly punctate » : « *granulosa* PRESTON ». I did not find any description of a *granulosa* PRESTON, but in the DAUTZENBERG-collection is a specimen of « *Helicarion granulosa* PRESTON » from near Harar, Abyssinia).
- gravellyi* (*Bittium*) PRESTON, 1916, p. 29, figs. 4, 4a : Cochin backwater, near Ernakulam.
- gravellyi* (*Nassodonta*) PRESTON, 1916, p. 29, fig. 3 : Cochin backwater, near Ernakulam (type); Ennur backwater, Madras.



- Greenwoodoconcha* PRESTON, 1913b, p. 525 (Typesp. : *Microcystis nux* SYKES, 1900).
- grosseopunctata* (*Vitrina*) CONNOLLY 1928a, p. 165, pl. 1, fig. 1 : Jem Jem Forest (type); Addis Abeba, 8100 ft.
- Gudeëlla* PRESTON, 1913f, p. 285 (nom. nov. for *Thapsiella* GUDE, 1911, non P. FISCHER, 1884; typesp. *Thapsia masukuensis* SMITH, 1899) (other species : *G. kigeziensis* PRESTON and *G. vernhouti* PRESTON).
- gudei* (*Charopa* (*Tropidotropis*)) PRESTON, 1907g, p. 220, fig. 7 : New Caledonia.
- gudei* (*Falloonella exquisita* PRESTON, 1914, subsp.) PRESTON, 1914b, p. 809, pl. 1, fig. 10 : Larogi Hills, B. E. A.
- gwandaensis* (*Streptaxis*) PRESTON, 1912j, p. 69, fig. 1 : near the Geelong Mine, Gwanda District, Rhodesia. (M. CONNOLLY, 1925, p. 110 = *Gonaxis*).
- gwendolinae* (*Charopa*) PRESTON, 1907g, p. 218, fig. 3 : New Caledonia.
- gwendolinae* (*Martensia*) PRESTON, 1910b, p. 529, pl. 7, fig. 9 : Usagara, G. E. A.
- gwendolinae* (*Ennea*) PRESTON, 1910b, p. 527, pl. 7, fig. 3 : Shimbi Hills, B. E. A. (M. CONNOLLY, 1922b, p. 500 = *Gulella* (*Molarella*)).
- hamatulae* (*Epitonium*) PRESTON, 1915b, p. 294, fig. 5 : channel off Barhampur Id., 6-9 ft.
- hararensis* (*Helicarion*) PRESTON, 1910 f, p. 164, textfig. : Harar, S. Abyssinia.
- hararensis* (*Succinea*) CONNOLLY, 1928a, p. 172, pl. 1, fig. 4 : Harar (type); R. Katera, Lake Zwai, 6000 ft.
- hasta* (*Streptostele*) CONNOLLY, 1922b, p. 506, pl. 14, fig. 16 : Kenya, Urguess.
- haughtoni* (*Trigonephrus*) CONNOLLY, 1931c, p. 307 : Namib, S. W. Africa : (a) recent : Bogenfels Diamond Fields (type); Orange Mund; Buntfeldschu, E. Bogenfels; (b) fossil : Vlei, S. of Lochkuppe, Klingharal Gebirge; Elferstafelberg; Feld Lubeck, 12 km. S. E. of Luderitzbucht; Orange Mund and Alexander Bay. (M. CONNOLLY, 1939, p. 290 = *Trigonephrus rosaceus* CONNOLLY, 1931b (non MULLER, 1774), p. 284, fig. 1).
- haynesi* (*Solenotellina*) PRESTON, 1914d, p. 18; textfig. : Montebello Islands, W. Australia.
- haynesi* (*Turbo foliaceus* PHIL., subsp.) PRESTON, 1914d, p. 15, textfig. : Montebello Islands, W. Australia.
- hector* (*Ennea*) PRESTON, 1913d, p. 203, pl. 33, fig. 7 : between the Jombene Hills and Nyeri, B. E. A.; on the Jombene Hills, 6000 ft.; Mweru.
- heliocaustus* (*Trigonephrus*) CONNOLLY, 1929a, p. 230, pl. 14, fig. 23 : Cape Province, Klaver, Van Rhynsdorp District.
- helleri* (*Pecten*) PRESTON, 1909b, p. 139, pl. 22, fig. 15 : Ceylon.

- Hendrikia* (*Scarabus*, subgen.) PRESTON, 1913a, p. 435 (Typesp. : *Hendrikia mirifica* PRESTON, 1913).
- hercules* (*Ennea laqueus* PRESTON, 1913, var.) PRESTON, 1913d, p. 208 : Urguess, B. E. A., 6000 ft.
- hercules* (*Unio* (*Nodularia*) *nyassanus* LEA, 1864, var.) PRESTON, 1913c, p. 59, pl. 4, fig. 10 (erratum : p. 212) : Shiré River, near its outflow from Lake Nyassa.
- herma* (*Streptostele*) CONNOLLY, 1912a, p. 89, pl. 2, fig. 3 : Rhodesia, Victoria Falls.
- hewitti* (*Sheldonia*) CONNOLLY, 1929a, p. 226, pl. 14, figs. 13-15, textfig. 2(R) : Cape Province, Kabeljaauws, near the mouth of the Gamtoos River.
- hieroglyphicus* (*Rachis*) PRESTON, 1910b, p. 531, pl. 8, fig. 16 : Shimbi Hills, B. E. A.
- hindsiana* (*Theora*) PRESTON, 1916a, p. 99, figs. 18, 18a : Phoenix Bay, Andaman Islands, 1-3 fms., on a bottom of muddy sand.
- hinduorum* (*Cumingia*) PRESTON, 1915b, p. 308, figs. 22, 22a : main channel W. of Satpara Id., 3-8 ft. (type); channel off Barhampur Id., 6-9 ft., Mahosa, southwards towards sandhills, 4-8ft.; 3-4 miles E. by S.  $\frac{1}{2}$  S. of Patsahanipur, 5-5  $\frac{1}{4}$  ft.; channel between Satpara and Barnikuda, 6-10 ft.; southwards from Mahosa, 5-9 ft.; Mahosa, Barhampur Id.
- humerosa* (*Succinea*) PRESTON, 1913b, p. 536 : Nepean Island (subfossil).
- humilis* (*Pyramidella* (*Mormula*)) PRESTON, 1905, p. 6, pl. 2, fig. 27 : Ceylon (H. B. PRESTON, 1915b, p. 294 = *Chrysallida* (*Mormula*); H. B. PRESTON, 1916, p. 32 = *Pyrgulina*).
- igambiense* (*Pseudopeas*) CONNOLLY, 1923a, p. 645, pl. 19, fig. 42 : Kenya, Igembi Hills, 6000 ft.
- igambiensis* (*Euonyma topazon* CONNOLLY, 1923, subsp.) CONNOLLY, 1923a, p. 637 : Kenya, Igembi Hills, 4000 ft.
- igambiensis* (*Trachycystis*) CONNOLLY, 1925c, p. 471, pl. 28, fig. 10 : Kenya, between the Igembi Hills and Nyeri.
- illitus* (*Homorus*) CONNOLLY, 1923, p. 353, pl. 1, fig. 2 : Kenya, Lari.
- imitans* (*Pseudopeas*) CONNOLLY, 1923a, p. 642, pl. 19, fig. 6 : Tanganyika, Dar-es-salaam.
- imitatrix* (*Chilkaia*) PRESTON, 1915b, p. 291, fig. 1, 1a : Mahosa, southwards towards sandhills, 4-8 ft. (type); Serua Nadi, 5-9 ft.
- impedita* (*Gulella*) CONNOLLY, 1922b, p. 494, pl. 14, fig. 33 : Kenya, Kekumega.
- imperfurata* (*Burungaëlla*) PRESTON, 1914b, p. 798, pl. 1, fig. 15 : Burunga, Mount Mikeno, Belgian Congo, 6000 ft.
- inca* (*Helicina*) PRESTON, 1914g, p. 525 : Eastern Peru.
- incisa* (*Tellina*) PRESTON, 1908e, p. 209, pl. 17, fig. 59 : Andaman Islands.
- inclinans* (*Gudeëlla*) PRESTON, 1914b, p. 792, pl. 3, figs. 1, 8 : Burunga, Mount Mikeno, Belgian Congo, 6000 ft.



- indica* (*Eulima*) PRESTON, 1905, p. 6, pl. 2, fig. 24 : Ceylon.
- induta* (*Anatina*) PRESTON, 1915c, p. 482, fig. 4 : canal near Chingri-ghatta, outskirts of Calcutta.
- inepta* (*Limicolaria* (*Rebmanniella*)) PRESTON, 1911d, p. 471, pl. 12, fig. 24 : Mount Kenia, 6000-8000 ft., B. E. A.
- inflata* (*Gudeëlla*) PRESTON, 1914b, p. 792, pl. 3, fig. 21 : Burunga, Mount Mikeno, Belgian Congo, 6000 ft.
- inflata* (*Homorus egregius* PRESTON, 1911, var.) CONNOLLY, 1923, p. 352, pl. 1, fig. 5 : Kenya, Larogi Hills, 6000-7000 ft.; Igembi Hills; Darugu R. Valley; Lari.
- inflata* (*Martensia*) PRESTON, 1913c, p. 49 : Urguess, B. E. A.
- ingeziensis* (*Ennea*) PRESTON, 1913d, p. 204, pl. 33, figs. 9, 9a : Ingezi, Mfumburu Mountains, extreme S. W. Uganda; Kigezi, 6000 ft. (M. CONNOLLY, 1922b, p. 496 = *Gulella disseminata* (PRESTON, 1913)).
- ingloria* (*Ennea*) PRESTON, 1913d, p. 197, pl. 33, fig. 10 : Mt Nyiro, to the south of Lake Rudolph, 8300 ft.
- ingloria* (*Pseudoglessula* (*Pseudocerastus*)) CONNOLLY, 1923, p. 350, pl. 1, fig. 19 : Kenya, Taru Desert.
- innocens* (*Ennea*) PRESTON, 1913d, p. 197, pl. 33, fig. 11 : Jombene Hills, B. E. A., 6000 ft.
- innocens* (*Cyclostrema* (*Tubiola*)) PRESTON, 1915b, p. 296, figs. 9, 9a : Serua Nadi, 5-9 ft.
- innocens* (*Opeas*) PRESTON, 1910g, p. 33, fig. 2 : Khayon Cave, near Moulmein, Lower Birma.
- innocens* (*Tellina*) PRESTON, 1916a, p. 96, fig. 11 : Phoenix Bay, Andaman Is., 1-3 fms., on a bottom of muddy sand.
- innocens* (*Thapsia*) PRESTON, 1910d, p. 53, textfig. : 200 miles due east of Loanda, Angola.
- innotabilis* (*Nothapalus*) CONNOLLY, 1931c, p. 318, pl. 11, fig. 5 : Uganda, Bwamba Pass (type); Fort Portal.
- inopina* (*Beilania*) PRESTON, 1913a, p. 433 : Island of Beilan-Beilan, to the north of the Obi Islands, Dutch East Indies.
- inopina* (*Eussoia*) PRESTON, 1912e, p. 192, pl. 32, fig. 10 : Banks of the Eusso Nyiro River, B. E. A.
- inopina* (*Iredaleoconcha*) PRESTON, 1913b, p. 530 : Limestone quarry, Norfolk Island; Mount Pitt.
- inquilinus* (*Acmaea*) PRESTON, 1913, p. 220, pl. 4, fig. 4 : Port Stanley, Falkland Islands.
- insculpta* (*Curvella*) CONNOLLY, 1928c, p. 543, pl. 18, fig. 8 : Sierra Leone, Langranna.
- insolitus* (*Bulimus* (*Thaumastus*)) PRESTON, 1909e, p. 509, pl. 10, fig. 9 : Chanchamayo, Peru.
- insularis* (*Limicolaria karagwensis* KOBELT, 1913, subsp.) CONNOLLY, 1932, p. 182, pl. 15, figs. 9-13 : Uganda, Victoria Nyanza, Mwana I. (type); Bamba I.; Nkosi I.
- insulsa* (*Diplodonta*) PRESTON, 1908e, p. 207, pl. 16, fig. 54 : Andaman Islands.

- insulsa* (*Ennea*) PRESTON, 1913d, p. 205, pl. 33, figs. 13, 13a : Gazi, B. E. A. (M. CONNOLLY, 1925c, p. 479 = *Gastrocopta*).
- insulsa* (*Thapsia*) PRESTON, 1910b, p. 531, pl. 8, fig. 14 : Shimbi Hills, B. E. A.
- insulsum* (*Bittium*) PRESTON, 1908d, p. 45, fig. 1 : Galle, Ceylon.
- intermedia* (*Ennea keniana* PRESTON, 1911, var.) PRESTON, 1913d, p. 206 : Jombene Hills, B. E. A., 6000 ft.
- intermedia* (*Gulella tridens* CONNOLLY, 1939, var.) CONNOLLY, 1939, p. 60, pl. 1, fig. 14 : Zululand, Mfongosi.
- intermedia* (*Quintalia stoddarti* GRAY, 1834, subsp.) PRESTON, 1913b, p. 528 : Nepean Island (subfossil).
- interruptus* (*Bulimulus (Drymaeus)*) PRESTON, 1909e, p. 511, pl. 10, fig. 1 : Merida, Venezuela.
- intradentata* (*Ennea*) PRESTON, 1913d, p. 205, pl. 33, figs. 14, 14a : Jombene Hills, B. E. A., 6000 ft.; route between the Jombene Hills and Nyeri.
- introrugatus* (*Unio*) CONNOLLY, 1931c, p. 320, pl. 12, figs 6-9 : Uganda, Victoria Nyanza.
- introtuberculata* (*Afrodonta*) CONNOLLY, 1933, p. 147, pl. 7, figs. 5-8, textfig. 1<sup>o</sup> : Natal, Nottingham Road.
- iota* (*Ennea*) PRESTON, 1911d, p. 463, pl. 11, fig. 2 : between Rumruti and Mount Kenia, B. E. A.
- iota* (*Norfolcioconcha*) PRESTON, 1913b, p. 535 : Limestone Quarry, S. E. Coast of Norfolk Island (subfossil).
- iota* (*Streptostele (Graptostele)*) CONNOLLY, 1922b, p. 514, pl. 14, fig. 19 : Kenya, Mt. Kenya, 7000-9000 ft.; between the Igembi Hills and Nyeri.
- iredalei* (*Achatina*) PRESTON, 1910b, p. 533, pl. 9, fig. 20 : Shimbi Hills, B. E. A.
- iredalei* (*Ennea*) PRESTON, 1911f, p. 218, pl. 11, fig. 5 : Naivasha, B. E. A. (M. CONNOLLY, 1922b, p. 497 = *Pupilla fontana* (KRAUSS, 1848)).
- iredalei* (*Halolimnohelix*) CONNOLLY, 1925c, p. 474, pl. 28, fig. 14 : Kenya, Rumruti, Laikipia Plateau, 7000 ft. (type); Solai, Mt. Kenya, 7000-9000 ft.; Cherangani Hills.
- iredalei* (*Homorus*) PRESTON, 1912e, p. 189, pl. 31, fig. 10 : between Mbarara and Kigezi, extreme S. W. Uganda (M. CONNOLLY, 1929, p. 169 = *Homorus (Subulona) percivali* (PRESTON mss.) GERMAIN, 1923, p. 103, pl. 4, fig. 99).
- iredalei* (*Kaliella*) PRESTON, 1912e, p. 187, pl. 31, fig. 12 : between the Igembi Hills and Nyeri, B. E. A.
- iredalei* (*Kenia*) PRESTON, 1911d, p. 473, pl. 12, fig. 29 : Mount Kenia, 6000-8000 ft., B. E. A. (M. CONNOLLY, 1923, p. 354 = *Nothapalus*; this author figures the type, pl. 1, fig. 20, and a forma *tumida*, pl. 1, fig. 21).
- iredalei* (*Leucochiloides*) PRESTON, 1912e, p. 188, pl. 31, fig. 18 : Eusso Nyiro, B. E. A.

- iredalei* (*Platyraphe*) PRESTON, 1913a, p. 437 : Island of Beilan-Beilan, to the north of the Obi Islands, Dutch East Indies.
- iredalei* (*Pseudopeas*) CONNOLLY, 1923a, p. 647, pl. 19, fig. 51 : Uganda, between Entebbe and Masaka.
- iredalei* (*Sitala*) PRESTON, 1912e, p. 187, pl. 31, fig. 15 : Mt. Kenangop, Aberdare Range, B. E. A.
- iredalei* (*Sphaerium*) PRESTON, 1912b, p. 328, pl. 17, fig. 3 : Kisumi, Lake Victoria Nyanza, B. E. A.
- iredalei* (*Trachycystis*) PRESTON, 1912e, p. 187, pl. 32, figs. 8, 8a-b : between the Igembi Hills and Nyeri, B. E. A.
- Iredaleoconcha* PRESTON, 1913b, p. 530 (Typesp. : *Iredaleoconcha inopina* PRESTON, 1913).
- iridescent* (*Cyamium*) COOPER & PRESTON, 1910, p. 112, pl. 4, fig. 6 : Falkland Islands.
- iridescent* (*Diepenheimia*) PRESTON, 1913a, p. 434 : Island of Beilan-Beilan, to the north of the Obi Islands, Dutch East Indies.
- iridescent* (*Ennea*) PRESTON, 1913d, p. 205, pl. 33, figs. 12, 12a : near Kigezi, extreme S. W. Uganda.
- iridescent* (*Gudeëlla*) PRESTON, 1914b, p. 793, pl. 3, fig. 15 : Mount Miken, Belgian Congo.
- isosceles* (*Assimineia*) CONNOLLY, 1939, p. 595, fig. 54 : Cape Province, Lacustrine deposit, Milnerton (type, fossil).
- Itiopiana* (*Subulina*, sect.) PRESTON, 1910f, p. 169 (Typesp. : *Subulina* (*Itiopiana*) *meneleki* PRESTON, 1910).
- jaensis* (*Subulina*) PRESTON, 1909d, p. 186, pl. 7, fig. 16 : Bitze, near the River Ja, Cameroons.
- japonica* (*Lithotis*) PRESTON, 1916b, p. 160, pl. 9, figs. 6, 6a : Lake Biwa, Japan.
- japonicus* (*Choanomphalus*) PRESTON, 1916b, p. 160, pl. 9, figs. 2, 2a-c : Lake Biwa, Japan.
- jemjemensis* (*Clausilia*) CONNOLLY, 1928a, p. 169, pl. 1, fig. 5, textfig. 1(R) : Jem Jem Forest.
- jenkinsi* (*Modiola*) PRESTON, 1910g, p. 36, fig. 5 : Manikpatna, Lake Chilka, colonies on *Ostrea lentiginosa* SOW.
- jiamana* (*Curvella*) CONNOLLY, 1928c, p. 544, pl. 18, fig. 11 : Sierra Leone, Jiam (type); Panguma.
- jickeliana* (*Limicolaria*) PRESTON, 1910f, p. 167, textfig. : Harar, S. Abyssinia.
- jingaensis* (*Ledoulxia*) PRESTON, 1914b, p. 807, pl. 1, fig. 6 : Jinga on Lake Victoria Nyanza, S. W. Uganda; Entebbe and Kampala in the same district.
- jod* (*Ennea*) PRESTON, 1910b, p. 528, pl. 7, fig. 5 : Shimbi Hills, B. E. A.
- jod* (*Streptostele* (*Graptostele*)) CONNOLLY, 1922b, p. 515 : Kenya, Rumuti.

- Johannesconcha* PRESTON, 1913b, p. 532 (Typesp. *Johannesconcha multivolva* PRESTON, 1913).
- jombeneënsis* (*Ennea*) PRESTON, 1913d, p. 213, pl. 33, figs. 8, 8a : Jombene Hills, B. E. A., 6000 ft. (type); Mweru.
- jousseaumei* (*Tellina*) PRESTON, 1908e, p. 209, pl. 17, fig. 60 : Andaman Islands.
- jucunda* (*Nassa*) PRESTON, 1908e, p. 194, pl. 14, fig. 8 : Andaman Islands, 7-10 fms.
- jucunda* (*Trachycystis*) CONNOLLY, 1929a, p. 228, pl. 14, fig. 19-21 : Cape Province, Montagu (type); Swellendam Mountains.
- jukes-browniana* (*Sinodia*) PRESTON, 1915c, p. 481, figs. 3, 3a-b : canal near Chingrighatta, outskirts of Calcutta.
- junodi* (*Edouardia*) CONNOLLY, 1922a, p. 210 : Lebombo Mountains (M. CONNOLLY, 1925, p. 154, pl. 4, fig. 18, pl. 8, figs 5-7(A), textfig. 17(A, R) = *Conulinus*; M. CONNOLLY, 1939, p. 430 = *Edouardia*).
- junodi* (*Ferrissia*) CONNOLLY, 1925, p. 200, fig. 26(R) : L. Marques. Nwambukoti Pool, Rikatla.
- junodi* (*Hippeutis*) CONNOLLY, 1922a, p. 121 : Nwambukoto, Rikatla (M. CONNOLLY, 1925, p. 200, pl. 4, fig. 30 = *Segmentina* (*Hippeutis*)).
- junodi* (*Trachycystis*) CONNOLLY, 1922, p. 73, pl. 2, figs. 1a-c : Mt. Manotsuri, Shilwane district, 4000 ft.
- kagambahensis* (*Africarion*) PRESTON, 1914b, p. 789, pl. 2, fig. 18 : Kagambah, S. W. Uganda.
- kampalaënsis* (*Conulinus*) PRESTON mss. : Uganda, Kampala, Entebbe and Jinja (M. CONNOLLY, 1925c, p. 478 = *Conulinus rutshuruensis* (PILSBRY, 1919); « distributed by PRESTON under the manuscript name of the first-mentioned locality »).
- kampalaënsis* (*Gudeëlla*) PRESTON, 1914b, p. 790, pl. 3, fig. 10 : Kampala on Lake Victoria Nyanza, S. W. Uganda; Entebbe and Jinja in the same district.
- kanisaënsis* (*Segmentina*) PRESTON, 1914h (in J. LONGSTAFF), p. 265, pl. 18, figs. 17-19 : Kanisa, S. Sudan.
- kaokoensis* (*Conulinus*) CONNOLLY, 1929a, p. 231, pl. 14, fig. 24 : Kaoko Veld, S. W. Africa, Hoarusib River. (M. CONNOLLY, 1939, p. 434 = *Edouardia*).
- keiensis* (*Melania*) PRESTON, 1911a, p. 229 : Kei Islands, Malay Archipelago.
- kekumegaensis* (*Gulella disseminata* (PRESTON, 1913), subsp.) CONNOLLY, 1922b, p. 496, pl. 14, fig. 14 : Kenya, Kekumega.
- kekumeganum* (*Pseudopeas*) CONNOLLY, 1923a, p. 648, pl. 19, fig. 52 : Kenya, Kekumega.
- kelantanensis* (*Melania*) PRESTON, 1907e, p. 267, textfig. : Kelantan, Malay Peninsula.
- kempi* (*Africarion*) PRESTON, 1912e, p. 184, pl. 31, fig. 3 : between Entebbe and Mbarara, S. W. Uganda.

- kempi* (*Ancylus*) PRESTON, 1912e, p. 190, pl. 31, figs. 2, 2a : Kigezi, extreme S. W. Uganda, 6000 ft.
- kempi* (*Cerastus*) PRESTON, 1913c, p. 51, pl. 4, fig. 3 : Burunga, Mount Mikenno, Belgian Congo, 6000 ft.
- kempi* (*Endodonta*) CONNOLLY, 1925c, p. 472, pl. 28, fig. 13 : Kenya, Igembi Hills, 6000 ft.
- kempi* (*Limicolaria*) PRESTON, 1913e, p. 280, textfig. : the extreme south-western district of Uganda (M. CONNOLLY, 1932, p. 181, = *Limicolaria karagwensis* KOBELT, 1913).
- kempi* (*Limnaea*) PRESTON, 1912e, p. 190, pl. 32, fig. 1 : Kisumi, Lake Victoria Nyanza, B. E. A.
- kempi* (*Litiopa* (*Alaba*)) PRESTON, 1914a, p. 300, figs. 3; 3a : Rambha Bay, south end of Lake Chilka, Ganjam District, Madras.
- kempi* (*Nassa*) PRESTON, 1916a, p. 88, figs. 1, 1a : Semiramis Bay, Andaman Islands, 2-6 fms., on a bottom of fine mud.
- kempi* (*Natica*) PRESTON, 1916a, p. 90, figs. 3, 3a-b : Port Blair, Andaman Islands.
- kempi* (*Segmentina*) PRESTON, 1912e, p. 191, pl. 32, figs. 7, 7a-b : Kigezi, extreme S. W. Uganda, 6000 ft.
- kempi* (*Solen*) PRESTON, 1915b, p. 305, figs. 18, 18A : 20 miles S. E. by S. of Patsahanipur, 5 1/2 ft.
- kempi* (*Subulina*) PRESTON, 1912b, p. 324, pl. 17, fig. 15 : between Entebbe and Mbarara, S. W. Uganda (M. CONNOLLY, 1923a, p. 654 = typesp. of *Opeas* (*Nothapalinus*)).
- kempi* (*Succinea*) PRESTON, 1912e, p. 189, pl. 32, figs. 2, 2a : between Entebbe and Mbarara, S. W. Uganda.
- kempi* (*Trochozonites*) PRESTON, 1914b, p. 805, pl. 2, fig. 22 : Buhamba, near Lake Kivu, Belgian Congo.
- kempi* (*Zingis*) PRESTON, 1912e, p. 185, pl. 32, fig. 14 : between Mbarara and Kigezi, extreme S. W. Uganda (H. B. PRESTON, 1914b, p. 796 = *Elgonella*).
- Kempia* PRESTON, 1913c (non MATTHEWS, 1912), p. 53, pl. 4, fig. 3 (Typesp. : *Kempia kivuensis* PRESTON, 1913) (H. B. PRESTON, 1913c, p. 212, erratum = *Kempioconcha*).
- Kempioconcha* PRESTON, 1913c, p. 212 (nom. nov. for *Kempia* PRESTON, 1913, non MATTHEWS, 1912) (M. CONNOLLY, 1923, p. 349 = *Pseudoglessula*, sect.).
- kenangopensis* (*Homorus*) PRESTON, 1912b, p. 324, pl. 17, fig. 16 : Mount Kenangop, Aberdare Range, B. E. A.
- Kenia* (subgen.) PRESTON, 1911d, p. 473 (Typesp. : *Kenia suturalis* PRESTON, 1911); the author does not mention the genus. (M. CONNOLLY, 1923, p. 354 = *Nothapalus* v. MARTENS, 1897).
- keniana* (*Alaea*) PRESTON, 1912e, p. 189, pl. 31, fig. 6 : Mt. Kenia, 6000-9000 ft.
- keniana* (*Ennea*) PRESTON, 1911d, p. 464, pl. 11, fig. 3 : Mount Kenia, 6000-8000 ft., B. E. A.; lower country between Rumruti and Mount Kenia (M. CONNOLLY, 1929, p. 166 = *Gulella insolita* (SMITH, 1903)).

- keniana* (*Zingis*) PRESTON, 1911d, p. 467, pl. 11, fig. 12 : Mount Kenia, 9000-10.000 ft., B. E. A.
- kenianum* (*Pisidium*) PRESTON, 1911d, p. 475, pl. 12, fig. 36 : between Rumruti and Mount Kenia, B. E. A.; Mount Kenia, 9000-10.000 ft.
- kenyana* (*Hydrocena*) CONNOLLY, 1929, p. 175, pl. 5, fig. 5 : Mt. Kenya, 27°18' E-23' N, 6500 ft. (type); Mt. Kenya, 6000-9000 ft.
- kenyana* (*Streptostele*) CONNOLLY, 1922b, p. 503, pl. 14, fig. 4 : Kenya, Mt. Kenya, 6000-8000 ft.
- kiduhaensis* (*Africarion*) PRESTON, 1914b, p. 788, pl. 2, fig. 16 : Kiduha, Lake Mutanda, S. W. Uganda.
- kigeziensis* (*Ennea*) PRESTON, 1913d, p. 207, pl. 34, figs. 2, 2a : Kigezi, extreme S. W. Uganda.
- kigenziensis* (*Gudeëlla*) PRESTON, 1913f, p. 285, textfig. : Kigezi, extreme S. W. Uganda, 6000 ft.
- kigeziensis* (*Kaliella*) PRESTON, 1912e, p. 187, pl. 31, fig. 14 : between Mbarara and Kigezi, extreme S. W. Uganda; various points in the neighbourhood of Kigezi.
- kigeziensis* (*Planorbis*) PRESTON, 1912e, p. 190, pl. 32, figs. 5, 5a-b : Kigezi, extreme S. W. Uganda, 6000 ft.
- kigeziensis* (*Sphaerium*) PRESTON, 1912e, p. 192, pl. 31, figs. 1, 1a : Kigezi, extreme S. W. Uganda, 6000 ft.
- kincaidi* (*Coelioxys layardi* ADAMS & ANGAS, 1865, subsp.) CONNOLLY, 1923a, p. 657, pl. 19, fig. 23 : Cape Province, East London.
- kincaidi* (*Trachycystis*) CONNOLLY, 1932b, p. 98, pl. 5, 6a-c : Cape Province, Mountain Drive, Grahamstown (type); East London.
- kisengiensis* (*Blayneyella*) PRESTON, 1914b, p. 799, pl. 1, fig. 21 : Kisengi, Lake Kivu, G. E. A., 4500 ft.
- kisumiensis* (*Planorbis*) PRESTON, 1912b, p. 327, pl. 17, fig. 10 : Kisumi, Lake Victoria Nyanza, B. E. A.
- kisumiensis* (*Vivipara rubicunda* v. MARTENS, var.) PRESTON, 1912e, p. 191, pl. 32, fig. 9 : Kisumi, Lake Victoria Nyanza, B. E. A.
- kivuensis* (*Cerastus*) PRESTON, 1913c, p. 50, pl. 4, fig. 1 : near Lake Kivu.
- kivuensis* (*Ena*) PRESTON, 1913c, p. 50, pl. 6, fig. 1 : Kisengi, Lake Kivu (M. CONNOLLY, 1923, p. 349 = *Pseudoglessula*).
- kivuensis* (*Ennea*) PRESTON, 1913d, p. 197, pl. 34, fig. 3 : near Lake Kivu, Belgian Congo.
- kivuensis* (*Kempia*) PRESTON, 1913c, p. 53, pl. 6, fig. 3 : Lake Kivu (H. B. PRESTON, 1913c, p. 212, erratum = *Kempioconcha*). (M. CONNOLLY, 1923, p. 349 = *Pseudoglessula* (*Kempioconcha*) *pilsbryi* CONNOLLY, 1923).
- kivuensis* (*Limicolaria*) PRESTON, 1913e, p. 277, textfig. : Lake Kivu.
- knysnaensis* (*Helicarion*) PRESTON, 1912g, p. 16, textfig. : Knysna Forest, Cape Colony. (M. CONNOLLY, 1939, p. 144 = *Sheldonia* (*Kerkophorus*)).



- knysnaensis* (*Trachycystis*) PRESTON, 1912g, p. 17, textfig. : Knysna Forest, Cape Colony.
- kombaensis* (*Ennea* (*Ptychotrema*)) PRESTON, 1913d, p. 216, pl. 34, figs. 4, 4a : Komba, S. W. Uganda.
- kombaensis* (*Larogiella*) PRESTON, 1914b, p. 801, pl. 2, fig. 2 : Komba, S. W. Uganda.
- Krapfiella* PRESTON, 1911d, p. 472 (Typesp. : *Krapfiella mirabilis* PRESTON, 1911).
- labiotuberculata* (*Gulella*) CONNOLLY, 1942, p. 329, fig. 5 : Tanganyika Territory.
- lacerata* (*Helicina*) PRESTON, 1914g, p. 526 : Rio Pucaya, Eastern Peru, 250 ft.
- Lacrimarion* (*Gymnarion* PILSBRY, 1919, subgen.) CONNOLLY, 1939, p. 121 (Typesp. : *Gymnarion lacrimosus* CONNOLLY, 1929).
- lacrimosus* (*Gymnarion*) CONNOLLY, 1929a, p. 224, pl. 14, figs 6-9, textfig. 1(R) (M. CONNOLLY, 1939, p. 121 = *Gymnarion* (*Lacrimarion*)) : Kaoko Veld, S. W. Africa, Kaoko Otavi.
- lactea* (*Vitrina*) CONNOLLY, 1925c, p. 461, textfigs. 1, 2(R) : Kenya, Mt. Kenya.
- lacteola* (*Styloptygma*) PRESTON, 1904a, p. 77, pl. 6, figs. 9, 10 : Galle Ceylon.
- lacuna* (*Ennea*) PRESTON, 1911f, p. 218, pl. 11, fig. 8 : Naivasha, B. E. A.
- lacustris* (*Pisidum casertanum* (POLI), forma) PRESTON, 1916b, p. 162 : Lake Biwa, Japan, depth more than 40 m.
- laeta* (*Rissoina*) PRESTON, 1908e, p. 198, pl. 14, fig. 3 : Andaman Islands.
- laevis* (*Ennea funerea* PRESTON, 1913, var.) PRESTON, 1913d, p. 203 : between the Eusso Nyiro River and Mount Marsabit, B. E. A.
- laikipiaensis* (*Limicolaria*) PRESTON, 1913e, p. 278, textfig. : Rumruti, Laikipia Plateau, 7000 ft., B. E. A.
- laikipiaensis* (*Physa*) PRESTON, 1913c, p. 56, pl. 5, fig. 14 : Laikipia Plateau, 7000 ft., B. E. A.
- langrannana* (*Curvella*) CONNOLLY, 1928c, p. 544, pl. 18, fig. 10 : Sierra Leone, Langranna.
- lankaensis* (*Diplommatina* (*Nicida*)) PRESTON, 1905a, p. 9, pl. 2, fig. 39 : Kinidun, Ceylon.
- lankaensis* (*Euplecta*) PRESTON, 1909b, p. 133, pl. 22, fig. 2 : Matale, Ceylon.
- lankaensis* (*Rissoina* (*Morchiella*)) PRESTON, 1905, p. 5, pl. 1, fig. 21 : Ceylon.
- laqueus* (*Ennea*) PRESTON, 1913d, p. 207, pl. 34, figs. 5, 5a : Jombene Hills, B. E. A., 4000 ft.
- Larogiella* PRESTON, 1914b, p. 800 (Typesp. : *Larogiella venatoris* PRESTON, 1914).



- larogiensis* (*Falloonella*) PRESTON, 1914b, p. 809, pl. 1, figs. 11a-b : Larogi Hills, B. E. A., 6000-7000 ft.
- latecolumellaris* (*Bulimulus*) PRESTON, 1909e, p. 510, pl. 10, fig. 11 : Peru.
- latezonatus* (*Trigonephrus*) CONNOLLY, 1929a, p. 229, pl. 14, fig. 22 : Cape Province, Van Rhynsdorp.
- lathon* (*Opeas peringueyi* CONNOLLY, 1923, subsp.) CONNOLLY, 1923a, p. 656, pl. 19, fig. 25 : Natal, Port Natal.
- laticus* (*Laevilitorina*) PRESTON, 1912 1, p. 637, pl. 21, fig. 2 : Port Stanley Harbour, Falkland Islands.
- lemanensis* (*Edouardia mcbeaniana* BURNUP, 1905, subsp.) CONNOLLY, 1922, p. 75 : Lemane, Spelonken district.
- leonensis* (*Ferrissia*) CONNOLLY, 1928c, p. 549, fig. 10 : Sierra Leone, Regent (type); Kissy Brook, Freetown; R. Njaia, Jiamia.
- leonensis* (*Pseudoglossula*) CONNOLLY, 1928c, p. 541, pl. 18, fig. 6 : Sierra Leone, Langranna.
- leonensis* (*Sierraia*) CONNOLLY, 1929, p. 177, pl. 5, figs. 7, 8 : Sierra Leone, Batkann, Maboile River.
- lepidum* (*Opeas*) CONNOLLY, 1910, p. 267, pl. 6, fig. 12 : Cape Colony, Fern Kloof, Grahamstown; Port Elisabeth.
- leptodonta* (*Assiminia*) CONNOLLY, 1922a, p. 122 (Fig. : M. CONNOLLY, 1925, p. 211, pl. 4, fig. 31, textfig. 29(R)) : Estuary of the Nkomati River, Rikatla.
- leucocion* (*Gulella*) CONNOLLY, 1929a, p. 223, pl. 14, fig. 5 : Zululand, Mfongosi.
- levis* (*Euonyma pietersburgensis* (PRESTON, 1909), var.) CONNOLLY, 1910, p. 255, pl. 6, fig. 8 : Transvaal, Warmbaths, Pienaar's Poort, Pietpotgietersrust; Zoutpansberg.
- levistriata* (*Martensia*) PRESTON, 1913c, p. 48, pl. 5, fig. 2 : between Mt. Kenia and Eusso Nyiro, B. E. A. (H. B. PRESTON, 1914b, p. 808 = *Ledoulxia*).
- levistriatus* (*Planorbis*) PRESTON, 1912h, p. 107, textfig. : Miguelete River, Monte Video.
- lhotelleriana* (*Achatina*) PRESTON, 1909f, p. 88, pl. 4, fig. 2 : S. Antonio, left bank of Congo Delta.
- lhotelleriana* (*Mutela*) PRESTON, 1909f, p. 89, pl. 4, fig. 6 : Gaboon.
- lightfooti* (*Sheldonia*) CONNOLLY, 1939, pl. 129, pl. 5, figs. 1-4, textfig. 12(R) : Cape Province, East London.
- lilacina* (*Rhachistia*) CONNOLLY, 1930, p. 47, pl. 6, fig. 9 : Kenya, Taru Desert.
- liliacea* (*Natalina*) PRESTON, 1912g, p. 17, textfig. : Knysna Forest, Cape Colony.
- liliputiana* (*Cyclophorus* (*Theobaldia*)) PRESTON, 1909b, p. 138, pl. 22, fig. 18 : Ceylon.
- lima* (*Ennea*) PRESTON, 1913d, p. 208, pl. 34, figs. 6, 6a : Urguess, B. E. A. (M. CONNOLLY, 1922b, p. 500 = *Gulella* (*Molarella*)).

- Limicena* CONNOLLY, 1925, p. p. 169 (Typesp. : *Buliminus (Conulinus) nyasanus* SMITH, 1899).
- limosa (Littoridina)* PRESTON, 1915, (in L. E. ADAMS), p. 351, pl. 6, fig. 2 : Port Famine, Straits of Magellan).
- linguidens (Gulella)* CONNOLLY, 1939, p. 76, fig. 4 : Zululand, Hluhluwe Game Reserve.
- lioneli (Astyris)* PRESTON, 1915 (in L. E. ADAMS), p. 351, pl. 6, fig. 3 : Caleta Buena, Chile.
- lioneli (Littoridina)* PRESTON, 1915 (in L. E. ADAMS), p. 352, pl. 6, fig. 6 : Port Famine, Straits of Magellan.
- liratula (Cyclophorus)* PRESTON, 1909b, p. 138, pl. 22, fig. 8 : Ceylon.
- liratula (Pincerna)* PRESTON, 1907d, p. 206, textfig. : Ke-lan-tan.
- lomatensis (Succinea patentissima* PFEIFFER, 1853, subsp.) CONNOLLY, 1939, p. 446, pl. 15, fig. 12 : Transvaal, Lomati River, near Swaziland border.
- longa (Lauria)* CONNOLLY, 1939, p. 402, pl. 12, fig. 12 : Cape Province, Wellington Mountains, 1500 ft.
- luapulaensis (Unio (Nodularia))* PRESTON, 1913c, p. 60, pl. 4, fig. 11 : confluence of the Lukulu and Luapula Rivers, Belgian Congo.
- lugubris (Aferulus)* PRESTON, 1910b, p. 535, pl. 9, fig. 27 : Shimbi Hills, B. E. A.
- lukuluensis (Mutela)* PRESTON, 1913c, p. 61, pl. 6, fig. 4 : confluence of the Lukulu and Luapula Rivers, Belgian Congo.
- lumleyi (Limnea (Gulnaria))* JONES & PRESTON, 1910c, p. 10, textfig. : Wei-hai-wei Island, N. E. China.
- lunaris (Trachycystis)* CONNOLLY, 1939, p. 220, pl. 6, figs. 8-10 : Cape Province, Thomas R., Cathcart (type); Atherstone; Donkersbosch. Grahamstown; Port St. John's; Amabele Junction.
- luzonica (Leptomya)* PRESTON, 1906c, p. 73, textfig. 5 : off Manila, 5-10 fms.
- Macgillivrayella* PRESTON, 1913b, p. 532 (Typesp. : *Macgillivrayella crystallina* PRESTON, 1913).
- maculatus (Cultellus (Ensiculus))* PRESTON, 1905, p. 8, pl. 2, fig. 36 : Ceylon.
- madrasensis (Ostrea)* PRESTON, 1916, p. 33, figs. 11, 11a : Ennur back-water, Madras.
- maforinsulæ (Chloritis (Austrochloritis))* PRESTON, 1902, p. 18, fig. III : Mafor Island, coast of Dutch New Guinea.
- magnifica (Krapfiella)* PRESTON, 1913e, p. 283, textfig. : Urguess, B. E. A.
- magnifica (Tellina)* PRESTON, 1908e, p. 210, pl. 17, fig. 61 : Andaman Islands.
- magnolia (Ennea)* CONNOLLY, 1912a, p. 78, pl. 2, fig. 1 : Rhodesia, Victoria Falls (M. CONNOLLY, 1939, p. 35 = *Gulella*).

- mahéensis* (*Streptostele* (*Raffraya*)) CONNOLLY, 1925b, p. 259, fig. 2 : Mahé (M. CONNOLLY, 1945, p. 167, agrees with E. MADGE, 1939, p. 35, that the species = *Streptostele acicula* (MORELET, 1877)).
- mahosaensis* (*Kellya*) PRESTON, 1915b, p. 298, fig. 11 : Mahosa, southwards towards sandhills, 4-8 ft.
- mahosaensis* (*Psammobia*) PRESTON, 1915b, p. 303, figs. 16, 16a-b : southwards from Mahosa, 5-9 ft. (type); channel between Satpara and Barhampur, 8-20 ft.; channel between Barnikuda and Satpara, 6 1/2 ft.; on swamp inside bar N. of Barhampur Id.; Mahosa, southwards towards sandhills, 4-8 ft.
- mainwaringi* (*Lamellidens*) (NEVILL mss.) PRESTON, 1912d, p. 306 (figs. : PRESTON, 1915e, p. 192, figs. 24<sup>1-3</sup>) : Siliguri (type); Namtsik, Dihang.
- majendooensis* (*Gudeëlla*) CONNOLLY, 1928c, p. 539, fig. 7 : Sierra Leone, Majendoo.
- major* (*Dorcasia rogersi* CONNOLLY, 1915, forma) CONNOLLY, 1931b, p. 289 : Henkries, Little Namaqualand.
- major* (*Pseudoglessula batesi* CONNOLLY, 1923, var.) CONNOLLY, 1923, p. 348, pl. 1, fig. 7 : Camerun, Bitze.
- major* (*Xerocerastus sericus* (DEGNER, 1922), forma) CONNOLLY, 1931b, p. 336, pl. 3, fig. 31 : Otavi Mountain, Damaraland.
- major* (*Xerocerastus subteres* (BOETTGER, 1910), forma) CONNOLLY, 1931b, p. 336, pl. 3, fig. 28 : Swakopmund, Damaraland.
- majubana* (*Curvella*) CONNOLLY, 1910, p. 270, pl. 6, fig. 13 : Natal, Amajuba, in an ants' nest.
- majuscula* (*Ennea optata* PRESTON, 1911, var.) PRESTON, 1913d, p. 212, pl. 35, figs. 2, 2a : Mt. Kenangop, Aberdare Range, B. E. A.
- malasangiensis* (*Ennea*) PRESTON, 1913d, p. 209, pl. 34, figs. 7, 7a : Malasangi, S. W. Uganda.
- malasanjiensis* (*Larogiella*) PRESTON, 1914b, p. 801, pl. 1, fig. 23 : Malasanji, S. W. Uganda.
- malleatus* (*Homorus*) CONNOLLY, 1931c, p. 315, pl. 12, fig. 4 : Uganda, North Bugishu District, Mt. Elgon, 7000-9000 ft.
- Malvinasia* COOPER & PRESTON, 1910, p. 113 (Typesp. : *Malvinasia arthuri* COOPER & PRESTON, 1910).
- mamillata* (*Nassa*) PRESTON, 1907c, p. 267, fig. 1 : New Caledonia.
- mangeri* (*Cymbiola*) PRESTON, 1901, p. 237, textfig. : Falkland I.
- mangeri* (*Mangilia*) PRESTON, 1905, p. 2, pl. 1, fig. 4 : Ceylon.
- manilae* (*Tellina*) PRESTON, 1906c, p. 72, fig. 1 : off Manila (5-10 fms.).
- manueli* (*Homorus*) PRESTON, 1910d, p. 54, textfig. : 200 miles due east of Loanda, Angola.
- maraensis* (*Melania*) PRESTON, 1913c, p. 58, pl. 6, fig. 5, erratum p. 212 : Eusso Mara River, a tributary of the Eusso Nyiro, B. E. A. 3500 ft., adhering to the lower surface of stones.
- margaretæ* (*Homorus*) CONNOLLY, 1930, p. 48, pl. 6, fig. 12 : Uganda, Tororo, Busoga District.

- margarita* (*Ennea*) PRESTON, 1913d, p. 196, pl. 34, fig. 8 : Kigezi, extreme S. W. Uganda, 6000 ft. (M. CONNOLLY 1922b, p. 448, textfig. (R) = *Marconia*).
- marginatum* (*Opeas*) CONNOLLY, 1923a, p. 649, pl. 19, fig. 9 : Kenya, Rumruti.
- margueritae* (*Buliminus*?) PRESTON, 1910b, p. 532, pl. 8, fig. 18 : Shimbi Hills, B. E. A.
- margueritae* (*Charopa*) PRESTON, 1907g, p. 217, fig. 2 : New Caledonia, *maringoensis* (*Subulina*) PRESTON, 1910a, p. 59, pl. 4, fig. 3 : Maringo Plateaux, Belgian Congo.
- marionae* (*Charopa*) PRESTON, 1907g, p. 219, fig. 4 : New Caledonia.
- marionae* (*Ennea*) PRESTON, 1910b, p. 527, pl. 7, fig. 4 : Shimbi Hills, B. E. A.
- marionae* (*Pterocyclus*) PRESTON, 1914e, p. 22, textfig. : Naga Hills, Assam.
- mars* (*Limnaea*) JONES & PRESTON, 1904, p. 141, fig. 2 : Liu Shi Tao, north-east promontory of Shantung, in a large fresh-water lagoon.
- marsabitense* (*Opeas*) CONNOLLY, 1923a, p. 651, pl. 19, fig. 1 : Kenya, Mt. Nyiro, S. of L. Rudolph, 8300 ft. (type); Mt. Marsabit, 4600 ft.
- marsabitensis* (*Africarion*) PRESTON, 1914b, p. 788, pl. 2, fig. 14 : northern slopes of Mount Marsabit, B. E. A., 4600 ft.
- marsabitensis* (*Gudeëlla*) PRESTON, 1914b, p. 793, pl. 3, fig. 22 : northern slopes of Mount Marsabit, B. E. A., 4600 ft.
- marsabitensis* (*Ledoulxia*) PRESTON, 1914b, p. 808, pl. 1, fig. 5 : northern slopes of Mount Marsabit, B. E. A.
- marsabitensis* (*Streptaxis*) PRESTON, 1913d, p. 195, pl. 32, figs 2, 2a : northern slopes of Mt. Marsabit, B. E. A., 4600 ft. (M. CONNOLLY, 1922b, p. 487 = *Tayloria*).
- marsabitensis* (*Subuliniscus*) CONNOLLY, 1923, p. 360, pl. 1, fig. 13 : Kenya, north slope of Mt. Marsabit, 4600 ft.
- martensiana* (*Martensia*) PRESTON, 1910b, p. 529, pl. 7, fig. 10 : Shimbi Hills, B. E. A.
- masabana* (*Marconia*) CONNOLLY, 1930, p. 43, pl. 6, fig. 1, textfig. 2c (R) : Uganda, Masaba, N. Bugishu District, Mt. Elgon, 7000-9000 ft.
- masakaensis* (*Cerastus kemp*) PRESTON, 1913, var.) PRESTON, 1913c, p. 51 : Masaka, Uganda, together with the typical form.
- masakaensis* (*Ennea*) PRESTON, 1913d, p. 209, pl. 34, fig. 9, 9a : between Masaka and Entebbe, extreme S. W. Uganda.
- masakaensis* (*Gudeëlla*) PRESTON, 1914b, p. 793, pl. 3, fig. 16 : between Entebbe and Masaka, S. W. Uganda.
- masakaensis* (*Physa*) PRESTON, 1913c, p. 57, pl. 5, fig. 7 : Masaka, S. W. Uganda.
- masakana* (*Curvella*) CONNOLLY, 1923a, p. 639, pl. 19, fig. 45 : Uganda, Lake Mutanda (type); between Mbarara, Masaka and Kigezi.

- maseruensis* (*Microkerkus symmetricus* (CRAVEN), subsp.) CONNOLLY, 1929a, p. 227, pl. 14, figs. 16-18(R) : Basutoland, Maseru (M. CONNOLLY, 1939, p. 141 = *Sheldonia* (*Kerkophorus*)).
- mashonae* (*Unio*) PRESTON, 1910a, p. 61, pl. 4, fig. 10 : a sluit about 16 miles from Eukeldoorn, Mashonaland (M. CONNOLLY, 1912a, p. 273 = *Cafferia*).
- mathewsi* (*Allenococoncha*) PRESTON, 1913b, p. 254 : Ball's Bay, Norfolk Island; Mount Pitt; Steel's Point.
- mathewsi* (*Charopa*) PRESTON, 1913b, p. 533 : Ball's Bay, Norfolk Island.
- mathewsi* (*Dendrolamellaria*) PRESTON, 1913b, p. 522 : Ball's Bay, Norfolk Island.
- Mathewsoconcha* PRESTON, 1913b, p. 528 (Typesp. : *Matthewsoconcha belli* PRESTON, 1913).
- mathildae* (*Curvella*) PRESTON, 1910b, p. 534, pl. 9, fig. 22 : Usagara, G. E. A.
- mathildae* (*Mutela*) PRESTON, 1913c, p. 61, pl. 6, fig. 7 : erratum p. 212 : Shiré River.
- mathildae* (*Wilhelminaia*) PRESTON, 1913a, p. 434 : Island of Beilan-Beilan, to the north of the Obi Islands, Dutch East Indies.
- maxima* (*Cerastus schweinfurthi* (KOBELT, 1902), var.) CONNOLLY, 1941a, p. 26 : Western Aden Protectorate, on the rocky sloping tableland forming the top of Jebel Harir, 7500 ft., X-XI-1937; Yemen, Ta'izz district, 4000-5000 ft., XII- 1937; pass between Saiyani and Ibb, c. 7000 ft., 30-XII-1937.
- maxima* (*Dorcasia rogersi* CONNOLLY, 1915, forma) CONNOLLY, 1915, p. 165, pl. 3, fig. 3 : Henkries District, Little Namaland.
- maxima* (*Xerocerastus damarensis* (H. ADAMS, 1870), var.) CONNOLLY, 1929a, p. 236, pl. 14, fig. 29, textfig. 3(R) : Damaraland.
- maxima* (*Xerocerastus subteres* (BOETTGER, 1910), forma) CONNOLLY, 1931b, p. 336, pl. 3, fig. 27 : Swakopmund, Damaraland.
- mayottensis* (*Gulella* (*Uniplicaria*)) CONNOLLY, 1925b, p. 266 (nom. nov. for *Pupa* (*Gibbulina*) *comorensis* MORELET, 1885, non *Ennea comorensis* v. MARTENS, 1876).
- mbararaensis* (*Curvella*) PRESTON, 1912b, p. 325, pl. 17, fig. 6 : between Entebbe and Mbarara, S. W. Uganda.
- mbararaensis* (*Ennea ingeziensis* PRESTON, 1913, var.) PRESTON, 1913d, p. 205 : between Mbarara and Masaka, extreme S. W. Uganda.
- mcbeani* (*Trachycystis*) CONNOLLY, 1932b, p. 97, pl. 5, figs. 5, 5a-c : Transvaal, Pretoria (type); Natal, Majuba; Weenen; Enon Bush, Richmond.
- mcdownelli* (*Trachycystis*) CONNOLLY, 1922a, p. 117 (Fig. : M. CONNOLLY, 1925, p. 143, pl. 4, fig. 13) : Maforga, B. and M. Railway.
- mediocris* (*Trachycystis*) CONNOLLY, 1939, p. 219, pl. 6, figs. 11-13 : Cape Province, Gorge of Salt River, Windhoek, Bredasdorp District.
- melvilli* (*Melania*) PRESTON, 1907e, p. 267, textfig. : Kelantan, Malay Peninsula.

- meneleki* (*Ennea*) PRESTON, 1910f, p. 164, textfig. : Harar, S. Abyssinia.
- meneleki* (*Subulina* (*Itiopiana*)) PRESTON, 1910f, p. 169, textfig. : Harar, S. Abyssinia.
- meridaensis* (*Planorbis*) PRESTON, 1907h, p. 497, fig. 18 : Merida, Venezuela.
- messengeri* (*Fischeria*) PRESTON, 1909d, p. 186, pl. 7, fig. 17 : Senegal River.
- metallakter* (*Trachycystis*) CONNOLLY, 1912a, p. 140, pl. 2, fig. 6 : Cape of Good Hope, Caledon (M. CONNOLLY, 1939, p. 202 = *Trachycystis* (*Phaulocystis*)).
- microgranulata* (*Africarion*) PRESTON, 1912e, p. 184, pl. 31, figs. 5, 5a : Kigezi, extreme S. W. Uganda, 6000 ft (M. CONNOLLY, 1925c, p. 466 = *Helicarion* (*Africarion*)).
- Micropeas* (*Opeas*, sect.) CONNOLLY, 1923a, p. 655 (Typesp. : *Opeas péringueyi* CONNOLLY, 1923).
- microspiralis* (*Blayneyella*) PRESTON, 1914b, p. 800, pl. 1, fig. 18 : British East Africa.
- microstriata* (*Africarion*) PRESTON, 1912e, p. 184, pl. 31, figs. 4, 4a : between Mbarara and Kigezi, extreme S. W. Uganda.
- microstriata* (*Ennea*) PRESTON, 1912e, p. 183, pl. 31, fig. 7 : Dar-es-Salaam, G. E. A.
- microstriata* (*Trachycystis*) PRESTON, 1912g, p. 18, textfig. : Knysna Forest, Cape Colony (M. CONNOLLY, 1939, p. 214 = *Trachycystis Psichion*)).
- microstriatum* (*Fretum*) PRESTON, 1913b, p. 526 : Norfolk Island, sub-fossil in sand near the limestone quarry on the S. E. coast.
- Mikenoëlla* PRESTON, 1914b, p. 802 (Typesp. : *Mikenoëlla ahena* PRESTON, 1914).
- mikenoensis* (*Ennea*) PRESTON, 1913d, p. 209, pl. 34, figs. 10, 10a : Burunga, Mt. Mikeno, Belgian Congo, 6000 ft.
- millestriata* (*Thapsiella*) PRESTON, 1912e, p. 186, pl. 32, fig. 12 : near Kigezi, extreme S. W. Uganda, 6000 ft.
- mime* (*Gudeëlla*) PRESTON, 1914b, p. 791, pl. 3, fig. 23 : Kagambah, S. W. Uganda.
- minima* (*Dorcasia cernua* (v. MARTENS, 1889), forma) CONNOLLY, 1931b, p. 336, pl. 3, figs. 2-4 : Duwisit.
- minor* (*Gulella cancellata* CONNOLLY, 1922, var.) CONNOLLY, 1922b, p. 492, pl. 14, fig. 37 : Kenya, Larogi Hills.
- minor* (*Gulella candela* CONNOLLY, 1922, var.) CONNOLLY, 1922b, p. 493 : Kenya Taru Desert.
- minor* (*Trigonephrus globulus* (MULLER, 1774), forma), CONNOLLY, 1915, p. 146, pl. 2, fig. 2 : Dassen Island.
- minor* (*Trigonephrus rosaceus* (MULLER, 1774), forma) CONNOLLY, 1915, p. 152, pl. 2, fig. 5 : Anenous and Koingnaas, Little Namaland.



- minuscula* (*Johannesconcha*) PRESTON, 1913b, p. 533 : Limestone Quarry, S. E. coast of Norfolk Island (subfossil).
- minuscula* (*Pseudoglessula*) PRESTON, 1910d, p. 54, textfig. : 200 miles due east of Loanda, Angola.
- minuscula* (*Wilhelminaia*) PRESTON, 1913a, p. 435 : Island of Beilan-Beilan, to the north of the Obi Islands, Dutch East Indies.
- minuscula* (*Xerocerastus damarensis* (H. ADAMS, 1870), forma) CONNOLLY, 1931b, p. 301 : Damaraland, Outjo.
- mirabilis* (*Kellia*) PRESTON, 1908e, p. 205, pl. 16, fig. 48 : Andaman Islands.
- mirabilis* (*Krapfiella*) PRESTON, 1911d, p. 472, pl. 12, figs. 25A-B : Mount Kenia, 6000-8000 ft., B. E. A.
- mirabilis* (*Pyramidella* (*Oscilla*)) PRESTON, 1905, p. 6, pl. 2, fig. 25 : Galle, Ceylon.
- mirifica* (*Choanopoma* (*Ramsdenia*)) PRESTON, 1913g, p. 323, textfig. : Bayate, near Concepcioncita, 30 miles north-west of Guantanamo, Cuba.
- mirifica* (*Ennea*) PRESTON, 1913d, p. 214, pl. 34, figs. 11, 11a : Mt. Nyiro, to the south of Lake Rudolph, 8300 ft.
- mirifica* (*Hendrikia*) PRESTON, 1913a, p. 436 : Islands of Beilan-Beilan, to the north of the Obi Islands, Dutch East Indies.
- modesta* (*Curvella*) CONNOLLY, 1910, p. 271, pl. 6, fig. 15 : Cape Colony, Dassie Crantz, Grahamstown; Cradock Commonage.
- modiola* (*Unio*) PRESTON, 1912d, p. 286, pl. 8, figs. 1, 2 : River Tigris.
- Molarella* (*Gulella*, sect.) CONNOLLY, 1922b, p. 500 (Typesp. : *Gulella consanguinea* (SMITH)).
- moluccensis* (*Charopa*) PRESTON, 1913a, p. 432 : Island of Beilan-Beilan, to the north of the Obi Islands, Dutch East Indies.
- monozonata* (*Martensia*) PRESTON, 1910b, p. 530, pl. 8, fig. 11 : Shimbi Hills, B. E. A.
- mons-pittensis* (*Allenconcha*) PRESTON, 1913b, p. 524 : Mount Pitt, Norfolk Island.
- montana* (*Dorcasia alexandri* GRAY, 1838, var.) CONNOLLY, 1916, p. 179 : Damaraland, Mt. Usakos, Erongo Mountains, Bullspoort, between Nauchas and Maltahöhe.
- montebelloensis* (*Phasianella*) PRESTON, 1914d, p. 14, textfig. : Montebello Islands, W. Australia.
- montebelloensis* (*Rhagada*) PRESTON, 1914d, p. 13, textfig. : Montebello Islands, W. Australia.
- montebelloensis* (*Trochus*) PRESTON, 1914d, p. 16, textfig. : Montebello Islands, W. Australia.
- monticola* (*Ennea*) PRESTON, 1913d, p. 210, pl. 34, figs. 12, 12a : Larogi Hills, B. E. A., 6000-7000 ft.
- moohuensis* (*Tornatellina norfolkensis* PRESTON, 1913, subsp.) PRESTON, 1913b, p. 537 : Moohu Stone, a small islet off the coast of Norfolk Island.



- morenoi* (*Bulimulus (Drymaeus)*) PRESTON, 1907h, p. 494, fig. 7 : Argentina.
- morrelli* (*Achatina*) PRESTON, 1905c, p. 244, textfig. : Changa Changa, Lusempha Valley, about 100 miles north of Zumbo on the Zambesi River.
- morrelli* (*Cleopatra*) PRESTON, 1905d, p. 300, fig. 3 : just above Victoria Falls, Zambesi River.
- mukandaënsis* (*Gudeëlla*) PRESTON, 1914b p. 794, pl. 3, fig. 11 : Mukanda, near Lake Kivu.
- multistriata* (*Columbella (Mitrella)*) PRESTON, 1905, p. 3, pl. 1, fig. 10 : Ceylon.
- multistriata* (*Gudeëlla*) PRESTON, 1914b, p. 794, pl. 3, fig. 3 : Buhamba, near Lake Kivu, Belgian Congo.
- multistriata* (*Melania*) PRESTON, 1908e, p. 196, pl. 15, fig. 24 : Andaman Islands (H. B. PRESTON, 1915e, p. 15 = *Tiara (Radina)*).
- multivolva* (*Johannesconcha*) PRESTON, 1913b, p. 532 : Norfolk Island, under dead leaves.
- mutabilis* (*Pseudoglessula*) CONNOLLY, 1923, p. 346, pl. 1, fig. 22, textfig. 1 : Kenya, Kekumega.
- mutandaensis* (*Ennea*) PRESTON, 1913d, p. 211, pl. 34, figs. 13, 13a : between Lake Mutanda and Lake Kivu.
- mutandaensis* (*Physa*) PRESTON, 1913c, p. 57, pl. 5, fig. 8 : Lake Mutanda, S. W. Uganda.
- mutandaensis* (*Planorbis*) PRESTON mss. : Lake Mutanda (according to M. CONNOLLY, 1929, p. 171, Ph. DAUTZENBERG & L. GERMAIN, 1914, p. 43, apparently thinking that this species had been published, placed it in the synonymy of « *gibbonsi* » NELSON).
- mutandana* (*Burungaëlla*) PRESTON, 1914b, p. 798, pl. 1, fig. 14 : Lake Mutanda, extreme S. W. Uganda.
- mutandana* (*Gudeëlla mukandaënsis* PRESTON, 1914, var.) PRESTON, 1914b p. 794, pl. 3, fig. 12 : Lake Mutanda, S. W. Uganda.
- mutandana* (*Pseudoglessula*) CONNOLLY, 1923, p. 347, pl. 1, fig. 23, textfig. 2 : Uganda, Lake Mutanda.
- mwayana* (*Spatha*) PRESTON, 1913c, p. 62, pl. 5, fig. 15 : Mwaya, shores of Lake Nyassa, in German Territory.
- mweruensis* (*Ennea*) PRESTON, 1913d, p. 210, pl. 34, figs. 14, 14a : Mweru, B. E. A. (type); Jombene Hills, 6000 ft. (the village of Mweru should not be confounded with Lake Mweru).
- mweruensis* (*Lymnaea*) CONNOLLY, 1929, p. 174, pl. 5, fig. 3 : Kenya, Mweru, north of Mt. Kenya.
- nadiensis* (*Chrysallida (Mormula)*) PRESTON, 1915b, p. 296, figs. 8, 8a : Serua Nadi, 5-9 ft. (type); Mahosa, southwards towards sandhills, 4-8 ft.; Nalbano and channel S. E. of Nalbano, 4-8 ft.; 1 mile S. of Kalidai, 4-8 ft.
- nagaensis* (*Vivipara*) PRESTON, 1914e, p. 20, textfig. : Naga Hills, Assam.

- nairobiensis* (*Succinea*) PRESTON mss. : Nairobi (reported by P. DUPUIS & PUTZEYS, 1922, p. 72, without description; according to M. CONNOLLY, 1929, p. 170 = *Succinea alluaudi* DAUTZENBERG, 1908, p. 15, pl. 2, figs. 6, 7).
- naivashaense* (*Sphaerium*) PRESTON, 1912b, p. 328, pl. 17, fig. 1 : Lake Naivasha, B. E. A.
- naivashaensis* (*Ennea*) PRESTON, 1911f, p. 219, pl. 11, fig. 3 : Naivasha, B. E. A.
- ? *naivashaensis* (*Physa*) PRESTON mss. : Lake Naivasha (M. CONNOLLY, 1925, p. 189, mentioned a species from Lake Naivasha which he thought to be new; in 1929, p. 171, he states that this species was distributed by PRESTON under the manuscript name of the lake, but that the single example in his possession is far too nearly allied to *Physa subopaca* LAMARCK, to separate it for the present).
- nakuruana* (*Limicolaria*) PRESTON, 1912i, p. 108, textfig. : Nakuru, B. E. A.
- Nakuruëlla* PRESTON, 1914b, p. 802 (Typesp. : *Zingis bullata* PRESTON, 1913).
- nana* (*Ptychotrema denticulata* (MORELET, 1872), var.) CONNOLLY, 1928a, p. 164 : Jem Jem Forest.
- nana* (*Trigonephrus lucanus* (MULLER), var.) CONNOLLY, 1931c, p. 306, pl. 10, figs. 6-8 : Namaqualand (M. CONNOLLY, 1915, p. 176 = *Trigonephrus* sp. 3).
- narainporensis* (*Lamellidens*) PRESTON, 1912d, p. 305 (Figs : H. B. PRESTON, 1915e, p. 188, figs. 21<sup>1-2</sup>) : Narainpore Bhil, Murshidabad District, Bengal.
- natalensis* (*Tomichia*) CONNOLLY, 1939, p. 586, textfigs. 47, 0; 48M(R) : Natal, Lower Umkomaas (type); Winkel Spruit (= *Paludestrina tristis* PILSBRY & BEQUAERT, 1927, non *Hydrobia tristis* MORELET, 1889).
- natermanni* (*Opeas*) CONNOLLY, 1923a, p. 653, pl. 19, fig. 4 : Uganda, Mt. Elgon.
- neglecta* (*Atys*) PRESTON, 1908e, p. 188, pl. 16, fig. 51 : off Port Blair, Andaman Islands, 7-10 fms.
- neglecta* (*Euplecta*) PRESTON, 1909b, p. 134, pl. 22, fig. 3 : Uda Pussellawa, Ceylon.
- neglecta* (*Mikenoëlla*) PRESTON, 1914b, p. 803, pl. 2, fig. 27 : Kiduha, S. W. Uganda.
- memorum* (*Gudeëlla*) PRESTON, 1914b, p. 794, pl. 3, fig. 24 : forests to the north of Mt. Kenia, B. E. A.
- nepeanensis* (*Advena campbellii* (GRAY, 1834), subsp.) PRESTON, 1913b, p. 527 : Nepean Island (subfossil).
- nepeanensis* (*Succinea*) PRESTON, 1913b, p. 536 : Nepean Island (subfossil).
- nepeanensis* (*Tornatellina norfolkensis* PRESTON, 1913, subsp.) PRESTON, 1913b, p. 537 : Nepean Island.

- nepia* (*Gulella*) CONNOLLY, 1925, p. 121, pl. 4, fig. 7 : L. Marques, Mace-quece District.
- nevilliana* (*Cythara*) PRESTON 1904a, p. 75, pl. 7, figs. 1, 2 : Ceylon.
- nevilliana* (*Nassa*) PRESTON, 1906, p. 34, textfig. : Ceylon (?).
- nigrotincta* (*Trachycystis*) PRESTON, 1912b, p. 323, pl. 17, fig. 9 : between Mount Kenia and Eusso Nyiro, B. E. A. (H. B. PRESTON, 1914b, p. 803 = *Urguessella*).
- nigroumbilicatus* (*Bulimulus* (*Drymaeus*)) PRESTON, 1907h, p. 491, fig. 6 : to the north of the Rio Pilcomayo, Chaco, Bolivia.
- nivea* (*Clathurella malleti* RECLUZ, var.) PRESTON, 1908e, p. 192 : Andaman Islands.
- nivea* (*Cypraea miliaris* GMELIN, var.) PRESTON, 1909, p. 121 : N. E. Queensland.
- nivea* (*Mactra delicatula* PRESTON, 1904, var.) PRESTON, 1904a, p. 78, pl. 6, fig. 12 : Ceylon.
- nivea* (*Photinula taeniata* KING, var.) COOPER & PRESTON, 1910, p. 112 : Falkland Islands.
- niveus* (*Orthalicus powissianus* PETIT, var.) PRESTON, 1909e, p. 512 : Jimenez, Rio Dagua, West Colombia.
- nivosa* (*Tellina manilae* PRESTON, 1906, var.) PRESTON, 1906c, p. 72, fig. 2 : off Manila, 5-10 fms.
- nobilis* (*Cerastus*) PRESTON, 1911d, p. 470, pl. 11, fig. 20 : Mount Kenia, 6000-8000 ft., B. E. A.
- nodosa* (*Pseudachatina*) PRESTON, 1909d, p. 183, pl. 7, fig. 10 : Bitze, near the River Ja, Cameroons (type); Akok, 30-35 miles from the coast at Kribi.
- nongyangensis* (*Lamellidens*) PRESTON, 1912d, p. 306 (Fig. : H. B. PRESTON, 1915e, p. 189, fig. 22<sup>1-2</sup>) : Nongyang Lake, South of Patkai.
- norburyi* (*Assimineia*) JONES & PRESTON, 1904, p. 147, textfig. : Lin Chao.
- Norfolciococoncha* PRESTON, 1913b, p. 535 (Typesp. : *Endodonta norfolkensis* HEDLEY).
- norfolkensis* (*Belloconcha*) PRESTON, 1913b, p. 530 : Norfolk Island.
- norfolkensis* (*Palaina*) PRESTON, 1913b, p. 537 : Stockyard Creek, Norfolk Island.
- norfolkensis* (*Tornatellina*) PRESTON, 1913b, p. 536 : Ball's Bay, Norfolk Island.
- Nothapalinus* (*Opeas*, sect.) CONNOLLY, 1923a, p. 654 (Typesp. : *Subulina kemp*) PRESTON, 1912).
- novae-hiberniae* (*Melania*) PRESTON, 1907e, p. 266, textfig. : New Ireland.
- nubilis* (*Bulimulus* (*Drymaeus*)) PRESTON, 1903, p. 4, textfig. : Azarhar de Cartago, Costa Rica.
- nuxfagus* (*Donax*) PRESTON, 1908e, p. 207, pl. 16, fig. 55 : Andaman Islands.
- nyeriensis* (*Ledoulxia levistriata* (PRESTON, 1912), var.) PRESTON, 1914b, p. 808, pl. 1, fig. 3 : Nyeri, B. E. A.
- nyikaensis* (*Ennea*) PRESTON, 1913d, p. 199 : Nyika Range, Nyassaland.

- nyiroensis* (*Conulinus*) CONNOLLY, 1925c, p. 478, pl. 28, fig. 19 : Kenya, Mt. Nyiro, South of Lake Rudolph, 8300 ft.
- nyiroensis* (*Ennea*) PRESTON, 1913d, p. 211, pl. 35, figs. 1, 1a : Mt. Nyiro, to the south of Lake Rudolph, 8300 ft.
- nyiroensis* (*Ennea pretiosa* PRESTON, 1911, var.) PRESTON, 1913d, p. 214 : Mt. Nyiro, to the south of Lake Rudolph, 8300 ft.
- nyiroensis* (*Euonyma fulgens* CONNOLLY, 1923, subsp.) CONNOLLY, 1923a, p. 635, pl. 19, fig. 30 : Kenya, Mt. Nyiro, S. of Lake Rudolph, 8300 ft.
- nyiroensis* (*Limicolaria*) PRESTON, 1912i, p. 109, textfig. : Mount Nyiro, to the South of Lake Rudolph, 8300 ft. (type); between Eusso Nyiro and the southern slopes of Mount Marsabit; northern slopes of Mt. Marsabit.
- nyiroensis* (*Martensia*) PRESTON, 1913c, p. 48, pl. 5, fig. 1 : Mount Nyiro, to the South of Lake Rudolph.
- nyiroensis* (*Percivalia*) PRESTON, 1914b, p. 806, pl. 1, figs. 12a-b; Mount Nyiro, to the south of Lake Rudolph, 8300 ft.
- nyiroensis* (*Streptostele*) CONNOLLY, 1922b, p. 508, pl. 14, fig. 23 : Kenya, Mt. Nyiro, 8300 ft.
- nyiroensis* (*Subuliniscus*) CONNOLLY, 1923, p. 360, pl. 1, fig. 14 : Kenya, Mt. Nyiro, 8300 ft.
- nympha* (*Subulina (Itiopiana)*) PRESTON, 1910f, p. 170, textfig. : Harar, S. Abyssinia.
- obbiensis* (*Georgia guillainopsis* BOURGUIGNAT, subsp.) CONNOLLY, 1925d, p. 424 : Italian Somaliland, Magangib, Sultanate of Obbia.
- oberwimmeri* (*Nassa*) PRESTON, 1907c, p. 268, fig. 2 : Fiji.
- obesa* (*Cafferia caffra* KRAUSS, subsp.) CONNOLLY, 1925a, p. 263, pl. 11, figs. 1-4 : Cape Province, Bushman's River, Alicedale.
- obesa* (*Ennea optata* PRESTON, 1911, var.) PRESTON, 1913d, p. 211, pl. 35, figs. 3, 3a : Mt. Kenangop, Aberdare Range, B. E. A.
- obesa* (*Kenia*) PRESTON, 1912b, p. 326, pl. 17, fig. 18 : between Entebbe and Mbarara, S. W. Uganda (M. CONNOLLY, 1923, p. 355 = *Nothapalus paucispira* (v. MARTENS, 1892)).
- obesula* (*Stenothyra*) PRESTON, 1915b, p. 293, fig. 4 : southernmost island of Manikpatna series.
- obsoleta* (*Crassatella radiata* SOWERBY, var.) PRESTON, 1908e, p. 205 : Andaman Islands.
- obtusa* (*Euaethiops*) CONNOLLY, 1931c, p. 314, pl. 12, figs. 10-12 : Uganda, North Bugishu District, Mt. Elgon, 7000-9000 ft.
- obtusa* (*Mangilia*) PRESTON, 1908e, p. 192, pl. 15, fig. 25 : Andaman Islands.
- obtusa* (*Psammobia*) PRESTON, 1908e, p. 208, pl. 16, fig. 41 : Andaman Islands.
- o'conneri* (*Natalina*) PRESTON, 1912k, p. 445, textfig. : Ceres District, Cape Colony, on the trunks of eucalyptus-trees (M. CONNOLLY, 1939, p. 235 = *Trachycystis (Phortion)*).

- ogdeniana* (*Cyathopoma*) PRESTON, 1909b, p. 138, pl. 22, fig. 11 : Uda Pussellawa, Ceylon.
- omeri* (*Homorus*) CONNOLLY, 1928a, p. 170, pl. 1, fig. 2 : Addis Abeba.
- opalescens* (*Mutela*) PRESTON, 1910a, p. 62, pl. 4, fig. 12 : Shiré River, at a point from 3 to 4 Kilometers to the south of Lake Nyassa.
- opoboensis* (*Ennea*) PRESTON, 1914f, p. 135, textfig. : Onoha or Lokar, Opobo District, S. Nigeria (M. CONNOLLY, 1928c, p. 535 = *Gulella*).
- opposita* (*Thapsiella*) PRESTON, 1912e, p. 186, pl. 32, fig. 13 : Mt. Kenangop, Aberdare Range, B. E. A.
- optata* (*Ennea*) PRESTON, 1911d, p. 464, pl. 11, fig. 4 : Mount Kenia, 6000-8000 ft., B. E. A. (M. CONNOLLY, 1922b, p. 500 = *Gulella* (*Molarella*); 1929, p. 166 = *Gulella ugandensis* (SMITH, 1901)).
- ordinaria* (*Streptostele*) CONNOLLY, 1922b, p. 509, pl. 14, fig. 25 : Kenya, between the Laikipia Plateau and Eusso Nyiro.
- ordinarius* (*Buliminus*) PRESTON, 1912f, p. 12, textfig. : Mountains of S. E. Kan-su, 2000-5000 ft.
- ordinarius* (*Homorus*) PRESTON, 1910b, p. 534, pl. 9, fig. 25 : Shimbi Hills, B. E. A.
- orestias* (*Africarion*) PRESTON, 1914b, p. 788, pl. 2, fig. 15 : slopes of Mount Kenia, B. E. A.
- orestias* (*Eulota* (*Cathaica*)) PRESTON, 1912f, p. 11, textfig. : Mountains of S. E. Kan-su, 2000-5000 ft.
- orestias* (*Opeas*) PRESTON, 1911d, p. 474, pl. 12, fig. 30 : Mount Kenia, 9000-10.000 ft., B. E. A. (M. CONNOLLY, 1923a, p. 647, pl. 19, fig. 50 = *Pseudopeas*).
- orestias* (*Paralaoma*) PRESTON, 1913b, p. 534 : Mount Pitt, Norfolk Island.
- oribates* (*Elgonella*) PRESTON, 1914b, p. 797, pl. 2, figs. 8a, 8b : Mount Elgon, Uganda.
- oribates* (*Streptostele*) CONNOLLY, 1922b, p. 504, pl. 14, fig. 8 : Kenya, between the Igembi Hills and Nyeri.
- orientalis* (*Cerithiopsis*) PRESTON, 1905, p. 4, pl. 1, figs. 14, 14a : Ceylon.
- orientalis* (*Gulella*) CONNOLLY, 1929a, p. 222, pl. 14, fig. 3 : Zululand, Mfongosi (M. CONNOLLY, 1932a, p. 87, pl. 4, fig. 14).
- orissaensis* (*Nassa*) PRESTON, 1914a, p. 299, figs. 10, 10a : Lake Chilka, Orissa, on a muddy bottom, 6-8 ft., about 3 miles off Balugaon (type); about 2 miles off Balugaon, on a muddy bottom, 6-8 ft.; Manikpatna, 4 ft.; Rambha Bay, south end of Lake Chilka, Ganjam District; Satpara, close in shore; between Barnakuda and Nalbano Isd., 10 ft.; off east end of Nalbano Isd., 4-6 ft.
- orissaensis* (*Stenothyra*) PRESTON, 1914a, p. 300, fig. 2 : off Satpara, Lake Chilka, Orissa, 4-6 ft., close in shore (type); dead specimens at Manikpatna, 4 ft.
- ocsitans* (*Africarion*) PRESTON, 1914b, p. 788, pl. 2, fig. 4 : Lake Mutanda, S. W. Uganda (M. CONNOLLY, 1925c, p. 466 = *Helicarion* (*Africarion*); CONNOLLY mentions fig. 15 for the species of PRESTON, but it is fig. 4).

- oscitans* (*Buliminus*) PRESTON, 1912f, p. 12, textfig. : Limestone region, S. E. Kan-su, 3000 ft.
- oscitans* (*Burungaëlla*) PRESTON, 1914b, p. 797, pl. 1, figs. 17a-c : Burunga, Mount Mikeno, Belgian Congo, 6000 ft.
- oscitans* (*Rissoina*) PRESTON, 1905, p. 5, pl. 1, figs. 19, 19a : Ceylon.
- oscitans* (*Thapsia*) CONNOLLY, 1925c, p. 457, pl. 28, fig. 1 : S. Nigeria, Oban (type); Buea.
- osculum* (*Streptostele*) CONNOLLY, 1922b, p. 509, pl. 14, fig. 24 : Kenya, Igembi Hills.
- ovalis* (*Diplodonta* (*Felania*)) PRESTON, 1914a, p. 308, figs. 19, 19a-b : Manikpatna, Orissa, 4 ft.
- ovata* (*Limicolaria alhiensis* PRESTON, 1912, var.) PRESTON, 1912i, p. 108 : Alhi Plains, B. E. A.
- ovulum* (*Xerocerastus*) CONNOLLY, 1939, p. 656, pl. 9, figs. 21, 22 (this publication only figures the species; description and locality in M. CONNOLLY, 1941, p. 244 : Namib, between Ascieb and Cape Cross).
- pacei* (*Atys*) PRESTON, 1908e, pl. 188, pl. 16, fig. 52 : off Port Blair, Andaman Islands, 7-10 fms.
- pallaryi* (*Ennea* (*Gulella*)) PRESTON, 1909f, p. 87, pl. 4, fig. 1 : Assinie.
- pallidior* (*Gudeëlla*) PRESTON, 1914b, p. 795, pl. 3, fig. 5 : Urguess, B. E. A.
- pallidum* (*Punctum*) CONNOLLY, 1922a, p. 119 (Fig. : M. CONNOLLY, 1925, pl. 4, fig. 17, textfig. 16(R)) : Mount Vengo, 5500 ft.
- pangumana* (*Curvella*) CONNOLLY, 1928c, p. 544, pl. 18, fig. 9 : Sierra Leone, Panguma.
- pangumana* (*Gulella* (*Molarella*)) CONNOLLY, 1928c, p. 535, pl. 18, fig. 5 : Sierra Leone, Panguma.
- papuensis* (*Macrochlamys*) PRESTON, 1902, p. 17, fig. 1 : N. Coast of British New Guinea.
- papyracea* (*Ennea*) PRESTON, 1913d, p. 212, pl. 35, figs. 4, 4a : near Lake Kivu, Belgian Congo.
- papyracea* (*Zingis*) PRESTON, 1912e, p. 185, pl. 32, fig. 15 : Kigezi, extreme S. W. Uganda, 6000 ft. (H. B. PRESTON, 1914b, p. 799 = *Blayneiyella*).
- pareimena* (*Euonyma*) CONNOLLY, 1923a, p. 634, pl. 19, fig. 53 : Kenya, Mau Escarpment.
- partulaeformis* (*Cerastus*) PRESTON, 1913c, p. 52, pl. 4, fig. 2 : Lake Kivu.
- parvula* (*Ennea keniana* PRESTON, 1911, var.) PRESTON, 1913d, p. 206 : between the Jombene Hills and Nyeri, B. E. A.
- patruelis* (*Streptostele*) CONNOLLY, 1922b, p. 508, pl. 14, fig. 22 : Kenya, Larogi Hills.
- Paucidentata* (*Ennea*, subgen.) PRESTON, 1916c, p. 260 (probably an error for *Paucidentina* v. MARTENS, 1897).
- pebasensis* (*Ammonoceras*) PRESTON, 1914g, p. 522 : Forests about Pebas, Rio Marañon, N. E. Peru.



- pecten* (*Nodularia*) PRESTON, 1912d, p. 292, pl. 8, figs. 3, 4 : Pitsanuloke, N. Siam.
- peilei* (*Alycaeus* (*Charax*)) PRESTON, 1914e, p. 22, textfig. : Naga Hills, Assam.
- peilei* (*Cyathopoma*) PRESTON, 1903a, p. 340, fig. 1 : Yercand, Sheroveroy Hills, India.
- peilei* (*Ennea*) PRESTON, 1914 f, p. 134, textfig. : Onoha or Lokar, Opobo District, S. Nigeria.
- pellisacertae* (*Limicolaria*) PRESTON, 1913e, p. 282, textfig. : Aberdare Range, Mount Kenangop, B. E. A.
- pellucida* (*Rissoina*) PRESTON, 1905, p. 5, pl. 1, fig. 17 : Ceylon.
- perakensis* (*Unio*) PRESTON, 1912d, p. 287, pl. 8, figs. 5, 6 : Perak.
- perangusta* (*Pandora*) PRESTON, 1910h, p. 120, fig. 5 : off the Devi River, Orissa Coast, 17-20 fms.
- percivali* (*Blayneyella*) PRESTON, 1914b, p. 799, figs. 19a-c : Larogi Hills, B. E. A.
- percivali* (*Conulinus*) PRESTON mss. : Kenya, Urguess (L. GERMAIN, 1919, p. 263 = *Mabilliella daubenbergeri* DAUTZENBERG, 1908, p. 10, pl. 1, figs. 11-13; according to M. CONNOLLY, 1925c, p. 477, « *Conulinus percivali*, PRESTON, is only a manuscript name, but as it has now appeared in print it must date from 1919 »).
- percivali* (*Ennea*) PRESTON, 1913d, p. 216, pl. 35, figs. 5, 5a : Mt. Nyiro, to the south of Lake Rudolph, 8300 ft.
- percivali* (*Euonyma*) CONNOLLY, 1923a, p. 636, pl. 19, fig. 17 : Kenya, between Eusso Nyiro and Mt. Marsabit.
- percivali* (*Homorus*) PRESTON mss. : Mt. Elgon (mentioned by L. GERMAIN, 1923, p. 103, pl. IV, fig. 99, as « *Homorus (Subulona) percivali* PREST. », but according to M. CONNOLLY, 1929, p. 169, PRESTON agreed with him that the Mt. Elgon race is inseparable from *iredalei*).
- percivali* (*Limicolaria*) PRESTON, 1913e, p. 279, textfig. : Rift Valley, B. E. A.
- percivali* (*Streptaxis*) PRESTON, 1913d, p. 194, pl. 32, fig. 4 : northern slopes of Mt. Marsabit, B. E. A.
- Percivalia* PRESTON, 1914b, p. 806 (Typesp. : *Percivalia nyiroensis* PRESTON, 1914).
- perconica* (*Acmaea*) PRESTON, 1913, p. 220, pl. 4, fig. 5 : Falkland Islands.
- perconoideum* (*Cyathopoma*) PRESTON, 1909b, p. 139, pl. 22, fig. 9 : Bandarawella, Province of Uva, Ceylon.
- perconvexa* (*Parreysia*) PRESTON, 1912d, p. 302 (Fig. : H. B. PRESTON, 1915e, p. 172, figs. 17<sup>1-3</sup>) : Nangyong Lake.
- percurta* (*Limicolaria* (*Rebmanniella*)) PRESTON, 1912i, p. 110, textfig. : between the Igembi Hills and Nyeri, B. E. A.
- perdepressa* (*Allenconcha*) PRESTON, 1913b, p. 524 : Mount Pitt, Norfolk Island.
- perfragilis* (*Helicarion*) PRESTON, 1910a, p. 58, pl. 4, fig. 1 : Maringo Plateaux, Belgian Congo.



- perfragilis* (*Kerkophorus*) CONNOLLY, 1922, p. 72, pl. 2, figs. 4a-c : Shilwane district. (M. CONNOLLY, 1939, p. 144 = *Sheldonia* (*Kerkophorus*)).
- pergracilis* (*Cecilioides*) CONNOLLY, 1939, p. 371, pl. 8, fig. 13 : Zululand, Mfongosi (type); Natal, Isipingo; Zanzibar.
- pergrata* (*Ennea*) PRESTON, 1913d, p. 212, pl. 35, figs. 6, 6a : Mt. Elgon, Uganda.
- peringueyi* (*Opeas* (*Micropeas*)) CONNOLLY, 1923a, p. 656, pl. 19, fig. 24 : Natal, Mfongosi.
- perlata* (*Gulella* (*Plicigulella*)) CONNOLLY, 1922b, p. 500, pl. 14, fig. 34 : Kenya, Kekumega.
- perlevis* (*Zingis*) PRESTON, 1912g, p. 17, textfig. : Knysna Forest, Cape Colony (M. CONNOLLY, 1939, p. 124 = *Sheldonia*).
- perlucida* (*Homorus*) PRESTON, 1910f, p. 168, textfig. : Harar, S. Abyssinia.
- permembranacea* (*Natalina*) PRESTON, 1912e, p. 183, pl. 31, figs. 20, 20a-b : Kigezi, extreme S.W. Uganda, 6000 ft. (H. B. PRESTON, 1914b, p. 800 = *Larogiella*).
- permembranacea* (*Physa*) PRESTON, 1912b, p. 327, pl. 17, fig. 8 : Aberdare Range, B. E. A.
- perminuta* (*Paralaoma*) PRESTON, 1913b, p. 535 : Mount Pitt, Norfolk Island.
- pernitens* (*Euonyma*) CONNOLLY, 1923a, p. 637, pl. 19, fig. 21 : Kenya, Chanler Falls, Eusso Nyiro.
- pernodulosa* (*Parreysia*) PRESTON, 1912d, p. 300 (Fig. : H. B. PRESTON, 1915e, p. 164, figs. 15<sup>1-3</sup>) : Zayleyman, Upper Birma.
- perobesa* (*Diplommatina*) PRESTON, 1915a, p. 540, figs. 5, 5a : Upper Rotung, 2000 ft., under stems of plantain trees.
- perobtusa* (*Limicolaria* (*Rebmanniella*)) PRESTON, 1912i, p. 111, textfig. : Mount Kenangop, Aberdare Range, B. E. A.
- perobtusa* (*Pseudoglessula*) CONNOLLY, 1923, p. 347, pl. 1, fig. 8 : Belgian Congo, Burunga, Mt. Mikenno, 6000 ft.
- perplexa* (*Gulella*) CONNOLLY, 1939, p. 68, pl. 1, fig. 7 : Cape Province, Emagusheni, Pondoland.
- perplexa* (*Scintillia*) PRESTON, 1908e, p. 206, pl. 17, fig. 72 : Andaman Islands.
- perpumila* (*Stenothyra*) PRESTON, 1916, p. 31, fig. 9 : Cochin backwater, near Ernakulam.
- persimilis* (*Trachycystis*) CONNOLLY, 1932b, p. 97, pl. 5, figs. 4a-c : Zululand, Mfongosi (type); Natal, Weenen; Sand Spruit.
- persimplex* (*Tellina*) PRESTON, 1916a, p. 96, fig. 12 : Port Blair, Andaman Islands.
- perspectiva* (*Dorcasia alexandri* GRAY, 1838, var.) CONNOLLY, 1915, p. 172, pl. 3, fig. 8 : Damaraland, Omaruru River.
- perstriatulus* (*Choanomphalus japonicus* PRESTON, 1916, subsp.) PRESTON, 1916b, p. 161, pl. 9, figs. 1, 1a-c : Lake Biwa, Japan.

- pertranslucens* (*Curvella*) PRESTON, 1910b, p. 534, pl. 9, fig. 23 : Shimbi Hills, B. E. A.
- perturbata* (*Ennea*) PRESTON, 1913d, p. 199, pl. 35, figs. 7, 7a : Mt. Elgon, Uganda.
- peruviana* (*Polita*) PRESTON, 1907h, p. 490, fig. 1 : Chanchamayo, Peru.
- pervitrea* (*Ennea*) PRESTON, 1913d, p. 213, pl. 35, figs. 8, 8a : Forests to the north of Mt. Kenia, B. E. A. (M. CONNOLLY, 1925, p. 121 = *Gulella*).
- pervitrea* (*Tellina*) PRESTON, 1916a, p. 96, fig. 13 : Semiramis Bay, Andaman Is., 2-6 fms., on a bottom of fine mud.
- pervitreum* (*Opeas*) CONNOLLY, 1923a, p. 652, pl. 19, fig. 34 : Kenya, Gazi.
- pettiti* (*Limnaea*) JONES & PRESTON, 1904, p. 142, fig. 3 : near Chefoo, Shantung, plentifully in a disused canal.
- pfefferi* (*Corbula*) PRESTON, 1907f, p. 216, fig. 5 : Port Canning, Lower Bengal, in brackish pools.
- pfeifferi* (*Odostomia*) PRESTON, 1908d, p. 46, fig. 4 : Andaman Islands.
- phenchooganjensis* (*Lamellidens*) PRESTON, 1912d, p. 306 (Fig. : H. B. PRESTON, 1915e, p. 191, figs. 23<sup>1-3</sup>) : Phenchooganj, Central Sylhet.
- phoenicensis* (*Nassa*) PRESTON, 1916a, p. 89, figs. 2, 2a : Phoenix Bay, Andaman Islands, 1-3 fms., on a bottom of muddy sand.
- phoenicensis* (*Tellina*) PRESTON, 1916a, p. 97, figs. 14, 14a : Phoenix Bay, Andaman Islands, 1-3 fms., on a muddy bottom.
- Phortion* PRESTON, 1910b, p. 531 (nom. nov. for *Phasis* ALBERS, 1850, non HÜBNER, 1818; typesp. : *Helix menkeana* L. PFEIFFER).
- picturata* (*Modiolarca*) COOPER & PRESTON, 1910, p. 112, pl. 4, fig. 5 : Falkland Islands.
- pietersburgensis* (*Subulina*) PRESTON, 1909g, p. 499, textfig. : Pietersburg, N. Transvaal (M. CONNOLLY, 1910, p. 254 = *Euonyma*).
- pileolus* (*Gonaxis*) CONNOLLY, 1928c, p. 532, fig. 2 : Sierra Leone, Langranna (type); Majendoo.
- pilsbryi* (*Pseudoglessula* (*Kempioconcha*)) CONNOLLY, 1923, p. 349 (nom. nov. for *Kempia kivuensis* PRESTON, 1913, non *Ena kivuensis* PRESTON, 1913; both species belonging to *Pseudoglessula*, possibly even the same subgenus *Kempioconcha*).
- pilula* (*Ennea*) PRESTON, 1911d, p. 465, pl. 11, fig. 5 : Mount Kenia, 6000-8000 ft., B. E. A.
- Pincerna* (*Alycaeus*, subgen.) PRESTON, 1907d, p. 206 (Typesp. : *Pincerna liratula* PRESTON, 1907).
- pisa* (*Gulella*) CONNOLLY, 1922b, p. 493, pl. 14, fig. 21 : Kenya, Eusso Nyiro (p. 494 : « distributed by PRESTON under a latin name recalling its resemblance to a column »).
- piscium* (*Cyamium*) PRESTON, 1912l, p. 638, pl. 21, fig. 6 : Port Stanley, Falkland Islands.
- pitmani* (*Helicarion* (*Granularion*)) CONNOLLY, 1925c, p. 465, figs. 6, 7(R) : Kenya, Cherangani Hills.

- pitmani* (*Pseudoglessula*) CONNOLLY, 1930, p. 47, pl. 6, fig. 10 : Uganda, Entebbe.
- pitmani* (*Trochonanina*) CONNOLLY, 1942, p. 330, figs. 6-8 : S. W. Uganda.
- Pittoconcha* PRESTON, 1913b, p. 531 (Typesp. : *Pittoconcha concinna* PRESTON, 1913).
- plana* (*Halolimnohelix*) CONNOLLY, 1925c, p. 473, fig. 8 : Kenya, Cherangani Hills.
- planispira* (*Zingis*) PRESTON, 1912e, p. 185, pl. 32, fig. 16 : between Entebbe and Mbarara, Uganda (H. B. PRESTON, 1914b, p. 800 = *Larogiella*).
- planissima* (*Trachycystis*) CONNOLLY, 1925c, p. 472, pl. 28, fig. 12 : Cape Province, Verkeerde Vlei, Carnarvon District (M. CONNOLLY, 1939, p. 201 = *Trachycystis* (*Phaulocystis*)).
- planulata* (*Trachycystis*) PRESTON, 1911d, p. 468, pl. 11, fig. 13 : Mount Kenia, 9000-10.000 ft., B. E. A.
- plebeia* (*Trachycystis*) CONNOLLY, 1932b, p. 96, pl. 5, fig. 1a-c : Natal, Bushman's River Falls, 7 miles below Weenen (type); Weenen; Zululand, Mfongosi.
- Pleurorhachis* (*Rachis* ALBERS, 1850, sect.) CONNOLLY, 1939, p. 437 (Typesp. : *Bulimus petersi* PFEIFFER, 1855) (on p. 636, the author mentions it as a subgenus).
- plicata* (*Rhagada*) PRESTON, 1914d, p. 13, textfig. : Montebello Islands, W. Australia.
- polita* (*Diala*) PRESTON, 1905, p. 4, pl. 1, fig. 15 : Ceylon.
- polita* (*Vertagus kochi* PHILIPPI, var.) PRESTON, 1908e, p. 195 : Andaman Islands.
- pollonerae* (*Ennea*) PRESTON, 1913d, p. 213, pl. 35, figs. 9, 9a : Lake Kivu, Belgian Congo.
- Polychordia* CONNOLLY, 1941a, p. 28 (Typesp. : *Polychordia pulcherrima* CONNOLLY, 1941).
- polymorpha* (*Streptostele*) PRESTON, 1912b, p. 322, pl. 17, fig. 14 : between Entebbe and Mbarara, S. W. Uganda.
- ponderosa* (*Pseudodon*) PRESTON, 1909h, p. 202, pl. 8, fig. 1 : Nan-ko, Siam.
- pondoensis* (*Gulella*) CONNOLLY, 1939, p. 25, pl. 2, fig. 2 : Cape Province, Port St. John's.
- ponsonbyi* (*Limicolaria*) PRESTON, 1906b, p. 89, textfig. : Uganda district.
- ponsonbyi* (*Margarita*) PRESTON, 1908e, p. 201, pl. 14, fig. 12 : off Port Blair, Andaman Islands, 7-10 fms.
- porcina* (*Gulella*) CONNOLLY, 1930, p. 45, pl. 6, figs. 3, 4, textfig. 2b(R) : Uganda, Masaba, N. Bugishu District, Mt. Elgon, 7000-9000 ft.
- praecox* (*Opeas*) CONNOLLY, 1925, p. 183, pl. 4, fig. 25, textfig. 22(R) : L. Marques, Zangwe River Basin (type); Nyassaland, Port Herald Hills.

- praelonga* (*Gulella*) CONNOLLY, 1922a, p. 115 (Fig. : M. CONNOLLY, 1925, p. 117, pl. 4, fig. 5) : Mount Vengo, Macequece District.
- praelonga* (*Succinea badia* MORELET, 1868, var.) CONNOLLY, 1939, p. 444, fig. 39 : Bechuanaland, Taungs.
- Prestonella* CONNOLLY, 1929a, p. 232 (Typesp. : *Buliminus* (*Mesembri-nus* ?) *bowkeri* SOWERBY, 1889).
- prestoni* (*Conulinus*) CONNOLLY, 1925c, p. 477 (nom. nov. for *Buliminus ugandae* PRESTON, 1912, non v. MARTENS, 1895).
- prestoni* (*Gulella*) CONNOLLY, 1922b, p. 496 (nom. nov. for *Ennea delicatula* PRESTON, 1910, non PFEIFFER, 1857).
- prestoni* (*Trochozonites* (*Zonitrochus*)) CONNOLLY, 1925c, p. 459 (nom. nov. for *Trochozonites suturalis* PRESTON, 1914, non D'AILLY, 1896) (the subgenus is *Zonitotrochus* PILSBRY, 1919).
- pretiosa* (*Ennea*) PRESTON, 1911d, p. 465, pl. 11, fig. 6 : between Rumruti and Mount Kenia, B. E. A.; on Mount Kenia, 6000-8000 ft. (M. CONNOLLY, 1929, p. 169 = *Gulella*).
- pretoriana* (*Gulella*) CONNOLLY, 1932a, p. 86, pl. 4, fig. 11 : Transvaal, Zwart Kop.
- princei* (*Ennea*) PRESTON, 1911d, p. 466, pl. 11, fig. 7 : Mount Kenia, 9000-10.000 ft., B. E. A.
- princei* (*Succinea*) PRESTON, 1912e, p. 189, pl. 32, figs. 3, 3a : Nakuru, B. E. A.
- princeps* (*Homorus*) PRESTON, 1910f, p. 168, textfig. : Harar, S. Abyssinia.
- princeps* (*Iravadia*) PRESTON, 1915c, p. 480, figs 2, 2a : canal near Chingrighatta, outskirts of Calcutta.
- princeps* (*Krapfiella*) PRESTON, 1913e, p. 284, textfig. : Mt. Nyiro, to the south of Lake Rudolph, 8300 ft.; Barta Steppes to the south of Mt. Nyiro, 4000 ft.
- princeps* (*Turbonilla* ?) PRESTON, 1905, p. 7, pl. 2, fig. 33 : Ceylon.
- procerus* (*Trigonephrus namaquensis* MELVILL & PONSONBY, 1891, var.) CONNOLLY, 1915, p. 155, pl. 2, figs. 8, 9 : Little Namaland, Ookiep, Buffels River.
- producta* (*Tomichia*) CONNOLLY, 1929a, p. 242, pl. 14, fig. 40 : Cape Province, Eerste River (M. CONNOLLY, 1939, p. 572, figs. 47D, 48C-D (R)).
- proxima* (*Trachycystis*) CONNOLLY, 1939, p. 191, (nom. nov. for *Trachycystis approximans* CONNOLLY, 1931, non PRESTON, 1911).
- pruizenensis* (*Euonyma*) CONNOLLY, 1910, p. 261, pl. 6, fig. 11 : Northern Transvaal, Pruizen; Bushveldt near Pietpotgietersrust.
- psephenum* (*Opeas*) CONNOLLY, 1923a, p. 650, pl. 19, fig. 10 : Kenya, Larogi Hills.
- pseudocharopa* (*Trachycystis*) PRESTON, 1911d, p. 468, pl. 11, fig. 14 : Naivasha, B. E. A.
- pseudotmesis* (*Gonaxis*) CONNOLLY, 1942, p. 328, figs. 1-3 : Gold Coast, Aburi.
- pucaraensis* (*Planorbis*) PRESTON, 1909e, p. 512, pl. 10, fig. 15 : Pucara, Peru, 12.500 ft.

- pucayaensis* (*Ammonoceras*) PRESTON, 1914g, p. 522 : Rio Pucaya, Eastern Peru, 250 ft.
- pucayaensis* (*Helicina*) PRESTON, 1914g, p. 526 : Rio Pucaya, Eastern Peru, 250 ft.
- puella* (*Gulella*) CONNOLLY, 1929, p. 173, pl. 5, fig. 1 : Kenya, Naivasha.
- pulcherrima* (*Polychordia*) CONNOLLY, 1941a, p. 28, pl. 3, fig. 10 : Yemen, Wadi Thabad, north slope of Jebel Sabir, near Ta'izz, c. 5900 ft., near an irrigation channel, 25-26-XII-1937.
- punctatus* (*Mycetopus*) PRESTON, 1909e, p. 513, pl. 10, fig. 8 : Rio Chenchí, U. S. Colombia.
- pupiniformis* (*Rissoina*) PRESTON, 1908e, p. 198, pl. 14, fig. 4 : Andaman Islands.
- pura* (*Trachycystis*) CONNOLLY, 1922a, p. 118, (Fig. : M. CONNOLLY, 1925, p. 146, pl. 4, fig. 15, textfig. 13 (A.R.)) : Mount Vengo, 5500 ft.
- purpureoapicata* (*Fenella*) PRESTON, 1905, p. 5, pl. 1, fig. 22 : Ceylon.
- purpureocincta* (*Blayneyella*) PRESTON, 1914b, p. 799, pl. 1, fig. 20 : Nairobi, B. E. A.
- purpureo-cincta* (*Engina*) PRESTON, 1909b, p. 136, pl. 22, fig. 13 : Ceylon (in the text the generic name is given as « *Gorgina* », but an erratum changes it in « *Engina* »).
- pusilla* (*Ennea ingeziensis* PRESTON, 1913, var.) PRESTON, 1913d, p. 204 : between Mbarara and Kigezi, extreme S.W. Uganda.
- pusilla* (*Pseudoglossula*) PRESTON, 1911f, p. 220, pl. 11, fig. 6 : Naivasha, B. E. A.
- pusillior* (*Johannesconcha*) PRESTON, 1913b, p. 533 : Norfolk Island.
- putealis* (*Cerastus*) CONNOLLY, 1930, p. 46, pl. 6, fig. 8 : British Somaliland, Hergawt Hill, 9°55'N-45°27'E, 4900 ft.
- putealis* (*Chondrocyclus*) CONNOLLY, 1939, p. 538, pl. 16, figs. 25-27 : Natal, Southport (type); Cape Province, Port St. John's.
- putzeysi* (*Unio* (*Nodularia*)) PRESTON, 1912a, p. 71, (nom. nov. for *Unio* (*Nodularia*) *subnigra* PRESTON, 1909, non *subniger* LEA, 1857).
- puzeyi* (*Gulella*) CONNOLLY, 1939, p. 91, pl. 1, fig. 8 : Cape Province, Port St. John's.
- puzeyi* (*Sheldonia* (*Kerkophorus*)) CONNOLLY, 1939, p. 149, pl. 5, figs. 12-14 : Cape Province, Port St. John's.
- pynochilus* (*Fauxulus* (*Tomigerella*)) CONNOLLY, 1939, p. 384, pl. 12, fig. 10 : Cape Province, Gorge of Salt River, Windhoek, Bredadorp District.
- pygmaea* (*Bithynia*) PRESTON, 1908d, p. 45, fig. 3 : Myetmyo, Burma.
- quadingensis* (*Prestonella*) CONNOLLY, 1929a, p. 233, pl. 14, fig. 25 : Basutoland, Quading.
- quadrilateralis* (*Ennea*) PRESTON, 1910b, p. 527, pl. 7, fig. 2 : Shimbi Hills, B. E. A.
- quadrisculptum* (*Afropunctum*) CONNOLLY, 1939, p. 249, pl. 7, figs. 15-17 : S. Rhodesia, Mrewa.



- Quintalia* PRESTON, 1913b, p. 527 (Typesp. : *Caracolla stoddarti* GRAY, 1834).
- radiiformis* (*Diplommatina*) PRESTON, 1913a, p. 437 : Island of Beilan-Beilan, to the north of the Obi Islands, Dutch East Indies.
- Radina* (*Tiara* BOLTEN, 1798, subgen.) PRESTON, 1915e, p. 10 (Typesp. : *Melania hastula* LEA, 1850).
- radius* (*Ennea*) PRESTON, 1910b, p. 529, pl. 7, fig. 8 : Shimbi Hills, B. E. A.
- radius* (*Limicolaria*) PRESTON, 1913e, p. 280, textfig. : Jombene Hills, B. E. A.
- radleyi* (*Rhagada*) PRESTON, 1908b, p. 120 : W. Australia.
- radula* (*Limicolaria*) PRESTON, 1913e, p. 282, textfig. : Northern region of B. E. A.
- rambhaensis* (*Terebra*) PRESTON, 1914a, p. 297, figs. 5, 5a : Rambha Bay, south end of Lake Chilka, Ganjam District, Madras (H. B. PRESTON, 1916, p. 32 = *Vanesia*).
- Ramsdenia* (*Choanopoma*, subgen.) PRESTON, 1913g, p. 323 (Typesp. : *Choanopoma* (*Ramsdenia*) *mirifica* PRESTON, 1913).
- Rebmanniella* (*Limicolaria*, sect.) PRESTON, 1911d, p. 471 (Typesp. : *Limicolaria* (*Rebmanniella*) *inepta* PRESTON, 1911).
- rectangularis* (*Ennea*) PRESTON, 1913d, p. 197, pl. 35, fig. 10 : Urguess, B. E. A. (M. CONNOLLY, 1930, p. 44 = *Gulella*).
- reenenensis* (*Natalina*) CONNOLLY, 1939, p. 108, pl. 2, figs. 5-8 : Natal, Van Reenen.
- reesi* (*Ennea*) PRESTON, 1914f, p. 135, textfig. : Onoha or Lokar, Opobo District, S. Nigeria (correction in the original description : H. B. PRESTON, 1916c, p. 259).
- reflexilabris* (*Dorcasia alexandri* GRAY, 1838, var.) CONNOLLY, 1939, p. 277, pl. 8, figs. 9-11 : Great Namaqualand, Chaibis Farm, Nadas Mine.
- rekwaensis* (*Physopsis*) PRESTON, 1913c, p. 55, pl. 5, fig. 11 : Lake Rekwa, G. E. A.
- ren* (*Natica*) PRESTON, 1914d, p. 14, textfig. : Montebello Islands, W. Australia.
- reniformis* (*Ennea*) PRESTON, 1913d, p. 215, pl. 35, fig. 11 : Mt. Elgon, Uganda.
- retinaculum* (*Nitor*) PRESTON, 1913b, p. 532 : Ball's Bay, Norfolk Island.
- rex* (*Homorus*) PRESTON, 1913c, p. 54, pl. 4, fig. 8 : Mt. Kenia, B. E. A.
- rex* (*Macrochlamys*) PRESTON, 1909h, p. 202, pl. 8, fig. 2 : Nan-ko, Siam.
- Rhachistia* CONNOLLY, 1925, p. 163 (Typesp. : *Buliminus rhodotaenia* v. MARTENS, 1901).
- rhodesiana* (*Ennea*) CONNOLLY, 1912a, p. 85, pl. 2, fig. 2 : Rhodesia, Victoria Falls (M. CONNOLLY, 1939, p. 31 = *Gulella*).
- rimata* (*Pleurotoma*) PRESTON, 1908e, p. 190, pl. 17, fig. 62 : Andaman Islands.
- roberti* (*Ennea*) PRESTON, 1910f, p. 164, textfig. : Harar, S. Abyssinia.

- robini* (*Elgonella*) PRESTON, 1914b, p. 797, pl. 2, figs. 10a-b : Rumruti, B. E. A.
- robusta* (*Ennea copiosa* PRESTON, 1913, var.) PRESTON, 1913d, p. 201 : Larogi Hills, B. E. A., 6000-7000ft.
- rodriguezensis* (*Nesopupa*) CONNOLLY, 1925b, p. 262, fig. 4 : Rodriguez I.
- rogersi* (*Dorcasia*) CONNOLLY, 1915, p. 164, pl. 3, figs. 2, 3, pl. 4, figs. 15, 23, pl. 5, fig. 7, textfigs. 1C-D (A.R.).
- rogersi* (*Hydrobia*) CONNOLLY, 1929a, p. 242, pl. 14, fig. 41, textfig. 8 (R) : Namaqualand, Stinkfontein (M. CONNOLLY, 1939, p. 582, textfigs. 47L, 48J (R) = *Tomichia*).
- rosenbergi* (*Clausilia slosarskii* LUB., var.) PRESTON, 1907h, p. 495, fig. 13 : Pozuzo, Peru, 800 m.
- rosenbergi* (*Helicella* (*Lejeania*)) PRESTON, 1910f, p. 165, textfig. : Harar, S. Abyssinia.
- rosenbergi* (*Thapsia*) PRESTON, 1909d, p. 181, pl. 7, fig. 6 : Bitze, near the River Ja, Cameroons.
- rosenbergi* (*Zingis*) PRESTON, 1909g, p. 498 : Pietersburg, N. Transvaal.
- rosenbergiana* (*Ammonoceras*) PRESTON, 1914g, p. 523 : Rio Pucaya, Eastern Peru.
- rosenbergiana* (*Ennea*) PRESTON, 1910d, p. 52, textfig. : 200 miles due east of Loanda, Angola (M. CONNOLLY, 1929, p. 165 = *Ptychotrema affectatum* (FULTON, 1902)).
- rosenbergianum* (*Choanopoma*) PRESTON, 1911c, p. 359, textfig. : Grand Cayman Island.
- rossinsulae* (*Eulima*) PRESTON, 1916a, p. 91, fig. 6 : off Ross Island, Andaman Is., 2-10 fms., on a bottom of sand, stones and coral.
- rotungensis* (*Paludomus*) PRESTON, 1915a, p. 539, figs. 3, 3a : Upper Rotung (type); Upper Rotung, 1300 ft., in a small stream.
- royana* (*Allenconcha*) PRESTON, 1913b, p. 525 : Duncombe Bay, Norfolk Island.
- Roybellia* PRESTON, 1913b, p. 526 (Typesp. : *Trochonanina platysoma* SYKES, 1900).
- rubra* (*Trachycystis*) CONNOLLY, 1925c, p. 469, pl. 28, fig. 7 : Cape Province, Oudebosch, Caledon Div.
- rubrobrunnea* (*Terebra*) PRESTON, 1908e, p. 189, pl. 17, fig. 64 : Andaman Islands.
- rubrotincta* (*Galatea*) PRESTON, 1909f, p. 90, pl. 4, fig. 9 : Congo Delta.
- rudicostata* (*Trachycystis*) CONNOLLY, 1922a, p. 117 (Fig. : M. CONNOLLY, 1925, p. 143, figs. 10, 11 (A.R.) : Dargle, Natal; Mt. Vengo, Macequene (M. CONNOLLY, 1939, p. 205 = *Trachycystis* (*Phaulocystis*)).
- rufocincta* (*Gudeëlla*) CONNOLLY, 1941a, p. 19, pl. 3, figs. 7-9, textfig. 1 (R) : Western Aden Protectorate, foot of Jebel Harir, 5000 ft., XI-1937 (type); Wadi Dareija, south-west of Dhala, 4600 ft., XI-1937; Yemen, Wadi Thabad, north side of Jebel Sabir, near Ta'izz, c. 5900 ft., XII-1937; Bait Baus, 5-6 miles south of San'a, c. 8000 ft., 28-I-1938; Jebel Girwan, near Ghaiman, 9 miles south-east of San'a, 8700 ft., 17-II-1938.



- rugosa* (*Cleopatra*) CONNOLLY, 1925d, p. 424 : Italian Somaliland, Aggherrar.
- rugosa* (*Trachycystis*) PRESTON, 1911d, p. 468, pl. 11, fig. 16 : Mount Kenia, 9000-10.000 ft., B. E. A.
- rumpiana* (*Gulella*) CONNOLLY, 1932a, p. 88, pl. 4, fig. 18 : Natal, Margate.
- rumrutiensis* (*Opeas*) PRESTON, 1911d, p. 474, pl. 12, fig. 32 : between Rumruti and Mount Kenia, B. E. A. (M. CONNOLLY, 1923a, p. 648 = *Pseudopeas*).
- rumrutiensis* (*Physa*) PRESTON, 1913c, p. 57 : between Rumruti and Mount Kenia, B. E. A.
- rumrutiensis* (*Thapsia*) PRESTON, 1911d, p. 466, pl. 11, fig. 9 : between Rumruti and Mount Kenia, B. E. A.; Rumriti, on the Laikipia Plateau.
- sagittula* (*Nothapalus*) CONNOLLY, 1930, p. 48, pl. 6, fig. 11 : Uganda, North Bugishu District, Mt. Elgon, 7000-9000 ft.
- salebrosus* (*Hipponyx*) PRESTON, 1908a, p. 8, textfig. : Gold Coast.
- salutationis* (*Gulella* (*Plicigulella*)) CONNOLLY, 1922b, p. 499, pl. 14, fig. 38 : Tanganyika, Dar-es-salaam.
- samalinsulae* (*Lyonsia*) PRESTON, 1914a, p. 310, figs. 16, 16a : off Samal Isd., Ganjam District, Madras, 8-15 ft. (type); between Barnakuda and Nalbano Isd., 10 ft.; Manikpatna, Orissa, 4 ft.
- sandersoni* (*Gulella*) CONNOLLY, 1942, p. 329, fig. 4 : S. Nigeria, Nko, Opubre District, under leaf mould.
- sarae* (*Mutela*) PRESTON, 1913c, p. 61, pl. 6, fig. 6 (erratum : p. 212) : Shiré River, near its outflow from Lake Nyassa.
- satparaënsis* (*Corbicula* (*Velorita*)) PRESTON, 1914a, p. 306, figs. 22, 22a : on shore at Satpara, Orissa (probably subfossil) (type); on shore near Rambha, Ganjam District, Madras.
- satparaënsis* (*Diplodonta*) PRESTON, 1915b, p. 302, figs. 14, 14a-b : channel between Satpara and Barhampur, 8-20 ft. (type); swamp inside bar N. of Barhampur Id.; channel off Satpara, 16-20 ft.; Kalidai Id.; between Mahosa and Satpara, 6 ft.; Satpara Bay; channel off Barhampur Id., 10-20 ft.; channel off Barhampur Id., 6-9 ft.; channel between Barnikuda and Satpara, 6 1/2 ft.; southwards from Mahosa, 5-9 ft.; Mahosa; Barhampur Id.
- satparaënsis* (*Meroë*) PRESTON, 1914a, p. 305, figs. 12, 12a : on shore at Satpara, Lake Chilka, Orissa (probably subfossil).
- satparaënsis* (*Solariella*) PRESTON, 1914a, p. 302, figs. 11, 11a-b : Satpara, Lake Chilka, Orissa, 4-6 ft., close in shore.
- saundersae* (*Curvella*) CONNOLLY, 1910, p. 270, p. 6, fig. 14 : Zululand, Eshowe.
- sawaddyensis* (*Lamellidens marginalis* (LAMARCK, 1819), var.) (NEVILL mss.) PRESTON, 1912d, p. 305 (Fig. : H. B. PRESTON, 1915e, p. 186, figs. 20<sup>1-2</sup>) : Sawaddy River (type); Bhamo, Sawaddy, Tengling Stream; Shuaygoornya, Upper Burma; Mandalay, Upper Burma.

- sbirfeensis* (*Gymnarium grandis* (BECK), subsp.) CONNOLLY, 1928c, p. 537 : Sierra Leone, Sbirfe (type); Kafogo.
- scabrosa* (*Limicolaria*) PRESTON, 1913e, p. 281, textfig. : between the Jombene Hills and Nyeri, B. E. A.
- scabrosus* (*Turbo foliaceus* PHIL., subsp.) PRESTON, 1914d, p. 15 : Montebello Islands, W. Australia.
- schwilpi* (*Limnea* (*Gulnaria*)) JONES & PRESTON, 1910c, p. 10, textfig. : Shi Tao, Shantung, N.E. China.
- scissidens* (*Gulella* (*Molarella*) *gwendolinae* (PRESTON, 1910), subsp.) CONNOLLY, 1922b, p. 501, pl. 14, fig. 27 : Tanganyika, Dar-es-salaam.
- scotti* (*Cerastus*) CONNOLLY, 1941a, p. 26, pl. 3, fig. 14, textfig. 7(R) : Western Aden Protectorate, Jebel Jihaf, 7100 ft., under a stone, IX-X-1937; Jebel Harir, 7500 ft., X-XI-1937.
- scotti* (*Streptostele*) CONNOLLY, 1941a, p. 18, pl. 3, fig. 1 : Western Aden Protectorate, Jebel Jihaf, c. 7700 ft., IX-X-1937.
- sculpturata* (*Rissoina*) PRESTON, 1908e, p. 198, pl. 14, fig. 5 : off Port Blair, Andaman Islands, 7-10 fms.
- sculpturata* (*Stomatia*) PRESTON, 1914d, p. 17, textfig. : Montebello Islands, W. Australia.
- selli* (*Bulimulus* (*Drymaeus*)) PRESTON, 1909e, p. 511, pl. 10, fig. 3 : British Guiana.
- selli* (*Clathurella*) PRESTON, 1908e, p. 193, pl. 15, fig. 29 : Andaman Islands, 7-10 fms.
- selli* (*Limnea*) PRESTON, 1907h, p. 496, fig. 15 : Bogota, United States of Colombia.
- semakhensis* (*Bithinia*) PRESTON, 1914, p. 469, pl. 27, fig. 3 : Wad-es-Semakh, edge of Lake Tiberias, from a small dirty pool.
- semiaratus* (*Melampus*) CONNOLLY, 1912a, p. 228, pl. 2, fig. 8 : Natal, Durban Bay; mouths of Umlaas and Umkomaas Rivers.
- semicornea* (*Acmaea*) PRESTON, 1908e, p. 203, pl. 16, fig. 46 : Andaman Islands.
- semicorrugata* (*Spatha*) PRESTON, 1909f, p. 90, pl. 4, fig. 7 : Lower Congo.
- semipellucida* (*Diala*) PRESTON, 1905, p. 4, pl. 1, fig. 16 : Ceylon.
- semiramisensis* (*Nucula*) PRESTON, 1916a, p. 93, figs. 9, 9a-b : Semiramis Bay, Andaman Is., 2-6 fms., in fine mud.
- serendibense* (*Cyathopoma* (*Jerdonia*)) PRESTON, 1903a, p. 340, fig. II : Lower Uda Pussellawa, Ceylon.
- serendibensis* (*Retusa*) PRESTON, 1905, p. 1, pl. 1, fig. 2 : Ceylon.
- sericea* (*Trachycystis*) CONNOLLY, 1922a, p. 116 (Fig. : M. CONNOLLY, 1925, p. 141, pl. 4, fig. 10) : District 16 miles north of Macequece, 4500 ft. (M. CONNOLLY, 1939, p. 200 = *Trachycystis* (*Phaulocystis*)).
- serina* (*Helicina*) PRESTON, 1914g, p. 527 : Contamano, Rio Ucayali, Eastern Peru.
- shackelfordi* (*Marginella*) PRESTON, 1915d, p. 312 (nom. nov. for *Marginella eburnea* PRESTON, 1906, non LAMARCK).

- shandae* (*Gulella*) CONNOLLY, 1930, p. 46, pl. 6, fig. 5 : Kenya, Cherangani.
- shantungensis* (*Limnaea*) JONES & PRESTON, 1904, p. 142, fig. 4 : Wei Hai Wei, Shantung, plentifully in a small rocky stream.
- shawii* (*Nassa*) PRESTON, 1909b, p. 137, pl. 22, fig. 16 : Ceylon.
- shilwaneensis* (*Trachycystis*) CONNOLLY, 1922, p. 73, pl. 2, figs. 3a-b : Mt. Manotsuri, 4000 ft.; Elim; Sibasa (M. CONNOLLY, 1939, p. 213 = *Trachycystis* (*Psichion*)).
- shimbiense* (*Curvella*) PRESTON, 1910b, p. 534, pl. 9, fig. 24 : Shimbi Hills, B. E. A.
- shimbiense* (*Martensia* ?) PRESTON, 1910b, p. 530, pl. 8, fig. 12 : Shimbi Hills, B. E. A.
- shimbiensis* (*Tayloria*) CONNOLLY, 1922b, p. 487 : Kenya, Shimbi Hills.
- shireensis* (*Unio*) PRESTON, 1910a, p. 61, pl. 4, fig. 11 : Shiré River, at a point from 3 to 4 kilometers to the south of Lake Nyassa.
- sibasana* (*Gulella*) CONNOLLY, 1922, p. 70, pl. 2, fig. 5 : Luvimbi, Sibasa; Pepiti Falls.
- Sierraia* CONNOLLY, 1929, p. 177 (Typesp. : *Sierraia leonensis* CONNOLLY, 1929).
- signata* (*Streptostele*) CONNOLLY, 1922b, p. 502, pl. 14, fig. 1 : Camerun, Bitze.
- sikesi* (*Drillia*) PRESTON, 1908e, p. 191, pl. 15, fig. 35 : Andaman Islands.
- sikesi* (*Limnaea pereger* MÜLLER, subsp.) PRESTON, 1914c, p. 12, textfig. : Rautharvatn, S.W. Iceland.
- sikesi* (*Petraeus*) PRESTON, 1907a, p. 94, textfig. : Palestine, near Jericho.
- siliguriensis* (*Unio*) PRESTON, 1908d, p. 47, fig. 7 : Siliguri, N. Bengal (H. B. PRESTON, 1912d, p. 293 = *Nodularia* (*Radiatula*) *lima* SIMPSON, 1900, var. *siliguriensis*).
- siliqua* (*Euonyma*) CONNOLLY, 1910, p. 262, pl. 6, fig. 10 : Natal, O. R. C., Junction Station.
- silongweensis* (*Unio*) PRESTON, 1912, p. 35 (nom. nov. for *Unio vicinus* PRESTON, 1910, non LEA, 1856).
- simplicima* (*Ennea*) PRESTON, 1911d, p. 466, pl. 11, fig. 8 : Mount Kenia, 9000-10.000 ft., B. E. A. (M. CONNOLLY, 1928a, p. 164 = *Gulella*).
- simplicissima* (*Succinea*) PRESTON, 1912b, p. 326, pl. 17, fig. 4 : Chanler Falls, Eusso Nyiro, B. E. A.
- simulans* (*Limnaea*) PRESTON, 1908d, p. 46, fig. 6 : Pharping, Nepal (H. B. PRESTON, 1915e, p. 114 = *Limnaea* (*Gulnaria*)).
- sinensis* (*Limnea* (*Gulnaria*)) JONES & PRESTON, 1910c, p. 11, textfig. : Shi Tao, Shantung Province, N.E. China.
- sinhila* (*Glessula*) PRESTON, 1909b, p. 135, pl. 22, fig. 14 : Ceylon.
- sinhila* (*Turbonilla*) PRESTON, 1905, p. 7, pl. 2, figs. 32, 32a : Kandakulli, Ceylon.
- sinuiliabiata* (*Streptostele*) CONNOLLY, 1922b, p. 505, pl. 14, fig. 15 : Uganda, Mt. Elgon.
- siva* (*Nassa* (*Phrontis*)) PRESTON, 1904a, p. 76, pl. 6, figs. 3, 4 : Ceylon.

- smithi* (*Anatina*) PRESTON, 1905, p. 8, pl. 2, fig. 38 : Ceylon.
- smithi* (*Avicula*) PRESTON, 1910g, p. 35, fig. 4 : off Gopalpur, Ganjam Coast, 24 fms.
- smithi* (*Biomphalaria*) PRESTON, 1910b, p. 535, pl. 9, figs. 26, 26a : Lake Albert Edward.
- smithi* (*Curvella nyasana* SMITH, 1899, var.) CONNOLLY, 1939, p. 360 : Lorenzo Marques, Mtisherra R. Valley; Dondo District; Zangwe Basin (= *Curvella nyasana* var. SMITH, 1899, p. 588; = *Curvella disparilis* CONNOLLY, 1925, p. 183, non SMITH).
- smithi* (*Limicolaria*) PRESTON, 1906b, p. 89, textfig. : Uganda district.
- snelli* (*Gudeella*) CONNOLLY, 1925b, p. 261, fig. 3 : Rodriguez I.
- sobaënsis* (*Nodularia (Caelatura)*) PRESTON, 1914h (in J. LONGSTAFF), p. 266, pl. 18, figs. 1-3 : Sôba, Blue Nile, S. Sudan.
- sobrina* (*Elgonella*) PRESTON, 1914b, p. 797, pl. 2, figs. 12a-b : Rumruti, B. E. A.
- sobrinus* (*Buliminus (Serinus)*) PRESTON, 1912f, p. 13, textfig. : Mountains of S.E. Kan-su, 2000-5000 ft.
- solida* (*Leptothyra*) PRESTON, 1908e, p. 200, pl. 16, fig. 44 : off Port Blair, Andaman Islands, 7-10 fms.
- solida* (*Martensia*) PRESTON, 1913c, p. 49, pl. 5, fig. 5 : between Mt. Kenia and Nyiro, B. E. A.
- solidula* (*Curvella*) PRESTON, 1912b, p. 325, pl. 17, fig. 12 : between Entebbe and Mbarara, S.W. Uganda.
- solidula* (*Photinula*) COOPER & PRESTON, 1910, p. 111, pl. 4, fig. 3 : Falkland Islands.
- solidus* (*Bulimulus (Drymaeus)*) PRESTON, 1907h, p. 494, fig. 9 : Bogota, United States of Colombia.
- solitudinum* (*Pseudoglossula (Pseudocerastus)*) CONNOLLY, 1923, p. 350, pl. 1, fig. 18 : Kenya, Taru Desert.
- somaliensis* (*Zonites*) CONNOLLY, 1931d, p. 324, pl. 11, figs. 9-11 : Mada-shon, Al Hills, 4000 ft.
- soror* (*Leucochiloides*) PRESTON, 1912e, p. 188, pl. 31, fig. 17 : Chanler Falls, Eusso Nyiro, B. E. A.
- soror* (*Nakuruella*) PRESTON, 1914b, p. 802, pl. 1, figs. 13a-c : Burunga, Mount Mikeno, Belgian Congo, 6000 ft.
- soror* (*Tellina*) PRESTON, 1916a, p. 97, figs. 15, 15a : Port Blair, Andaman Islands.
- soror* (*Tornatina*) PRESTON, 1914a, p. 303, figs. 8, 8a : Manikpatna, Lake Chilka, Orissa, 4 ft. (H. B. PRESTON, 1915b, p. 297 = *Tornatina estriata* PRESTON, 1914; 1916, p. 27 = *Retusa*).
- soror* (*Trachycystis*) CONNOLLY, 1922a, p. 118 (Fig. : M. CONNOLLY, 1925, p. 145, pl. 4, fig. 14, textfig. 12(A.R.)) : Mount Vengo, 5500 ft. (M. CONNOLLY, 1939, p. 207 = *Trachycystis (Phaulocystis)*).
- sororcula* (*Charopa*) PRESTON, 1913b, p. 533 : Mount Pitt, Norfolk Island.

- spatiosa* (*Africarion*) PRESTON, 1914b, p. 789, pl. 2, fig. 17 : Burunga, Mount Mikeno, Belgian Congo, 6000 ft. (M. CONNOLLY, 1928c, p. 535, fig. 3(R) = *Granularion spatiosus*).
- spatium* (*Ennea*) PRESTON, 1913d, p. 214, pl. 35, figs. 12, 12a : Larogi Hills, B. E. A., 6000-7000 ft.
- sperabile* (*Ennea*) PRESTON, 1910b, p. 528, pl. 7, fig. 6 : Shimbi Hills, B. E. A.
- sperabilis* (*Planorbis*) PRESTON, 1912e, p. 190, pl. 32, figs. 4, 4a-b : Gazi, B. E. A.
- spissisculpta* (*Trachycystis*) CONNOLLY, 1932b, p. 100, pl. 5, figs. 11a-c : Natal, Van Reenen.
- stalkerii* (*Melania*) PRESTON, 1911a, p. 228 : Goram Island, Malay Archipelago.
- standeri* (*Euonyma*) CONNOLLY, 1910, p. 264, pl. 6, fig. 9 : Transvaal, Stander's Kop.
- stanleyense* (*Cyamium*) PRESTON, 1913, p. 222, pl. 4, fig. 11 : Port Stanley, Falkland Islands.
- stefaninii* (*Achatina*) CONNOLLY, 1925d, p. 424 : Italian Somaliland, hills between Sahauen and Bibahal.
- stenoterum* (*Pseudopeas*) CONNOLLY, 1923a, p. 646, pl. 19, fig. 48 : Kenya, between the Igembi Hills and Nyeri.
- stewarti* (*Pisidium*) PRESTON, 1909a, p. 116, fig. 3 : High Hill Gompa, Gyantse valley, in a small hill stream, among moss and stones, 14,500 ft.
- suavis* (*Columbella*) PRESTON, 1908e, p. 195, pl. 15, fig. 30 : Andaman Islands.
- suavissima* (*Ennea*) PRESTON, 1913d, p. 215, pl. 35, fig. 13 : Mt. Nyiro, to the south of Lake Rudolph, 8300 ft.
- suavissima* (*Pyramidella* (*Actaeopyramis*)) PRESTON, 1905, p. 7, pl. 2, fig. 30 : Kandakulli, Ceylon.
- suavissimum* (*Opeas* (*Nothapalinus*)) CONNOLLY, 1923a, p. 655, pl. 19, figs. 32, 33 : Kenya, Nairobi (type); Mt. Marsabit; Gazi.
- subantarctica* (*Natica*) PRESTON, 1913, p. 219, pl. 4, fig. 2 : Falkland Islands.
- subantartica* (*Saxicava*) PRESTON, 1913, p. 223, pl. 4, fig. 12 : Falkland Islands.
- subcornea* (*Helicarion*) PRESTON, 1909g, p. 498, textfig. : Natal (M. CONNOLLY, 1939, p. 133 = *Sheldonia* (*Kerkophorus*)).
- subcylindrica* (*Achatina*) PRESTON, 1909d, p. 182, pl. 7, fig. 8 : Natal.
- subflava* (*Marginella*) PRESTON, 1906, p. 35, textfig. : Ceylon (?).
- subframesi* (*Gulella*) CONNOLLY, 1929a, p. 222, pl. 14, fig. 4 : Zululand, Mfongosi.
- subkraussi* (*Gulella*) CONNOLLY, 1932a, p. 87, p. 4, fig. 12 : Natal, Vryheid.
- sublamellatus* (*Lamellidens marginalis* (LAMARCK, 1819), var.) (NEVILL mss.) PRESTON, 1912d, p. 305 (Fig. : H. B. PRESTON, 1915e, p. 182, figs. 19<sup>1-3</sup> = var. *sublamellata*) : Burma.



- subnigra* (*Unio* (*Nodularia*)) PRESTON, 1909f, p. 89, pl. 4, fig. 5 : Lower Belgian Congo (non *Unio subniger* LEA, 1857) (H. B. PRESTON, 1912a, p. 71 = *Unio* (*Nodularia*) *putzeysi* PRESTON, 1912).
- subpinguis* (*Trachycystis*) CONNOLLY, 1922, p. 74, pl. 2, figs. 2a-b : Natal, Pietermaritzburg; Transvaal, Mt. Manotsuri (has been mistaken for the *Helix pinguis* of KRAUSS, 1848).
- suburbana* (*Pyramidella* (*Oscilla*)) PRESTON, 1905, p. 6, pl. 2, fig. 26 : Kalpetti, a suburb of Colombo, Ceylon.
- sudanica* (*Streptaxis*) PRESTON, 1914h (in J. LONGSTAFF), p. 265, pl. 18, figs. 15, 16 : Sheik Tombê, S. Sudan.
- sumarana* (*Clausilia*) CONNOLLY, 1941a, p. 23, pl. 3, fig. 3, textfig. 6(R) : Yemen, highest point of pass over Jebel Sumara, between Ibb and Yarim, 9750 ft., 3-I-1938.
- suradensis* (*Streptostele*) CONNOLLY, 1931d, p. 323, pl. 11, fig. 12 : Surad Mountain, Erigavo District, 10°45'N-47°15'E, 2200 m, in open Juniper-forest under aloe plants etc., on limestone soil.
- suturalis* (*Kenia*) PRESTON, 1911d, p. 473, pl. 12, fig. 28 : Mount Kenia, 9000-10.000 ft.
- suturalis* (*Trochozonites*) PRESTON, 1914b, p. 805, pl. 2, fig. 24 : Urguess, B. E. A. (non D'Ailly, 1896) (M. CONNOLLY, 1925c, p. 549 = *Trochozonites* (*Zonitrochus*) *prestoni* CONNOLLY, 1925). (the subgenus is *Zonitotrochus* PILSBRY, 1919).
- swaziensis* (*Gulella*) CONNOLLY, 1932a, p. 89, pl. 4, fig. 15 : Swaziland. Bremensdorp.
- sykesi* (*Murex* (*Ocinebra*)) PRESTON, 1904a, p. 76, pl. 6, figs. 7, 8 : Ceylon.
- sykesi* (*Pyramidella* (*Actaeopyramis*)) PRESTON, 1905, p. 7, pl. 2, fig. 29 : Ceylon.
- sylhetica* (*Corbicula*) PRESTON, 1908d, p. 47, fig. 8 : Phenchooganj, Sylhet, Assam.
- syngenes* (*Bithinella*) PRESTON, 1914, p. 469, pl. 27, fig. 7 : Ain-et-Tineh, Lake of Tiberias, from a small pool.
- syngenes* (*Cylichnella*) PRESTON, 1916a, p. 92, figs. 8, 8a : Port Blair : Andaman Is.
- syngenes* (*Ennea*) PRESTON, 1913d, p. 216 (nom. nov. for *Ennea conso-brina* PRESTON, 1911, non ANCEY, 1892).
- syngenes* (*Helicina*) PRESTON, 1914g, p. 526 : Rio Pucaya, Eastern Peru, 250 ft.
- syngenes* (*Physa*) PRESTON, 1913c, p. 56, pl. 5, fig. 10 : Lake Naivasha, B. E. A. (M. CONNOLLY, 1931b, p. 77 = *Bulinus*).
- tapeinum* (*Opeas*) CONNOLLY, 1923a, p. 650, pl. 19, fig. 11 : Kenya, Rum-ruti (type); Igembi Hills.
- taprobanensis* (*Leptopoma*) PRESTON, 1909b, p. 137, pl. 22, fig. 4 : Ceylon.
- taprobanensis* (*Mactra*) PRESTON, 1904a, p. 78, pl. 7, fig. 9 : Ceylon.
- taprobanensis* (*Modiola*) PRESTON, 1915f, p. 84, textfig. : Ceylon.



- tarachodes* (*Natalina*) CONNOLLY, 1912a, p. 96, pl. 2, fig. 4 : Cape Peninsula (M. CONNOLLY, 1939, p. 102 = *Nata*; the species is the typespecies of *Nata* WATSON, 1934).
- taruensis* (*Subulina*) CONNOLLY, 1923, p. 358, pl. 1, fig. 16 : Kenya, Taru Desert; Uganda, between Mbarara and Kigezi.
- tenebrosa* (*Africarion*) PRESTON, 1914b, p. 789, pl. 2, fig. 19 : Burunga, Mount Mikeno, Belgian Congo, 6000 ft.
- tenuis* (*Pseudopeas*) CONNOLLY, 1923a, p. 642, pl. 19, fig. 5 : Natal, Krantzkop (type); Zululand, Eshowe.
- tenuilirata* (*Gibbula*) PRESTON, 1909i, p. 378 : North Queensland.
- tenuistriata* (*Tornatina*) PRESTON, 1905, p. 1, pl. 1, figs. 1, 1a : Ceylon.
- terebra* (*Opeas*) PRESTON, 1911d, p. 474, pl. 12, fig. 31 : between Rumruti and Mount Kenia, B. E. A. (M. CONNOLLY, 1922b, p. 501 = *Streptostele*).
- terebraeformis* (*Euonyma*) CONNOLLY, 1923a, p. 634, pl. 19, fig. 37 : Cape Province, Port St. John's.
- testudo* (*Fanulum*) PRESTON, 1913b, p. 527 : Mount Pitt, Norfolk Island.
- theobaldi* (*Nodularia*) (NEVILL mss.) PRESTON, 1912d, p. 292 (Fig. : H. B. PRESTON, 1915e, p. 144, fig. 8<sup>1-3</sup>) : Manipur, Assam.
- thomasi* (*Opeas*) CONNOLLY, 1923a, p. 653, pl. 19, fig. 3 : Belgian Congo, Mukanda, near L. Kivu (type); Uganda, between Mbarara and Kigezi.
- thompsonae* (*Pseudopeas*) CONNOLLY, 1928c, p. 545, pl. 18, fig. 12 : Sierra Leone, Jiana (type); Panguma.
- thompsonae* (*Ptychotrema*) CONNOLLY, 1928c, p. 532, pl. 18, fig. 1 : Sierra Leone, Langranna (type); Panguma.
- tiara* (*Callistoplepa*) PRESTON, 1909d, p. 183, pl. 7, fig. 9 : Bitze, near the River Ja, Cameroons.
- tiberiadensis* (*Physa*) PRESTON, 1914, p. 466, pl. 27, fig. 2 : mouth of River Jordan, N. end of Lake Tiberias, among algae.
- tiesenhausenii* (*Donax*) PRESTON, 1908e, p. 208, pl. 16, fig. 56 : Andaman Islands.
- tigrinum* (*Potadoma*) CONNOLLY, 1938, p. 8, textfig. : French Congo, Indo Sibiti.
- tigris* (*Austenia*) PRESTON, 1914e, p. 19, textfig. : Naga Hills, Assam.
- titania* (*Gulella*) CONNOLLY, 1928c, p. 534, pl. 18, fig. 4 : Sierra Leone, Langranna.
- tomi* (*Greenwoodoconcha*) PRESTON, 1913b, p. 525 : Mount Pitt, Norfolk Island.
- tomlini* (*Cerithium*) PRESTON, 1905, p. 3, pl. 1, figs. 11, 11a : Ceylon.
- tomlini* (*Ennea*) PRESTON, 1911f, p. 219, pl. 11, fig. 4 : Naivasha, B. E. A.
- tomlini* (*Orcula*) CONNOLLY, 1931c, p. 305, pl. 10, fig. 1 : Tripoli, Cyrenaica, N. of Merj.
- topazon* (*Euonyma*) CONNOLLY, 1923a, p. 637, pl. 19, fig. 20 : Kenya, Urguess.
- toroense* (*Opeas*) CONNOLLY, 1923a, p. 654, pl. 19, fig. 38 : Uganda, near Fort Portal; between Mbarara and Kigezi.

- totipunctata* (*Aillya*) CONNOLLY, 1929, p. 174, pl. 5, fig. 4 : Camerun, Bitze.
- tracheia* (*Achatina*) CONNOLLY, 1929a, p. 233, pl. 14, fig. 26 : Kaoko Veld, S.W. Africa, Kaoko Otavi.
- transenna* (*Pseudoglessula* (*Pseudocerastus*)) CONNOLLY, 1923, p. 349, pl. 1, fig. 17, textfig. 3 : Kenya, forests N. of Mt. Kenya.
- translucens* (*Theora*) PRESTON, 1916, p. 39, figs. 16, 16a : Ennur back-water, Madras.
- translucida* (*Scintilla*) PRESTON, 1908e, p. 206, pl. 17, fig. 69 : Andaman Islands.
- transnominata* (*Gulella*) CONNOLLY, 1925b, p. 266 (nom. nov. for *Ennea vitrea* MORELET, 1885, non *Ennea vitrea* MORELET, 1868; the latter is a *Marconia*) : Comoro.
- travancorica* (*Acmaea*) PRESTON, 1911e, p. 39, fig. 1 : Vurkalay, Travancore Coast, on rock between tide marks.
- tribeniensis* (*Corbicula*) PRESTON, 1911e, p. 40, fig. 3 : Tribeni, near Calcutta, on the edge of the river.
- tribulationis* (*Buliminus* ?) PRESTON, 1910b, p. 532, pl. 8, fig. 19 : Shimbi Hills B. E. A.
- tribulationis* (*Gudeëlla*) PRESTON, 1914b, p. 795, pl. 3, fig. 4 : Mount Elgon, S.W. Uganda.
- tribulationis* (*Subulina*) PRESTON, 1911f, p. 220, pl. 11, fig. 2 : Naivasha, B. E. A.
- tricolor* (*Gudeëlla*) CONNOLLY, 1925c, p. 458, pl. 28 fig. 3 : Camerun, Bitze.
- tridens* (*Gulella*) CONNOLLY, 1939, p. 59, pl. 1, fig. 13 : Zululand, Mfongosi District.
- trifimbriatus* (*Chondrocyclus*) CONNOLLY, 1929a, p. 241, pl. 14, figs. 35-39, textfig. 7(R) : Natal, bush below Karkloof.
- trigona* (*Stenothyra*) PRESTON, 1915b, p. 293, fig. 3 : Lake Chilka, opposite Barkul bungalow (type); Rambha Bay, among weeds; Serua Nadi, 5-9 ft.; 1 mile N.E. by E. of Chiriya Id., 5 1/2-6 3/4 ft.; Nalbano and channel S.E. of Nalbano, 4-8 ft.
- trigonalis* (*Donax*) PRESTON, 1908e, p. 208, pl. 16, fig. 57 : Andaman Islands.
- tripodium* (*Gulella*) CONNOLLY, 1939, p. 75, pl. 1, fig. 11 : Cape Province, East London (type); Makwa Falls, Pondoland.
- tristanensis* (*Marinula*) CONNOLLY, 1915, p. 108, figs. 1-3(A.R.) : Inaccessible Island, Tristan d'Acunha (type); Gough Island; S. Africa; Camps Bay; Dassen Island.
- tristaoensis* (*Gulella*) CONNOLLY, 1922a, p. 115 (Fig. : M. CONNOLLY, 1925, p. 118, pl. 4, fig. 6, textfig. 3(R)) : District north of Macequece.
- tristis* (*Nassa*) PRESTON, 1908e, p. 194, pl. 14, fig. 9 : Andaman Islands.
- trochiformis* (*Papuina*) PRESTON, 1902, p. 18, fig. II : Mafor Island, coast of Dutch New Guinea.

- tumida* (*Lucina* (*Codakia*)) PRESTON, 1906c, p. 73, fig. 7 : Island of Luzon.
- tumida* (*Nothapalus iredalei* (PRESTON, 1911), forma) CONNOLLY, 1923, p. 354, pl. 1, fig. 21 : Kekumega.
- turbinata* (*Acmella* (*Solenomphala*)) PRESTON, 1907g, p. 220, fig. 9 : New Caledonia.
- turricula* (*Rachis*) PRESTON, 1911d, p. 469, pl. 11, fig. 19 : between Rum-ruti and Mount Kenia, B. E. A.
- turriiformis* (*Turbo foliaceus* PHILIPPI, subsp.) PRESTON, 1914d, p. 16, textfig. : Montebello Islands, W. Australia.
- turtoni* (*Ancylus*) CONNOLLY, 1939, p. 533, pl. 16, figs. 16-18 : Cape Province, Port Alfred.
- turtoni* (*Subulina*) CONNOLLY, 1923, p. 358, pl. 1, fig. 24 : S. Rhodesia, Khami; Bulawayo; Lusanyama District.
- ugandae* (? *Buliminus*) PRESTON, 1912b, p. 323, pl. 17, fig. 13 (non v. MARTENS, 1895) : between Entebbe and Mbarara, S.W. Uganda (M. CONNOLLY, 1925c, p. 477 = *Conulinus prestoni* CONNOLLY, 1925; under *Conulinus ugandae* (v. MARTENS, 1895), M. CONNOLLY, 1925c, p. 478, states : « also collected by Percival at Urguess, whence it was distributed by PRESTON before the war, bearing as a manuscript name the Latin word for « brother »).
- ugandanus* (*Nothapalus*) CONNOLLY, 1923, p. 354, pl. 1, fig. 26 : Uganda, Kigezi, 6000 ft.; Ingezi, Mfumburu Mountains; Belgian Congo, Buhamba; Burunga, Mt. Mikeno.
- umbrosolabiata* (*Helicarion*) PRESTON, 1909d, p. 181, pl. 7, figs. 4, 5 : Bitze, near the River Ja, Cameroons.
- undulatum* (*Pseudopeas*) CONNOLLY, 1923a, p. 643 : Camerun, Bitze.
- unguis* (*Tellina*) PRESTON, 1916a, p. 98, fig. 16 : Bamboo Flat Bay, Andaman Is., 1-4 fms., on a bottom of muddy sand.
- unicolor* (*Terebra*) PRESTON, 1908e, p. 190, pl. 17, fig. 65 : Andaman Islands.
- unicornis* (*Euonyma*) CONNOLLY, 1910, p. 265, pl. 6, fig. 3 : Transvaal, Schanz Kop, Pretoria; Potchefstroom, Cape Colony, Cradock.
- unidentata* (*Streptostele* (*Raffraya*)) CONNOLLY, 1922b, p. 513, pl. 14, fig. 42 : N. Rhodesia, north bank of R. Zambesi, Victoria Falls.
- unilamellaris* (*Afrodonta*) CONNOLLY, 1933, p. 146, pl. 7, figs. 2-4, textfig. 1<sup>6</sup> : Zululand, Mfongosi.
- Urguessella* PRESTON, 1914b, p. 803, (Typesp. : *Urguessella urguessensis* PRESTON, 1914).
- urguessensis* (*Gudeëlla*) PRESTON, 1914b, p. 790, pl. 3, fig. 17 : Urguess, B. E. A.
- urguessensis* (*Sitala*) CONNOLLY, 1925c, p. 468, pl. 28, fig. 6 : Kenya, Urguess.
- urguessensis* (*Streptaxis*) PRESTON, 1913d, p. 195, pl. 32, figs. 3, 3a : Urguess, B. E. A. (M. CONNOLLY, 1922b, p. 487 = *Tayloria*).

- urguessensis* (*Streptostele*) CONNOLLY, 1922b, p. 502, pl. 14, fig. 2 : Kenya, Urguess.
- urguessensis* (*Subuliniscus*) CONNOLLY, 1923, p. 361, pl. 1, fig. 11 : Kenya, Urguess.
- urguessensis* (*Urguessella*) PRESTON, 1914b, p. 803, pl. 3, figs. 25, 25a-b : Urguess, B. E. A.
- uruguayensis* (*Planorbis*) PRESTON, 1912h, p. 107, textfig. : Monte Video, Uruguay.
- usitata* (*Gudeëlla*) PRESTON, 1914b, p. 791, pl. 3, fig. 2 : between Masaka and Entebbe, S.W. Uganda.
- uvaense* (*Cyathopoma*) PRESTON, 1909b, p. 139, pl. 22, fig. 10 : Bandara-wella, Province of Uva, Ceylon.
- vadorum* (*Tellina*) PRESTON, 1916a, p. 98, figs. 17, 17a : Bamboo Flat Bay, Andaman Islands, 1-4 fms., on a bottom of muddy sand.
- valenciae* (*Paludestrina*) PRESTON, 1909e, p. 513, pl. 10, fig. 16 : Lake Valencia, N. Venezuela.
- validior* (*Streptostele*) CONNOLLY, 1922b, p. 505, pl. 14, fig. 11 : Uganda, Mt. Elgon.
- varia* (*Euonyma*) CONNOLLY, 1910, p. 263, pl. 6, figs. 5-7 : Transvaal, Pienaars Poort; Pretoria District; Potchefstroom; Zoutpansberg.
- varicosum* (*Dolium*) PRESTON, 1910g, p. 34, fig. 3 : Balasore Bay, Orissa Coast.
- variegata* (*Tinostoma*) PRESTON, 1914a, p. 302, figs. 6, 6a-b : Manikpatna, Lake Chilka, 4 ft.
- variopunctata* (*Vitrina*) CONNOLLY, 1931c, p. 313, pl. 11, figs. 1-3, textfig. 1(R) : Uganda, North Bugishu District, Mt. Elgon, 7000-9000 ft.
- velaini* (*Marinula*) CONNOLLY, 1915, p. 113 : St. Paul's and Amsterdam Islands (nom. nov. for *Marinula nigra* PHIL. var. *minor* VELAIN, 1877).
- velutinus* (*Homorus*) CONNOLLY, 1931c, p. 316, pl. 11, figs. 6, 7, textfigs. 2, 3(R) : Uganda, North Bugishu District, Mt. Elgon, 7000-9000 ft.
- venatoris* (*Larogiella*) PRESTON, 1914b, p. 800, pl. 1, figs. 22, 22b-c : Larogi Hills, B. E. A., 6000-7000 ft.
- venatorum* (*Trachycystis*) CONNOLLY, 1932b, p. 99, pl. 5, figs. 7a-c : Natal, Game Pass (type); Inhluzani; Belle Vue.
- venezuelensis* (*Glandina*) PRESTON, 1909e, p. 508, pl. 10, fig. 10 : Merida, Venezuela.
- venezuelensis* (*Solaropsis*) PRESTON, 1909e, p. 508, pl. 10, fig. 12 : Merida, Venezuela.
- vengoense* (*Opeas*) CONNOLLY, 1922a, p. 120 (Fig. : M. CONNOLLY, 1925, p. 185, pl. 4, fig. 26) : Mount Vengo, 5500 ft.
- vengoensis* (*Gonaxis* (*Eustreptaxis*)) CONNOLLY, 1922a, p. 114 (Fig. : M. CONNOLLY, 1925, p. 115, pl. 4, fig. 2, textfig. 2(R)) : District 15 miles north of Macequeue.
- vengoensis* (*Nesopupa* (*Afripupa*)) CONNOLLY, 1925, p. 165, pl. 4, fig. 23 : L. Marques, Mount Vengo, 5500 ft.

- vengoensis* (*Trachycystis*) CONNOLLY, 1922a, p. 118 (Fig. : M. CONNOLLY, 1925, p. 148, pl. 4, fig. 16, textfig. 14(R)) : Mount Vengo, 5500 ft.
- ventricosa* (*Zebrinops*) CONNOLLY, 1941a, p. 29, pl. 3, fig. 15, textfig. 8(R) : Western Aden Protectorate, Dhala, c. 4800 ft. (type); Jebel Jihaf, c. 6100 ft., IX-X-1937.
- ventricosus* (*Bulimulus* (*Drymaeus*)) PRESTON, 1907h, p. 495, fig. 10 : Bogota, United States of Colombia.
- vernhouti* (*Gudeëlla*) PRESTON, 1913f, p. 285, textfig. : Urguess, B. E. A.
- vexillum* (*Bithinella*) PRESTON, 1914, p. 470, pl. 27, fig. 4 : Octagonal pool at et-Tabghah.
- vexillum* (*Mathewsoconcha*) PRESTON, 1913b, p. 529 : Limestone Quarry, Norfolk Island (subfossil).
- viator* (*Tellina*) PRESTON, 1915f, p. 84, textfig. : Noumea, New Caledonia.
- viatoris* (*Ennea*) PRESTON, 1913d, p. 216, pl. 35, figs. 14, 14a : Mt. Nyiro, to the south of Lake Rudolph, 8300 ft.
- viatoris* (*Halolimnohelix*) CONNOLLY, 1925c, p. 474, pl. 28, fig. 15 : Uganda, between Mbarara and Kigezi.
- vicina* (*Charopa*) PRESTON, 1907g, p. 219, fig. 5 : New Caledonia.
- vicina* (*Opeas*) PRESTON, 1911d, p. 475, pl. 12, fig. 34 : between Rumruti and Mount Kenia, B. E. A. (M. CONNOLLY, 1922b, p. 501 = *Streptostele*).
- vicina* (*Subulina*) (*Itiopiana*) PRESTON, 1910f, p. 169, textfig. : Harar, S. Abyssinia.
- vicinus* (*Bulimulus* (*Drymaeus*)) PRESTON, 1907h, p. 495, fig. 11 : Bogota, United States of Colombia.
- vicinus* (*Rachis*) PRESTON, 1910b, p. 532, pl. 8, fig. 17 : Shimbi Hills, B. E. A.
- vicinus* (*Unio*) PRESTON, 1910a, p. 60, pl. 4, fig. 7 : Silongwe, B. C. A. (non LEA, 1856) (H. B. PRESTON, 1912, p. 35 = *Unio silongweensis* PRESTON, 1912).
- victoriae* (*Kaliella*) PRESTON, 1912j, p. 70, fig. 2 : Victoria Falls.
- victoriae* (*Pseudopeas*) CONNOLLY, 1919, p. 218, fig. 3 : Rhodesia, Victoria Falls.
- violaceus* (*Pachychilus*) PRESTON, 1911b, p. 229 : Cuba, 2300 ft.
- virginea* (*Limnaea*) PRESTON, 1914, p. 466, pl. 27, fig. 1 : Semakh to exit of the River Jordan (type); Wad-es Semakh.
- virginea* (*Rachis*) PRESTON, 1911d, p. 469, pl. 11, fig. 18 : Mount Kenia, 6000-8000 ft., B. E. A.
- virgo* (*Subulina*) PRESTON, 1911f, p. 220, pl. 11, fig. 7 : Naivasha, B. E. A.
- viridula* (*Subulina*) CONNOLLY, 1923, p. 359, pl. 1, fig. 25 : Uganda, Kigezi, 6000 ft.; Belgian Congo, Mukanda, near Lake Kivu.
- viridula* (*Trachycystis* (*Chalcocystis*)) CONNOLLY, 1939, p. 195, pl. 6, figs. 14-16 : Cape Province, Seven Weeks Poort, Zwartberg Mts., Ladismith, 7000 ft.
- vitreus* (*Ostodes*) PRESTON, 1907g, p. 220, fig. 8 : New Caledonia.

- vixumbilicata* (*Atyis*) PRESTON, 1908e, p. 188, pl. 16, fig. 53 : off Port Blair, Andaman Islands, 7-10 fms.
- voiensis* (*Martensia*) PRESTON, 1913c, p. 49, pl. 5, fig. 3 : Voi, B. E. A.
- wardi* (*Buliminus*) PRESTON, 1912f, p. 13, textfig. : Mountains of S.E. Kan-su, 2000-5000 ft.
- wardi* (*Eulota* (*Plectotropis*)) PRESTON, 1912f, p. 11, textfig. : Limestone region, S.E. Kan-su, 3000 ft.
- warnefordiae* (*Rissoina*) PRESTON, 1908e, p. 199, pl. 14, fig. 6 : off Port Blair, Andaman Islands, 7-10 fms.
- warnefordiae* (*Alaba*) PRESTON, 1908e, p. 197, pl. 16, fig. 49 : Andaman Islands.
- warnefordiana* (*Mitra*) PRESTON, 1908e, p. 193, pl. 17, fig. 67 : Andaman Islands.
- warreni* (*Sheldonia* (*Kerkophorus*)) CONNOLLY, 1939, p. 148, pl. 5, figs. 10, 11 : Natal, Port Shepstone.
- watsoni* (*Trachycystis* (*Chilocystis*)) CONNOLLY, 1939, p. 246, pl. 7, fig. 11 : Natal, Krantz Kop (type); Zimbaba.
- whartoni* (*Limnaea*) JONES & PRESTON, 1904, p. 142, fig. 1 : Liu Shi Tao, north-east promontory of Shantung.
- Wilhelminaia* PRESTON, 1913a, p. 434, (Typesp. : *Wilhelminaia mathildae* PRESTON, 1913).
- wilmeriana* (*Gyrineum*) PRESTON, 1908e, p. 195, pl. 15, fig. 37 : Andaman Islands.
- winifredae* (*Microcystis*) PRESTON, 1909b, p. 135, pl. 22, fig. 7 : Uda Pussellawa, Ceylon.
- woodhousei* (*Curvella elgonensis* CONNOLLY, 1923, var.) CONNOLLY, 1923a, p. 640, pl. 19, fig. 15 : Uganda, Mt. Elgon.
- woodhousei* (*Ennea*) PRESTON, 1913d, p. 199, pl. 35, figs. 15, 15a : Mt. Elgon, Uganda (M. CONNOLLY, 1922b, p. 500 = *Gulella*).
- woodhousei* (*Gudeëlla*) PRESTON, 1914b, p. 792, pl. 3, fig. 13 : Mount Elgon, Uganda.
- woodhousei* (*Homorus*) CONNOLLY, 1923, p. 352, pl. 1, fig. 9 : Uganda, Mt. Elgon.
- woodhousei* (*Opeas*) CONNOLLY, 1923a, p. 652, pl. 19, fig. 2 : Uganda, Mt. Elgon.
- woodhousei* (*Streptaxis*) PRESTON, 1913d, p. 194, pl. 32, fig. 5 : Mt. Elgon, Uganda.
- wouramboulchiensis* (*Lauria*) CONNOLLY, 1928a, p. 168, pl. 1, fig. 6 : Serpent Lake, Wouramboulchi.
- zambesiensis* (*Unio*) PRESTON, 1905d, p. 301, fig. 1 : just above Victoria Falls, Zambesi River.
- zariaënsis* (*Ennea* (*Paucidentata*) *monodon* MORELET, subsp.) PRESTON, 1916c, p. 260 : Idah,  $\pm$  1300 ft., Zaria Province, Northern Nigeria (according to H. A. PILSBRY, 1919, p. 223, « *Paucidentata* » is pre-



- sumably an error for « *Paucidentina* ») (M. CONNOLLY, 1922b, p. 498 = *Gulella*).
- zayleymanensis* (*Trapezoideus foliaceus* (GOULD, 1843), var.) (NEVILL mss.) PRESTON, 1912d, p. 307 : Bhamo (type); Zayleyman.
- zebra* (*Homorus*) CONNOLLY, 1923, p. 353, pl. 1, fig. 3 : Kenya, Kekumega.
- zebra* (*Modiola*) PRESTON, 1908e, p. 204, pl. 14, fig. 17 : Andaman Islands.
- ziczac* (*Gena*) PRESTON, 1905, p. 8, pl. 2, figs. 34a-d : Ceylon.
- zonata* (*Halolimnolix iredalei* CONNOLLY, 1925, var.) CONNOLLY, 1925c, p. 474 : Kenya, Rumruti; Cherangani Hills.
- zuluensis* (*Achatina*) CONNOLLY, 1939, p. 308, pl. 10, fig. 2 : Zululand, Kosi Bay (type); Maputa.
- zuluensis* (*Gulella*) CONNOLLY, 1932a, p. 81, pl. 4, fig. 13 : Zululand, Sinkwazi (type); St. Lucia and False Bay.

## BIBLIOGRAPHY OF M. CONNOLLY

1910. *A survey of the South-African Stenogyrrinae, with descriptions of several new species.* (Ann. Mag. Nat. Hist., ser. 8, 6, pp. 249-272, pl. VI.)
1912. *Note on the existence of two editions of FÉRUSSAC's Tableaux Systématiques.* (Proc. malac. Soc. Lond., 10, p. 53.)
- 1912a. *A revised reference list of South African non-marine Mollusca; with descriptions of new species in the South African Museum.* (Ann. S. Afr. Mus., 11, pp. 59-306, pl. II, textfigs.)
1915. *Notes on South African Mollusca. I. — Some South African Tiarinae. II. — The genus Marinula (including G. C. Robson : On the anatomy of Marinula tristanensis). III. — A monograph of the Dorcasinae. — Appendix : Undetermined varieties.* (Ann. S. Afr. Mus., 13, pp. 99-178, pls. II-V, textfigs.)
1916. *Notes on South African non-marine Mollusca (continued). IV. A hitherto unnamed variety of Dorcasia alexandri Gray. — V. On the introduced land-Molluscan fauna of South Africa.* (Ibid., 13, pp. 179-190.)
1919. *Description of four new South African land-shells, belonging to the subfamily Stenogyrrinae.* (Rec. Albany Mus., 3, pp. 216-219, textfigs.)
- 1919a. *On Opeas strigile (M. & P.) and its allies.* (Proc. malac. Soc. Lond., 13, pp. 142-144, textfigs.)
1922. *On a small collection of Mollusca from the northern Transvaal.* (Ibid., 15, pp. 70-77.)
- 1922a. *Diagnoses of new species of non-marine Mollusca from Portuguese South-East Africa.* (Ann. Mag. Nat. Hist., ser. 9, 10, pp. 113-122.)
- 1922b. *Notes on African non-marine Mollusca, with descriptions of many new species.* (Ibid., ser. 9, 10, pp. 485-517, pl. XIV.)
1923. *Notes on African non-marine Mollusca, with descriptions of many new species (Cont.).* (Ibid., ser. 9, 11, pp. 345-362, pl. I.)
- 1923a. *Notes on African non-marine Mollusca, with descriptions of many new species (Cont.).* (Ibid., ser. 9, 12, pp. 633-659, pl. XIX.)
1925. *The non-marine Mollusca of Portuguese East Africa.* (Trans. R. Soc. S. Afr., 12, pp. 105-220, pls. IV-VIII.)
- 1925a. *New and little known South African Naiades.* (Rec. Albany Mus., 3, pp. 261-267, pls. XI-XII.)
- 1925b. *Notes on a collection of non-marine Mollusca from the islands of the Indian Ocean.* (J. Conch., 17, pp. 257-266, textfigs.)
- 1925c. *Notes on African non-marine Mollusca, with descriptions of many new species (Cont.).* (Ann. Mag. Nat. Hist., ser. 9, 15, pp. 457-479, pl. XXVIII, textfigs.)
- 1925d. *Diagnoses of new species of non-marine Mollusca from Italian Somaliland.* (Ibid., ser. 9, 16, pp. 423-425.)

1927. *Report on a small collection of Mollusca, made by Dr. G. D. Hale Carpenter, at Nagichot, Didinga District, S.E. Sudan. With appendix: On Trichotoxon roccatii, by H. Watson.* (Proc. malac. Soc. Lond., 17, pp. 170-174, textfigs.)
- 1927a. *Report on a small collection of fossil freshwater Mollusca from Lake Nyasa.* (Quart. J. geol. Soc. London, 83, pp. 444-447.)
- 1927b. *The Mollusca of Lake Albert Nyanza. (a). Recent species.* (J. Conch., 18, pp. 171-179.)
1928. *The Mollusca of Lake Albert Nyanza. (b). Fossil species.* (Ibid., 18, pp. 205-208.)
- 1928a. *On a collection of land and freshwater Mollusca from Southern Abyssinia.* (Proc. zool. Soc. London, pp. 163-184, pl. I.)
- 1928b. *I Molluschi continentali della Somalia Italiana.* (Atti Soc. Natural. Modena, ser. 6, 59, pp. 116-153, 193-194, pl. III.)
- 1928c. *The non-marine Mollusca of Sierra Leone.* (Ann. Mag. Nat. Hist., ser. 10, 1, pp. 529-551, pl. XVIII.)
1929. *Notes on African non-marine Mollusca, with descriptions of many new species (Concluded).* (Ibid., ser. 10, 3, pp. 165-178, pl. V.)
- 1929a. *New non-marine Mollusca from South-Africa.* (Ann. Natal Mus., 6, pp. 219-244, pl. XIV.)
1930. *Descriptions of new Mollusca from Central Africa, with notes on other species.* (Proc. malac. Soc. Lond., 19, pp. 37-48, pl. VI, textfigs.)
- 1930a. *Additions to the Mollusca of Albert Nyanza.* (J. Conch., 19, pp. 22-24, textfigs.)
1931. *The distribution of non-marine Mollusca throughout continental Africa.* (Ibid., 19, pp. 98-107.)
- 1931a. *The Mollusca from deposits of Gamblian Pluvial date, Kenya Colony.* (in L. S. B. Leakey: *The stone age cultures of Kenya Colony*, appendix D, pp. 276-277.)
- 1931b. *Contributions to a knowledge of the fauna of South-West Africa, IX. — The non-marine Mollusca of South-West Africa.* (Ann. S. Afr. Mus., 29, pp. 277-336, pls. III-IV, textfigs.)
- 1931c. *Descriptions of new non-marine Mollusca from North, South and Central Africa, with notes on other species.* (Ann. Mag. Nat. Hist., ser. 10, 8, pp. 305-321, pls. X-XIII, textfigs.)
- 1931d. *The land-shells of British Somaliland.* (Ibid., ser. 10, 8, pp. 322-338, pls. XI, XIII.)
1932. *Limicolarian notes. I. An island race.* (Proc. malac. Soc. Lond., 20, pp. 181-182, pl. XV.)
- 1932a. *New South African Gulellae, with notes on certain other species.* (Ann. Natal Mus., 7, pp. 67-90, pl. IV.)
- 1932b. *On some South African Endodontidae, part I.* (Ibid., 7, pp. 91-104, pl. V.)
1933. *On south African Endodontidae, part II.* (Ibid., 7, pp. 145-150, pl. VII, textfigs.)
1934. *A Bourguignatian bluff.* (Proc. malac. Soc. Lond., 21, pp. 70-73.)
- 1934a. *On the Planorbid hosts of Bilharziasis in South and West Africa.* (Ann. Trop. Med. Parasit., 28, pp. 439-443, textfigs.)
1938. *An apparently undescribed species of Potadoma Swainson.* (J. Conch., 21, p. 8, textfig.)
1939. *A monographic survey of South African non-marine Mollusca.* (Ann. S. Afr. Mus., 33, pp. 1-660, pls. I-XIX, textfigs.)
1941. *An undescribed land shell from S. W. Africa.* (J. Conch., 21, p. 244.)
- 1941a. *South Arabian non-marine Mollusca. Sect. I. — The British Museum Expedition to South West Arabia (pp. 18-35). Sect. II. — The Lord Wakefield Expedition to the Hadhramaut, 1938 (pp. 36-40).* (Expedition to South-West Arabia, British Museum, I, 4, pp. 17-41, pl. III.)
1942. *New or little known Mollusca from Central Africa.* (J. Conch., 21, pp. 328-335, textfigs.)
1945. *A little African synonymy.* (Ibid., 22, pp. 166-167.)

## BIBLIOGRAPHY OF H. B. PRESTON

1901. *Description of Cymbiola mangeri, a supposed new species from the Falkland Islands.* (Proc. malac. Soc. Lond., 4, p. 237, textfigs.)
1902. *New species of land-shells from New Guinea.* (Ibid., 5, pp. 17-19, textfigs.)
1903. *Supposed new species of Helicina and Bulimulus from Costa Rica.* (J. Malacol., 10, p. 4, textfigs.)
- 1903a. *Descriptions of two supposed new species of Cyathopoma.* (Proc. malac. Soc. Lond., 5, p. 340, textfigs.)
1904. (K. H. JONES & H. B. PRESTON.) *List of Mollusca collected during the commission of H. M. S. « Waterwitch » in the China seas, 1900-1903, with descriptions of new species.* (Ibid., 6, pp. 138-151, textfigs.)
- 1904a. *Descriptions of some new species of Cingalese and Indian marine shells.* (J. Malacol., 11, pp. 75-78, pls. VI-VII.)
1905. *Descriptions of new species of marine shells from Ceylon.* (Ibid., 12, pp. 1-8, pls. I-II.)
- 1905a. *Descriptions of two new species of Diplommatina from Ceylon.* (Ibid., 12, p. 9, pl. II.)
- 1905b. *Description of a new species of Trachiopsis from British New Guinea.* (Proc. malac. Soc. Lond., 6, p. 207, textfig.)
- 1905c. *Description of a new species of Achatina from the Zambesi.* (Ibid., 6, p. 244, textfig.)
- 1905d. *Notes on a small collection of shells from the Victoria Falls, Zambesi River, with descriptions of new species.* (Ibid., 6, pp. 300-301, textfigs.)
1906. *Descriptions of four new species of marine shells, probably from Ceylon.* (Ibid., 7, pp. 34-35, textfigs.)
- 1906a. *Description of a new species of Limnaea from North-West Australia.* (Ibid., 7, p. 36, textfig.)
- 1906b. *On a small collection of land and fresh-water shells from Uganda, with descriptions of a new species of Martensia and two new species of Limicolaria.* (Ibid., 7, pp. 88-90, textfigs.)
- 1906c. *Descriptions of new species of marine Pelecypoda from the Philippine Islands.* (Ann. Soc. r. zool. Belg., 41, pp. 72-73, textfigs.)
1907. *Descriptions of Cypraea Bernardinae and Calliostoma carnicolor n. sp.* (Nautilus, 20, pp. 139-140, pl. VIII, figs. 6-8.)
- 1907a. *Description of a new Petraeus from Palestine.* (Nachr. bl. Dtsch. malak. Ges., 39, p. 94, textfig.)
- 1907b. *Latirus funebris n. sp. from the West Indies.* (J. Conch., 12, p. 33, textfig.)
- 1907c. *Descriptions of two new species of Nassa from Fiji and New Caledonia.* [J. Conchyl., 54 (1906), pp. 267-269, textfigs.]
- 1907d. *Description of a new subgenus and species of Alycaeus from Ke-Lan-Tan.* (Proc. malac. Soc. Lond., 7, p. 206, textfig.)
- 1907e. *Descriptions of four new species of Melania from New Ireland and Kelantan.* (Ibid., 7, pp. 266-268, textfigs.)
- 1907f. *Diagnoses of new species of Corbula and Bithinella from Lower Bengal.* (Ann. Mag. Nat. Hist., ser. 7, 19, pp. 215-216, textfigs.)
- 1907g. *Descriptions of nine new species of land-shells from New Caledonia.* (Ibid., ser. 7, 19, pp. 217-221, textfigs.)
- 1907h. *Descriptions of new species of land and fresh-water shells from Central and South America.* (Ibid., ser. 7, 20, pp. 490-498, textfigs.)
1908. *Description of a new species of Clathurella, probably from Ceylon.* (Proc. malac. Soc. Lond., 8, p. 6, textfig.)
- 1908a. *Descriptions of new species of land, fresh-water and marine shells from West Africa.* (Ibid., 8, pp. 7-8, textfigs.)
- 1908b. *Description of a new species of Rhagada from Western Australia.* (Ibid., 8, p. 120.)
- 1908c. *Description of a new species of Batissa from the Fiji Islands.* (Ibid., 8, p. 140.)
- 1908d. *Descriptions of new species of marine and freshwater shells in the collection of the Indian Museum, Calcutta.* (Rec. Ind. Mus., 2, 1, pp. 45-48, textfigs.)
- 1908e. *Descriptions of new species of land, marine and freshwater shells from the Andaman Islands.* (Ibid., 2, 2, pp. 187-210, pls. XIV-XVII.)

1909. *Two new varieties of Cypraea from N.E. Queensland.* (Nautilus, 22, pp. 121-122.)
- 1909a. *Report on a small collection of freshwater Mollusca (Limnaea and Pisidium) from Tibet.* (Rec. Ind. Mus., 3, 2, pp. 115-116, textfigs.)
- 1909b. *Description of new land and marine shells from Ceylon and S. India.* (Ibid., 3, 2, pp. 133-140, pl. XXII.)
- 1909c. *Descriptions of two new shells from South India.* (Ibid., 3, 3, pp. 277-278, textfigs.)
- 1909d. *Descriptions of seventeen new species and varieties of land and freshwater shells from East and West Africa and the Transvaal.* (Ann. Mag. Nat. Hist., ser. 8, 3, pp. 180-187, pl. VII.)
- 1909e. *New land, freshwater, and marine shells from South America.* (Ibid., ser. 8, 3, pp. 507-513, pl. X.)
- 1909f. *New land and freshwater shells from West Africa.* (Ibid., ser. 8, 4, pp. 87-91, pl. IV.)
- 1909g. *Descriptions of four new species of land-shells from Natal and the Transvaal.* (Ibid., ser. 8, 4, pp. 498-499, textfigs.)
- 1909h. *Descriptions of new species of Macrochlamys and Pseudodon from Siam.* (Proc. malac. Soc. Lond., 8, p. 202, pl. VIII.)
- 1909i. *Descriptions of new Trochoid shells from North Queensland.* (Ibid., 8, pp. 377-378.)
1910. (J.E. COOPER & H.B. PRESTON.) *Diagnoses of new species of marine and freshwater shells from the Falkland Islands, including descriptions of two new genera of marine Pelecypoda.* (Ann. Mag. Nat. Hist., ser. 8, 5, pp. 110-114, pl. IV.)
- 1910a. *Further additions to the Molluscan fauna of Central Africa.* (Ibid., ser. 8, 6, pp. 58-64, pls. IV-V.)
- 1910b. *Additions to the non-marine Molluscan fauna of British and German East Africa and Lake Albert Edward.* (Ibid., ser. 8, 6, pp. 526-536, pls. VII-IX.)
- 1910c. (K.H. JONES et H.B. PRESTON.) *Notes on some species of Mollusca collected in China from 1904 to 1907, with descriptions of new species.* (Proc. malac. Soc. Lond., 9, pp. 9-12, textfigs.)
- 1910d. *Notes on a small collection of terrestrial shells from Angola, with descriptions of new species.* (Ibid., 9, pp. 51-55, textfigs.)
- 1910e. *Description of Vivipara fragilis, n. sp. from Dutch New Guinea.* (Ibid., 9, p. 113, textfig.)
- 1910f. *Notes on and additions to the terrestrial Molluscan fauna of Southern Abyssinia.* (Ibid., 9, pp. 163-170, textfigs.)
- 1910g. *Descriptions of new shells in the collection of the Indian Museum from Burma, Siam and the Bay of Bengal.* (Rec. Ind. Mus., 5, pp. 33-36, textfigs.)
- 1910h. *Descriptions of five new species of marine shells from the Bay of Bengal.* (Ibid., 5, 2, pp. 117-121, textfigs.)
1911. *Note on a new Armorican locality for Elona quimperiana, Fér.* (Proc. malac. Soc. Lond., 9, p. 227.)
- 1911a. *Description of new Melaniidae from Goram and Kei Islands, Malay Archipelago.* (Ibid., 9, pp. 228-229.)
- 1911b. *Description of a new species of Pachychilus from Cuba.* (Ibid., 9, pp. 229-230.)
- 1911c. *Diagnoses of three new operculate land shells from Grand Cayman Island.* (Ibid., 9, pp. 359-360, textfigs.)
- 1911d. *Descriptions of thirty-six new species of land and freshwater shells from British East Africa, chiefly from Mount Kenya and the neighbouring district.* (Ann. Mag. Nat. Hist., ser. 8, 7, pp. 463-476, pls. XI-XII.)
- 1911e. *Descriptions of six new species of shells from Bengal and Madras.* (Rec. Ind. Mus., 6, pp. 39-42, textfigs.)
- 1911f. *Description of nine new species of terrestrial Mollusca from Naivasha, British East Africa.* (Rev. Zool. Afr., 1, pp. 218-221, pl. XI.)
1912. *Unio silongweensis, a new name for Unio vicinus, PRESTON not Lea.* (Nautilus, 26, p. 35.)
- 1912a. *Unio (Nodularia) putzeysi new name for U. (Nodularia) subnigra, PRESTON.* (Ibid., 26, p. 70.)
- 1912b. *Diagnoses of new species of terrestrial and fluviatile shells from British East Africa and Uganda.* (Rev. Zool. Afr., 1, pp. 322-328, pl. XVII.)

- 1912c. *On a new genus and species of marine parasitic Gastropod from the Indian Region* (Rec. Ind. Mus., 7, pp. 126-127, textfig.)
- 1912d. *A catalogue of the Asiatic Naiades in the collection of the Indian Museum, Calcutta, with descriptions of new species.* (Ibid., 7, pp. 279-308, pl. VIII.)
- 1912e. *Diagnoses of new species of terrestrial and fluviatile shells from British and German East Africa, with the description of a new genus (Eussoia) from the Eusso Nyiro River, B.E. Africa.* (Proc. zool. Soc. London, pp. 183-193, pls. XXXI-XXXII.)
- 1912f. *Descriptions of new terrestrial Mollusca from North-West China.* (Proc. malac. Soc. Lond., 10, pp. 11-15, textfigs.)
- 1912g. *Descriptions of new Helicoid shells from Cape Colony.* (Ibid., 10, pp. 16-18, textfigs.)
- 1912h. *Characters of three new species of freshwater shells from Uruguay.* (Ibid., 10, p. 107, textfigs.)
- 1912i. *Descriptions of five new species of Limicolaria from British East Africa.* (Ibid., 10, pp. 108-111, textfigs.)
- 1912j. *Additions to the land-molluscan fauna of Rhodesia.* (Ann. Mag. Nat. Hist., ser. 8, 9, pp. 69-72, textfigs.)
- 1912k. *Descriptions of a new Helicoid land-shell from Cape Colony and a new Succinea from the Zambezi River.* (Ibid., ser. 8, 9, p. 445, textfigs.)
- 1912l. *Characters of six new Pelecypods and two new Gastropods from the Falkland Islands.* (Ibid., ser. 8, 9, pp. 636-640, pl. XXI.)
1913. *Descriptions of fifteen new species and varieties of marine shells from the Falkland Islands.* (Ibid., ser. 8, 11, pp. 218-223, pl. IV.)
- 1913a. *New minute terrestrial and aquatic Mollusca from the Dutch East Indian Island of Beilan-Beilan, with descriptions of four new genera and subgenera.* (Ibid., ser. 8, 12, pp. 432-439.)
- 1913b. *Characters of new genera and species of terrestrial Mollusca from Norfolk Island.* (Ibid., ser. 8, 12, pp. 522-538.)
- 1913c. *New species and varieties of terrestrial and fluviatile shells from Equatorial Africa.* (Rev. Zool. Afr., 3, pp. 47-62, pls. IV-VI; Errata : p. 212.)
- 1913d. *Diagnoses of new species and varieties of Agnathous Mollusca from Equatorial Africa.* (Proc. zool. Soc. London, pp. 194-218, pls. XXXII-XXXV.)
- 1913e. *Descriptions of new species of Limicolaria and Krapfiella from East Central Africa.* (Proc. malac. Soc. Lond., 10, pp. 277-284, textfigs.)
- 1913f. *Description of two new Helicoids from British East Africa and Uganda.* (Ibid., 10, p. 285, textfigs.)
- 1913g. *Characters of a new sub-genus and species of Choanopoma from Cuba.* (Ibid., 10, pp. 323-324, textfigs.)
1914. *A Molluscan faunal list of the Lake of Tiberias with description of new species.* (J. Asiat. Soc. Bengal, 9, pp. 465-475, pl. XXVII.)
- 1914a. *Mollusca from the Chilka Lake on the East coast of India.* (Rec. Ind. Mus., 10, pp. 297-310, textfigs.)
- 1914b. *Diagnoses of new genera and species of Zonitidae from Equatorial Africa.* (Proc. zool. Soc. London, pp. 787-811, pls. I-III.)
- 1914c. *On a new and remarkable sub-species of Limnaea pereger, MÜLL., from Iceland.* (Proc. malac. Soc. Lond., 11, pp. 11-12, textfigs.)
- 1914d. *Description of new species of land and marine shells from the Montebello Islands, Western Australia.* (Ibid., 11, pp. 13-18, textfigs.)
- 1914e. *Characters of new land and freshwater shells from the Naga Hills, Assam.* (Ibid., 11, pp. 19-24, textfigs.)
- 1914f. *Characters of three new species of Ennea from Southern Nigeria.* (Ibid., 11, pp. 134-136, textfigs.)
- 1914g. *New non-marine Mollusca from Peru and Argentina.* (Ann. Mag. Nat. Hist., ser. 8, 13, pp. 522-528.)
- 1914h. (in J. LONGSTAFF) *On a collection of non-marine Mollusca from the Southern Sudan. With descriptions of three new species by H. B. PRESTON, F. Z. S.; and notes on Veronicella nilotica, by G. C. ROBSON, B. A.* (J. Linn. Soc. London, 32, pp. 233-268, pls. XVII-XVIII; Appendix I, pp. 265-266.)
1915. (in L. E. ADAMS) *Conchological notes from Chile and Peru, with list of the Mollusca with descriptions of six new species by H. B. PRESTON.* (J. Conch., 14, pp. 347-352, pl. VI.)



- 1915a. *Zoological results of the Abor Expedition 1911-12. XLIII. Mollusca V.* (Rec. Ind. Mus., 8, pp. 537-541, textfigs.)
- 1915b. *A further report on Mollusca from Lake Chilka on the East coast of India.* (Ibid., 11, pp. 289-310, textfigs.)
- 1915c. *Report on a collection of Mollusca from the outskirts of Calcutta.* (Ibid., 11, pp. 479-482, textfigs.)
- 1915d. *Marginella shackelfordi* nom. nov. for *M. eburnea* PRESTON 1906, non LAMARCK. (Proc. malac. Soc. Lond., 11, p. 312.)
- 1915e. *Mollusca (Freshwater Gastropoda and Pelecypoda).* (The fauna of British India including Ceylon and Burma, London Taylor & Francis, pp. I-XIX, 1-244, textfigs.)
- 1915f. *Descriptions of a new Modiola from Ceylon and of a new Tellina from New Caledonia.* (Ann. Mag. Nat. Hist., ser. 8, 16, p. 84, textfigs.)
- 1916. *Report on a collection of Mollusca from the Cochin and Ennur backwaters.* (Rec. Ind. Mus., 12, pp. 27-39, textfigs.)
- 1916a. *Report on a small collection of marine Mollusca dredged in shallow water in the Andaman Islands.* (Ibid., 12, pp. 87-99, textfigs.)
- 1916b. *Descriptions of new freshwater shells from Japan.* (Ann. Mag. Nat. Hist., ser. 8, 17, pp. 159-163, pl. IX.)
- 1916c. *Descriptions of a new species and subspecies of Ennea from Northern Nigeria, and a correction in the original description of E. reesi, PRESTON.* (Ibid., ser. 8, 17, pp. 259-260, textfigs.)
- 1916d. *Descriptions of eight new species of marine Mollusca from the South Shetland Islands.* (Ibid., ser. 8, 18, pp. 269-272, pl. XIII.)

## REFERENCES

- DANCE, S. P.  
1966. *Shell Collecting, an illustrated history.* (London, Faber & Faber, 344 p., 35 pls.)
- DAUTZENBERG, Ph.  
1908. *Récolte malacologique de M. Ch. ALLUAUD en Afrique orientale (1903-1904).* (J. Conchyl., 56, pp. 1-34, pls. I-II.)
- DAUTZENBERG, Ph. & GERMAIN, L.  
1914. *Récoltes malacologiques du Dr. J. BEQUAERT dans le Congo belge.* (Rev. Zool. Afr., 4, pp. 1-73, pls. I-IV.)
- DUPUIS, P. & PUTZEYS, S.  
1922. *Deuxième note concernant la faune malacologique africaine.* (Ann. Soc. R. zool. Belg., 53, pp. 69-79.)
- GERMAIN, L.  
1919. *Contributions à la faune malacologique de l'Afrique équatoriale. LVII. Sur quelques genres et espèces de Pulmonés de l'Afrique orientale.* (Bull. Mus. Hist. Nat. Paris, 25, pp. 258-265.)
- 1923. *Voyage de M. Guy BABAULT dans l'Afrique orientale anglaise. Résultats scientifiques. Mollusques terrestres et fluviatiles.* (Paris, pp. 1-149, pls. I-IV.)
- MADGE, E.  
1939. *Further notes on non-marine Mollusca from the Mascarene Islands. II. On Nesopupa gonioplax, PILSBRY, Streptostele (Raffraya) acicula MORELET, and Succinea concisa, MORELET.* (Mauritius Inst. Bull., I, 5, pp. 34-37, pl. II.)
- PILSBRY, H. A.  
1919. *A review of the land Mollusks of the Belgian Congo chiefly based on the collections of the American Museum Congo Expedition, 1909-1915.* (Bull. Am. Mus. Nat. Hist., 40, pp. 1-370, pls. I-XXIII.)











